

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:

Earth Systems Pacific
2049 North Preisker Lane
Santa Maria, California 93454

2. NRC/REGIONAL OFFICE

U.S. Nuclear Regulatory Commission
Region IV, 1600 East Lamar Blvd
Arlington, Texas 76011-4511

REPORT NO.: 030-30653/2017-001

3. DOCKET NUMBER

030-30653

4. LICENSE NUMBER

04-23286-01

5. DATE OF INSPECTION

May 10, 2017

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- ☒ 1. Based on the inspection findings, no violations were identified.
- ☐ 2. Previous violation(s) closed.
- ☐ 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy to exercise discretion, were satisfied.
- ☐ Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):
- ☐ 4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

| Title | Printed Name | Signature | Date |
|---------------------------|----------------------|---------------------------|---------|
| LICENSEE'S REPRESENTATIVE | Stephanie M. Kennedy | Stephanie M. Kennedy, RSE | 5-15-17 |
| NRC INSPECTOR | Jason D. Hart | Jason D. Hart | 5-15-17 |
| BRANCH CHIEF | Virian H. Campbell | Virian H. Campbell | 6/22/17 |

NRC FORM 591M PART 1

☐ Non-Public ☐ Sensitive - Security-Related

☒ Public

☒ Non-Sensitive

Dykert, Jason

From: Dykert, Jason
Sent: Monday, May 15, 2017 2:46 PM
To: 'skennedy@earthsystems.com'
Subject: NRC inspection report 2017-001
Attachments: NRC inspection report 2017-001.pdf

Hi Stephanie, here is the inspection report from last week's inspection. We will make this part of your official record and available in our ADAMS database. Let me know if you have any questions,

Thanks

Jason C Dykert
Health Physicist, Inspection Branch
US NRC, Region IV
(817) 200 - 1427

