

JAN 28 1994

ACD/DCB
JEO

Docket Nos. 50-237; 50-249
License Nos. DPR-19; DPR-25

Commonwealth Edison Company
ATTN: Mr. M. Lyster
Site Vice President
Dresden Station
6500 North Dresden Road
Morris, IL 60450

SUBJECT: NOTICE OF VIOLATION (NRC INSPECTION REPORT NOS. 50-237/93034;
50-249/93034)

Dear Mr. Lyster:

Enclosed are the results of our inspection conducted by M. Leach, A. M. Stone, R. Roton, and R. Landsman of this office on November 30, 1993 through January 10, 1994. The inspectors reviewed activities authorized for your Dresden Nuclear Station, Units 2 and 3 facility. At the conclusion of the inspection, the inspectors discussed the findings with members of your staff.

The areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress. The purpose of the inspection was to determine whether activities authorized by the license were conducted safely and in accordance with NRC requirements.

Based on the results of this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice of Violation (Notice). The first violation was cited for the failure to follow an Order. This violation is of concern because it was identified by the NRC and demonstrates your continued failure to assess the impact of plant changes on commitments to the NRC. The rebaseline of the Updated Final Safety Analysis Report recaptured design information; however, under your present modification program, you remain vulnerable in this area. The second violation was cited for inadequate corrective actions for unsecured portable equipment. This violation is of concern because each example was identified by the NRC after corrective actions for a previous violation were completed. Management's failure to adequately correct problems has been identified previously on numerous occasions.

During this inspection, certain other of your activities appear to be in violation of NRC requirements. Two non-cited violations described in paragraph 9 of the enclosed inspection report were categorized as Severity

9402090056 940128
PDR ADDCK 05000237
Q PDR

JEO

JAN 28 1994

Commonwealth Edison Company

2

Level IV and are not being cited because the criteria specified in Section VII.B of the "General Statement of Policy and Procedures for NRC Enforcement Actions," (Enforcement Policy, 10 CFR Part 2, Appendix C), were satisfied.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, we will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosures will be placed in the NRC Public Document Room.

The responses directed by this letter and the enclosed Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96.511.

Sincerely,

Original signed by E. G. Greenman

Edward G. Greenman, Director
Division of Reactor Projects

Enclosures:

1. Notice of Violation
2. Inspection Report
No. 50-237/93034(DRP);
No. 50-249/93034(DRP)
3. Attachments 1 and 2

See Attached Distribution

Yes

RIII
P28
Hiland

1/26/94

RIII
bc
Clayton

1/26/94

RIII
LaTorre

1/26/94

RIII
Greenman

1/28/94

JAN 28 1997

cc w/enclosure:

L.O. DelGeorge, Vice President,
Nuclear Oversight and Regulatory Services

Gary F. Spedl, Station Manager

J. Shields, Regulatory Assurance
Supervisor

D. Farrar, Nuclear Regulatory
Services Manager

OC/LFDCB

Resident Inspectors LaSalle,
Dresden, Quad Cities

Richard Hubbard

J. W. McCaffrey, Chief, Public
Utilities Division

Robert Newmann, Office of Public
Counsel

Licensing Project Manager, NRR
State Liaison Officer

Chairman, Illinois Commerce
Commission

H. J. Miller, RIII

T. O. Martin, RIII

J. E. Dyer, RIII

M. L. Jordan, RIII

C. D. Pederson, RIII

S. Stasek, SRI, Davis-Besse

bcc: PUBLIC (IE01)