



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

JUN 28 2017

John P. Sutkowski, M.D.
Radiation Safety Officer
Deaconess Hospital c/o Midwest
Radiologic Imaging
4087 Gateway Blvd.
Newburgh, IN 47630

Dear Dr. Sutkowski:

Enclosed is Amendment No. 105 to your U.S. Nuclear Regulatory Commission (NRC) Material License No. 13-00142-02 for Deaconess Hospital in accordance with your request dated April 24, 2017. Your letter is available electronically from the NRC's Agencywide Documents Access and Management System (ADAMS) at Accession no. ML17121A331.

Amendment No. 105 to your NRC license No. 13-00142-02 was generated using a Web Based Licensing System. Also, we have deleted Condition No. 17 in accordance with current NRC policy to include the reference to Title 10 of the *Code of Federal Regulations* (CFR), Part 71, "Packaging and Transportation of Radioactive Material," in the preamble, on page 1 of the license.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. The NRC may issue a notice of violation, imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

The enclosed document contains sensitive security-related information.
When separated from this cover letter this letter is uncontrolled.


J. Sutkowski

- 2 -

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system. Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR Section 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability. The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security-related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,



Magdalena R. Gryglak
Health Physicist
Materials Licensing Branch

License No. 13-00142-02
Docket No. 030-01580

Enclosure: Amendment No. 105