Commonwealth Edison Spany 1400 Opus Place Downers Grove, IL 60515-5701



February 25, 1997

U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Attn: Document Control Desk

Subject: Byron Station Units 1 and 2 Braidwood Station Units 1 and 2 Zion Station Units 1 and 2 Quad Cities Station Units 1 and 2 Dresden Station Units 2 and 3 LaSalle County Station Units 1 and 2 Fitness for Duty Reporting 10 CFR 26.71(d) NRC Docket Nos. 50-454/455, 50-456/457, 50-295/304, 50-254/265, 50-237/249, 50-373/374

In accordance with 10 CFR 26.71(d), Commonwealth Edison Company is providing the compiled fitness-for-duty program performance data for each Station and the applicable Corporate support employees for the six month period ending December 31, 1997.

The attachment to this letter contains the performance data for Braidwood, Byron, Dresden, LaSalle, Quad Cities and Zion Stations, respectively. Also, included is the performance data for the corporate support personnel.

Please direct any questions regarding this matter to this office.

Respectfully,

David R. Helwig Senior Vice President Nuclear Generation Support

Attachment

אמי



05000237

cc: Senior Resident Inspectors BY/BW/Z/D/QC/LCS Region III Office 7803060288 780225

638941

A0211.

· .	ц.	· · ·			
COMMO	NWEALTH E	DISON COMPANY		December 31, 1997	· .
	Compan	y j	 	Six Months Ending	
BRAIDWO		AR POWER STATION	<u>N</u> .		
	Location		 		
J	udith C. Pap	aleo	· •	630-663-6565	
,	Contact N			Phone (include area code)	
Cutoffs:	Screen/Co	nfirmation (ng/ml)		Appendix A to 10CFR 26	
Marijuana	50/15	Amphetamines	1000/500		
Cocaine	300/150	Phencyclidine	25/25	·	
Opiates	300/300	Alcohol (% BAC)	.04		
- F		,			

÷

Testing Results			Licensee Employees		n	Short -Term Contractor	
Average with Unescorted Access		940		121	• ••	518	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		46	0	19	0	994	12
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	3	: 1	0	0	1	1
Random		229	0	32	0	130	0
Follow-up		3	0	0	0	6	0
Other		6	. O	0	0	18	3
Pre-Employment		2	0	· 0	0	0	0
Total		289	1	51	0	1149	16

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTAN - BRAIDWOOD NUCLEAR POWER STATION CFS

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	1	0	0	0	0	0
						-	
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	5	9	1	0	0	3	1
TOTAL	5 2	10	1	0	0.	3	1

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

> All Positive Tests at or above Commonwealth Edison's Threshold ------

Positive Tests at

100 ng/ml or greater

Management Actions and Sanctions

Nineteen positive tests resulted in the denial or revocation of unescorted access of one licensee employee and sixteen short-term contractors. One refusal to test by a short-term contractor resulted in the denial and revocation of unescorted access.

Events Reported

On October 18, 1997, a short-term contractor was denied access after admitting violation of the 5-hour abstinence rule on October 10. Additionally, two other contractors involved in this event were denied access for failing to report the odor of alcohol to their supervisor.

PERFORMA PERSONNEL SU	
EALTH EDISON COMPANY	December 31, 1997

Company

COMMONW

Six Months Ending

BYRON NUCLEAR POWER STATION

Location

Judith C. Papaleo 630-663-6565 Phone (include area code) Contact Name Screen/Confirmation (ng/ml) Appendix A to 10CFR 26 Cutoffs: Marijuana 50/15 Amphetamines 1000/500 Phencyclidine 300/150 Cocaine 25/25 Alcohol (% BAC) 300/300 .04 Opiates

Testing Results			Licensee Employees		n	Short -Te Contracto	
Average with Unescorted Access		934	•	120		1035	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		38	0	48	1	1423	18
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	5	. 1	0	0	6	3
Random		233	0	31	0	260	2
Follow-up		16	0	0	0	51	1
Other		5	. 1	3	0	61	1
Pre-Employment		5	0	0	0	4	0
Total		302	2	82	1	1805	25

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - BYRON NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employee	0	0	0	0	0	2	0
Long - Term Contractors	1	0	0	0	0	0	0
Short -Term Contractors	12 7	8	0	0	0	5	0
TOTAL	13 8	8	0	0	0	7	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ----

- Positive Tests at 100 ng/ml or greater

BYRON NUCLEAR POWER STATION

Management Actions and Sanctions

Twenty -Eight positive tests resulted in the denial or revocation of unescorted access for one licensee employee, one long-term contractor and twenty-five short-term contractors.

Events Reported

A For Cause test on a Licensed Operator, September 10, 1997, resulted in a confirmed positive test and the denial of unescorted access. A 24-hour reportable event telephone call was made to the NRC Operations Center on September 10, 1997.

FITNESS FOR DUTY		
PERFORMANCE DATA	•	
PERSONNEL SUBJECT TO	10CFR	26

COMMONWEALTH EDISON COMPANY

Company

December 31, 1997 Six Months Ending

. .

DRESDEN NUCLEAR POWER STATION

Location

J	udith C. Pap Contact N		<u></u>	630-663-6565 Phone (include area code)	
Cutoffs:	Screen/Co	nfirmation (ng/ml)	/	Appendix A to 10CFR 26	
Marijuana	50/15	Amphetamines	1000/500		
Cocaine	300/150	Phencyclidine	25/25	· · · · · · · · · · · · · · · · · · ·	
Opiates	300/300	Alcohol (% BAC)	.04		•

Testing Results			Licensee Employees		m r	Short -Te Contracto	
Average with Unescorted Access		980	•	110		672	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		18	0	29	3	140	2
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	1	0	0	0	1	0
Random		236	0	28	0	153	4
Follow-up		6	0.	4	0	22	1
Other	· · ·	5	0	0	0	12	0
Pre-Employment		.0	0	0	0	7	. 0
Total		266	0	61	3	335	

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - DRESDEN NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	0	0
Long -Term Contractors	1	2	0	0	0	0	0
Short -Term Contractors	3	4	0	0	0	0	0
TOTAL	4 3	6	0	0	0	0	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ------

-- Positive Tests at 100 ng/ml or greater

DRESDEN NUCLEAR POWER STATION

Management Actions and Sanctions

Ten positive tests resulted in the denial or revocation of unescorted access of three long-term and seven short-term contractors.

Events Reported

There were no 24-hour reportable events during this reporting period.

соммо	NWEALTH E	DISON COMPANY	•	December 31, 1997
· ·	Compan	у		Six Months Ending
LASALL	E NUCLEAR Location	POWER STATION		
J	udith C. Pap	aleo	· .	630-663-6565
	Contact Na	ame		Phone (include area code)
			•	· · · · · · · · · · · · · · · · · · ·
Cutoffs:	Screen/Co	nfirmation (ng/ml)	<u> </u>	Appendix A to 10CFR 26
Marijuana	50/15	Amphetamines	1000/500	· · · · · · · · · · · · · · · · · · ·
Cocaine	300/150	Phencyclidine	25/25	•
Opiates	300/300	Alcohol (% BAC)	.04	· · ·

Testing Results		Licensee Employees		Long –Term Contractor		Short -Term Contractor	
Average with Unescorted Access		971	· .	104		867	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		27	1	13	0	788	7
For Cause	Post Accident	0	0	0	.0	0	0
	Observed Behavior	2	2	0	0	3	1
Random		248	0	27	0	221	2
Follow-up		4	0	0	0	12	0
Other		8	1	0	0	11	1
Pre-Employment	****	16	0	0	0	0	0
Total		305	4	40	0	1035	11

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - LASALLE COUNTY NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	1	0	0	0	2	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	4	6	0	0	0	2	0
TOTAL	5 2	7	0	0	0	4	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ------

Positive Tests at 100 ng/ml or greater

LASALLE COUNTY NUCLEAR POWER STATION

Management Actions and Sanctions

Sixteen positive tests resulted in the denial or revocation of unescorted access of three licensee employees and ten short-term contractors.

Events Reported

A preaccess test on a licensed operator, September 11, 1997, resulted in a confirmed positive test and denial of unescorted access. A 24 hour reportable event telephone call was made to the NRC Operations Center on September 11, 1997.

COMMO	NWEALTH E Compan	EDISON COMPANY	December 31, 1997 Six Months Ending				
QUAD CIT	IES NUCLE/ Location	AR POWER STATION	4 4 				
J	udith C. Pap		· · · · · · · · · · · · · · · · · · ·	630-663-6565			
	Contact N	ame		Phone (include area code)			
Cutoffs:	Screen/Co	nfirmation (ng/ml)	/	Appendix A to 10CFR 26			
Marijuana	50/15	Amphetamines	1000/500				
Cocaine	300/150	Phencyclidine	25/25		· · · ·		
Opiates	300/300	Alcohol (% BAC)	.04		-		

Testing Results		Licensee Employe		Long -Terr Contractor		Short -Term Contractor	
Average with Unescorted Access	1	927		99	:	327	•
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		16	0	1,	0	166	0
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	1	0	0	0	0	0
Random		225	1	25	0	. 77	0
Follow-up		4	0	0	0	0	0
Other		4	0	0	0	6	0
Pre-Employment	·	0	. 0	0	0	0	0.
Total		250	1	26	0	249	0

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - QUAD CITIES NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	1 0	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	1 0	0	0	0	0	0	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ------

Positive Tests at 100 ng/ml or greater

QUAD CITIES NUCLEAR POWER STATION

Management Actions and Sanctions

One positive test resulted in the denial or revocation of unescorted access of one licensee employee.

Events Reported

There were no 24-hour reportable events during this reporting period.

	•	· ·			
соммо	NWEALTH E	DISON COMPANY		December 31, 1997	
	Compan	у		Six Months Ending	· · ·
<u>ZION I</u>	NUCLEAR P Location	OWER STATION			
J	udith C. Pap	aleo		630-663-6565	
	Contact Na	ame		Phone (include area code)	
Cutoffs:	Screen/Co	nfirmation (ng/ml)	/	Appendix A to 10CFR 26	
Marijuana	50/15	Amphetamines	1000/500		
Cocaine	300/150	Phencyclidine	25/25	· · · · · · · · · · · · · · · · · · ·	
Opiates	300/300	Alcohol (% BAC)	.04		

·, *

Testing Results		Licensee Employees		Long -Ten Contracto		Short -Term Contractor	
Average with Unescorted Access		893	·	111		639	
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		19	0	52	0	311	5
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	2	2	0	0	3	0
Random		. 222	0	30	0	159	0
Follow-up		14	0	1	0	19	0
Other		4	.1	2	0	3	0
Pre-Employment		10	.0	0	0	0	0
Totai		271	3	85	0	495	5

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - ZION NUCLEAR POWER STATION

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employees	0	0	0	0	0	3	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	1	4	0	0	0	0	0
TOTAL	1	4	0	0	.0	3	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ------

--- Positive Tests at 100 ng/ml or greater

ZION NUCLEAR POWER STATION

Management Actions and Sanctions

Eight positive tests resulted in the denial or revocation of unescorted access of two licensee employees and five short-term contractors.

Events Reported

There were no 24-hour reportable events during this reporting period.

<u> </u>	NWEALTH E Compan	EDISON COMPANY	December 31, 1997 Six Months Ending		
CORPOR	ATE NUCLE Location	AR OPERATIONS			
j.	udith C. Pap	aleo		630-663-6565	
	Contact N		· .	Phone (include area code)	· · · ·
· · · ·	x <i>y</i>				
Cutoffs:	Screen/Co	nfirmation (ng/ml)	/	Appendix A to 10CFR 26	· ·
Marijuana	50/15	Amphetamines	1000/500		,
Cocaine	300/150	Phencyclidine	25/25		•
Opiates	300/300	Alcohol (% BAC)	.04		· · ·

Testing Results		Licensee Employe		Long -Terr Contractor		Short -Term Contractor	
Average with Unescorted Access		780	780		0		
Categories		Number Tested	Number Positive	Number Tested	Number Positive	Number Tested	Number Positive
Pre-Access		44	0	0	0	23	0
For Cause	Post Accident Observed Behavior	0	0	0	0	0	0
Random		205	0	0	0	2	0
Follow-up		6	0	. 0 .	0	6	0
Other		6	0	0	0	0	0
Pre-Employment		117	0	0	· 0	3	0
Total		378	0	0	0	34	0

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES - CORPORATE NUCLEAR OPERATIONS

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal To Test
Licensee Employee	os O	0	0	0	0	0	0
Long -Term Contractors	0	0	0	0	0	0	0
Short -Term Contractors	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0

On November 1, 1990, CECO implemented a 50 ng/ml positive threshold for THC. In order to report test results for the USNRC specified level (100 ng/ml) and for ComEd's more stringent level of 50 ng/ml, the data is reported above as follows.

All Positive Tests at or above Commonwealth Edison's Threshold ------

----- Positive Tests at 100 ng/ml or greater

CORPORATE NUCLEAR OPERATIONS

Management Actions and Sanctions

There were no positive test results requiring action during this reporting period.

Four hundred fifty six (456) on-site tested negative quality control specimens were submitted to the SAMHSA laboratory during this period. 455 specimens were confirmed negative by the laboratory. One specimen confirmed positive at the laboratory following GC/MS testing. This specimen tested on-site at 98% of the positive threshold and was a valid negative. The on-site immunoassay test instrument was calibrated according to manufacturer's recommendations. A review of the seven other specimens tested during the run yielded no abnormalities. The Laboratory Forensic Testing Director was provided on-site screening information. She noted that when this specimen was tested on-site, it was not consistent with a true negative test, although it was just under the positive threshold. The Laboratory Director concluded the overall accuracy of the on-site specimen screening program is acceptable under instrument accuracy standards. The false negative test result may be attributed to variability of reagents and/or differences in on-site and laboratory test equipment.

Blind performance testing was conducted at a rate of ten percent. Thirty-eight (38) specimens were submitted to the laboratory. All results were reported correctly.

Seven (7) Fitness For Duty program violation appeals were received for this period. The ComEd Executive Review Board upheld all violation decisions.

Eighty-two (82) positive test results were confirmed positive by the Medical Review Officer. Additionally, four (4) positive specimens were reanalyzed and re-confirmed positive.

Events Reported

There were no 24-hour reportable events during the period.