

April 10, 1998

DC D/DCB

Mr. Oliver D. Kingsley  
President, Nuclear Generation Group  
Commonwealth Edison Company  
ATTN: Regulatory Services  
Executive Towers West III  
1400 Opus Place, Suite 500  
Downers Grove, IL 60515

SUBJECT: NOTICE OF VIOLATION (NRC INSPECTION REPORT NO. 50-237/97021;  
50-249/97021

Dear Mr. Kingsley:

This will acknowledge receipt of your letter dated April 6, 1998, in response to our letter dated March 6, 1998, transmitting three violations in a Notice of Violation associated with the failure to perform a written safety evaluation; the failure to update the Fire Protection Report; and the failure to review and revise the Fire Preplans. We have reviewed your corrective actions for the three violations and have no further questions at this time. These corrective actions will be examined during future inspections.

With regards to Unresolved Item URI 50-237/249-97021-01(DRS), where the team had concerns that the Updated Final Safety Analysis Report (UFSAR) did not accurately characterize the plant's design-basis or the plant's capability to respond to a potential Dresden Lock and Dam failure, this issue will be addressed in NRC Inspection Report 50-237/249/98007(DRS).

Sincerely,

original /s/ J. A. Grobe

John A. Grobe, Director  
Division of Reactor Safety

Docket Nos.: 50-237; 50-249

Enclosure: Ltr dtd 4/6/98 from J. M. Heffley,  
ComEd to USNRC

See Attached Distribution

DOCUMENT NAME: G:\DRS\DRE04108.TY

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII	E	RIII	N	RIII		RIII	
NAME	Hausman: <i>sd</i>		Gardner <i>A</i>		Grobe <i>AG</i>			
DATE	04/9/98		04/9/98		04/9/98		04/ /98	

OFFICIAL RECORD COPY

9804160271 980410  
PDR ADDCK 05000237  
Q PDR

IEO1

O. Kingsley

2

cc w/o encl: M. Wallace, Senior Vice President  
D. Helwig, Senior Vice President  
G. Stanley, PWR Vice President  
J. Perry, BWR Vice President  
D. Farrar, Regulatory  
Services Manager  
I. Johnson, Licensing Director  
DCD - Licensing  
M. Heffley, Site Vice President  
P. Swafford, Station Manager  
F. Spangenberg, Regulatory Assurance  
Manager

cc w/encl: Richard Hubbard  
Nathan Schloss, Economist  
Office of the Attorney General  
State Liaison Officer  
Chairman, Illinois Commerce  
Commission

Distribution:  
SAR (E-Mail)  
Project Mgr., NRR w/encl  
A. Beach w/encl  
J. Caldwell w/encl  
B. Clayton w/encl  
SRI Dresden w/encl  
DRP w/encl  
TSS w/encl  
DRS w/encl  
RIII PRR w/encl  
PUBLIC IE-01 w/encl  
Docket File w/encl  
GREENS