



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

JUL 06 2017

James A. Junker, M.D.
Radiation Safety Officer
Mercy Hospital Jefferson
P.O. Box 350
Crystal City, MO 63019

Dear Dr. Junker,

Enclosed is Amendment No. 34 to your U.S. Nuclear Regulatory Commission (NRC) Material License No. 24-18315-01 for Mercy Hospital Jefferson in accordance with your request dated June 14, 2017. Your letter is available electronically from the NRC's Agencywide Documents Access and Management System (ADAMS) at Accession no. ML17170A312. Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

In your request dated June 14, 2017, you provided close-out survey and wipe test results for a location of use in Festus, Missouri. In your letter, you confirmed that all residual licensed material used at the location had been removed – such that any remaining residual radioactivity in that area of use is within the limits of Title 10 of the *Code of Federal Regulations* (CFR) Part 20, Subpart E.


Based on its review of close-out survey information, the staff has concluded that all licensable radioactive material has been removed from the location of use and residual radioactive material attributable to licensed activities in that area of use does not exceed current NRC criteria. Therefore, the location of use at 1390 Hwy 61 South, Festus, Missouri is suitable for unrestricted use.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. The NRC may issue a notice of violation, imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with 10 CFR 2.390, a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from ADAMS, accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read 'Magdalena R. Gryglak', written in a cursive style.

Magdalena R. Gryglak
Health Physicist
Materials Licensing Branch

License No. 24-18315-01
Docket No. 030-14837

Enclosure: Amendment No. 34