

Facility:	Date of Exam:	Exam Level:	RO <input checked="" type="checkbox"/>	SRO <input checked="" type="checkbox"/>
Item Description	Initials			
	a	b	c	
1. Clean answer sheets copied before grading	RLA	RL	g	
2. Answer key changes and question deletions justified and documented (none)	RLA	RL	g	
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	RLA	RL	g	
4. Grading for all borderline cases (80 ±2% overall and 70 or 80, as applicable, ±4% on the SRO-only) reviewed in detail (none)	RLA	RL	g	
5. All other failing examinations checked to ensure that grades are justified (none)	RLA	RL	g	
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants (none)	RLA	RL	g	
Printed Name/Signature		Date		
a. Grader	Randall C. Amundson <i>R.C. Amundson</i>		5/25/17	
b. Facility Reviewer(*)	Thomas G. Larson <i>Thomas G. Larson</i>		5/25/17	
c. NRC Chief Examiner (*)	Jesse Seymour <i>Jesse Seymour</i>		5/31/17	
d. NRC Supervisor (*)	Robert J. Orlikowski <i>Robert J. Orlikowski</i>		6/1/2017	
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.				