

FLORIDA POWER & LIGHT COMPANY

ST. LUCIE PLANT UNIT #1

LICENSE #DPR-67

SEMI-ANNUAL RADIOACTIVE EFFLUENT RELEASE REPORT

FOR THE PERIOD

January 1, 1979 through June 30, 1979

Prepared July 30, 1979

Project # 30-335  
Control # 7908230393  
Date 8/20/79 of Document:  
REGULATORY DOCUMENT FILE

7908230396

320828

TABLE OF CONTENTS

	<u>Page</u>
Effluent + Waste Disposal Supplemental Information	5
Liquid Effluents - Summation of All Releases	6
Liquid Effluents - Nuclide Summation - Quarter 1 & 2	7
Gaseous Effluents - Summation of All Releases	8
Gaseous Effluents - Nuclide Summation - Quarter 1 & 2	9
Tech. Spec. Reporting Data as per App. B of St. Lucie Environmental Tech. Specs. - Quarter 1	10, 11
Tech. Spec. Reporting Data as per App. B of St. Lucie Environmental Tech. Specs. - Quarter 2	12, 13
Meteorological Data for Quarter 1	14 - 20
Meteorological Data for Quarter 2	21 - 27
Solid Waste and Irradiated Fuel Shipments from St. Lucie 1 - January 1, 1979 through June 30, 1979	28

EFFLUENT + WASTE DISPOSAL SUPPLEMENTAL INFORMATION

## 1. Regulatory Limits

## 1.1 For liquid waste effluents

- a. The concentration of radioactive materials released in liquid waste effluents from all reactors at the site shall not exceed the value specified in 10 CFR Part 20, Appendix B, Table II, Column 2, for unrestricted areas.
- b. The cumulative release of radioactive materials in liquid waste effluents, excluding tritium and dissolved gases, shall not exceed 10 Ci/reactor/calendar quarter.
- c. The cumulative release of radioactive material in liquid waste effluents, excluding tritium and dissolved gases, shall not exceed 20 Ci/reactor in any 12 consecutive months.

## 1.2 For gaseous waste effluents

- a. (1) The release rate limit of noble gases from the site shall be such that

$$2.0 (Q_{TV} \bar{K}_V) \leq 1$$

and

$$0.33 (Q_{TV} (\bar{L}_V + 1.1 \bar{N}_V)) \leq 1$$

- (2) The release rate limit of all radioiodines and radioactive materials in particulate form with half-lives greater than eight days, released to the environs as part of the gaseous wastes from the site shall be such that

$$5.5 \times 10^3 Q_V \leq 1$$

- b. (1) The average release rate of noble gases from the site during any calendar quarter shall be such that

$$13 (Q_{TV} \bar{N}_V) \leq 1$$

and

$$6.3 (Q_{TV} \bar{M}_V) \leq 1$$

Effluent + Waste Disposal Supplemental Information, Continued

## 1. Regulatory Limits, Continued

## 1.2-b Continued

- (2) The average release rate of gases from the site during any 12 consecutive months shall be

$$25 (Q_{TV} \bar{N}_V) \leq 1$$

and

$$13 (Q_{TV} \underline{M}_V) \leq 1$$

- (3) The average release rate per site of all radioiodines and radioactive materials in particulate form with half-lives greater than eight days during any calendar quarter shall be such that

$$13 (5.5 \times 10^3 Q_V) \leq 1$$

- (4) The average release rate per site of all radioiodines and radioactive materials in particulate form with half-lives greater than eight days during any period of 12 consecutive months shall be such that

$$25 (5.5 \times 10^3 Q_V) \leq 1$$

- (5) The amount of iodine -131 released during any calendar quarter shall not exceed 2 Ci/reactor.

- (6) The amount of iodine -131 released during any period of the 12 consecutive months shall not exceed 4 Ci/reactor.

## 2. Maximum Permissible Concentrations

AIR - 10 CFR Part 20, Appendix B, Table II, Column 1

WATER - 10 CFR Part 20, Appendix B, Table II, Column 2

3. Average energy of fission and activation gases in gaseous effluents is not applicable.

## 4. Measurements and Approximations of Total Radioactivity

A summary of liquid effluent accounting methods is described in Table 4.1.

A summary of gaseous effluent accounting methods is described in Table 4.2.

Effluent + Waste Disposal Supplemental Information, Continued

## 4. Measurements and Approximations of Total Radioactivity, Continued

## Estimate of Errors

## (a) Sampling Error

The error associated with volume measurement devices, flow measuring devices, etc. based on calibration data and design tolerances has been conservatively estimated collectively to be less than  $\pm 10\%$ .

## (b) Analytical Error for Nuclides

Type	Average	Maximum
Liquid	$\pm 9\%$	$\pm 30\%$
Gaseous	$\pm 10\%$	$\pm 35\%$

Table 4.1  
Radioactive Liquid Effluent Sampling and Analysis

Liquid Source	Sampling Frequency	Type of Analysis	Method of Analysis
Monitor Tank Releases <sup>1</sup>	Each Batch	Principal Gamma Emitters	p.h.a.
	Monthly Composite	H-3	L.S.
		Gross Alpha	G.F.P.
	Quarterly Composite	Sr-90, Sr-89	C.S. & L.S.
Continuous Releases	No continuous activity releases for this reporting period		

<sup>1</sup>Boric Acid Evaporator condensate is normally recovered to the Primary Water Storage Tank for recycling into the reactor coolant system and does not contribute to liquid waste effluent totals.

p.h.a. - gamma spectrum pulse height analysis using Lithium Germanium detectors. All peaks are identified and quantified.

L.S. - Liquid Scintillation counting

C.S. - Chemical Separation

G.F.P. - Gas Flow Proportional Counting

Effluent + Waste Disposal Supplemental Information, Continued

## 4. Measurements and Approximations of Total Radioactivity, Continued

(b) Continued

Table 4.2  
Radioactive Gaseous Waste Sampling and Analysis

Gaseous Source	Sampling Frequency	Type of Analysis	Method of Analysis
Waste Gas Decay Tank Releases	Each Tank	Principal Gamma Emitters	(G, C, P) - p.h.a.
		H-3	L.S.
Containment Purge Releases	Each Purge	Principal Gamma Emitters	(G, C, P) - p.h.a.
		H-3	L.S.
Plant Vent	Weekly	Principal Gamma Emitters	(G, C, P) - p.h.a.
		H-3	L.S.
	Monthly Composite (Particulates)	Gross Alpha	P - G.F.P.
	Quarterly Composite (Particulates)	Sr-90, 89	C.S. & L.S.

G - Gaseous Grab Sample

C - Charcoal Filter Sample

P - Particulate Filter Sample

L.S. - Liquid Scintillation counting

C.S. - Chemical Separation

p.h.a. - gamma spectrum pulse height analysis using Lithium Germanium detectors. All peaks are identified and quantified.

G.F.P. - Gas Flow Proportional Counting

## EFFLUENT + WASTE DISPOSAL SUPPLEMENTAL INFORMATION (CONT.):

## 5. BATCH RELEASES

## A. LIQUID

1. NUMBER OF BATCH RELEASES:	21
2. TOTAL TIME PERIOD OF BATCH RELEASES:	10773 MINUTES
3. MAXIMUM TIME PERIOD FOR A BATCH RELEASE:	668 MINUTES
4. AVERAGE TIME PERIOD FOR A BATCH RELEASE:	513 MINUTES
5. MINIMUM TIME PERIOD FOR A BATCH RELEASE:	355 MINUTES
6. AVERAGE STREAM FLOW DURING PERIODS OF RELEASE OF EFFLUENT INTO A FLOWING STREAM:	292076 GPM

ALL LIQUID RELEASES ARE SUMMARIZED IN TABLES 5.1 & 5.2

## B. GASEOUS

1. NUMBER OF BATCH RELEASES:	66
2. TOTAL TIME PERIOD FOR BATCH RELEASES:	16914 MINUTES
3. MAXIMUM TIME PERIOD FOR A BATCH RELEASE:	600 MINUTES
4. AVERAGE TIME PERIOD FOR BATCH RELEASES:	256 MINUTES
5. MINIMUM TIME PERIOD FOR A BATCH RELEASE:	150 MINUTES

ALL GASEOUS WASTE RELEASES ARE SUMMARIZED IN TABLES 5.3 & 5.4

## 6. ABNORMAL RELEASES

## A. LIQUID

1. NUMBER OF RELEASES:	0
2. TOTAL ACTIVITY RELEASES:	.00000 CURIES

## B. GASEOUS

1. NUMBER OF RELEASES:	0
2. TOTAL ACTIVITY RELEASED:	.00000 CURIES

## 7. SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

SEE TABLE OF CONTENTS





## FLORIDA POWER &amp; LIGHT COMPANY

## ST. LUCIE UNIT #1

SEMIANNUAL REPORT

JANUARY 1, 1979 THROUGH JUNE 30, 1979

TABLE 5.1 : LIQUID EFFLUENTS - SUMMATION OF ALL RELEASES

	UNIT	QUARTER# 1	QUARTER# 2
<b>A. FISSION AND ACTIVATION PRODUCTS</b>			
1. TOTAL RELEASE-NOT INCLUDING TRITIUM, GASES, ALPHA)	CI	1.499 E -1	1.854 E -1
2. AVERAGE DILUTED CONCENTRATION DURING PERIOD	UCI/ML	1.898 E -8	4.623 E -8
3. PERCENT OF APPLICABLE LIMIT	%	1.499 E 0	1.854 E 0
<b>B. TRITIUM</b>			
1. TOTAL RELEASE	CI	2.449 E 1	4.799 E 1
2. AVERAGE DILUTED CONCENTRATION DURING PERIOD	UCI/ML	3.101 E -6	1.196 E -5
<b>C. DISSOLVED AND ENTRAINED GASES</b>			
1. TOTAL RELEASE	CI	1.242 E -1	1.809 E -1
2. AVERAGE DILUTED CONCENTRATION DURING PERIOD	UCI/ML	1.573 E -8	4.511 E -8
<b>D. GROSS ALPHA RADIOACTIVITY</b>			
1. TOTAL RELEASE	CI	7.270 E -9	2.159 E -8
<b>E. VOLUME OF WASTE RELEASED (PRIOR TO DILUTION)</b>			
	LITERS	8.250 E 5	1.260 E 6
<b>F. VOLUME OF DILUTION WATER USED DURING PERIOD</b>			
	LITERS	7.899 E 9	4.011 E 9



## FLORIDA POWER &amp; LIGHT COMPANY

## ST. LUCIE UNIT #1

SEMIANNUAL REPORT

JANUARY 1, 1979 THROUGH JUNE 30, 1979

TABLE 5.2: LIQUID EFFLUENTS

NUCLIDES RELEASED	UNIT	CONTINUOUS MODE		BATCH MODE	
		QUARTER# 1	QUARTER# 2	QUARTER# 1	QUARTER# 2
I-131	CI	.000 E 0	.000 E 0	1.910 E -2	1.050 E -2
I-133	CI	.000 E 0	.000 E 0	7.250 E -5	7.300 E -4
I-135	CI	.000 E 0	.000 E 0	.000 E 0	2.350 E -4
NA- 24	CI	.000 E 0	.000 E 0	1.719 E -5	.000 E 0
CR- 51	CI	.000 E 0	.000 E 0	7.640 E -3	1.679 E -2
MN- 54	CI	.000 E 0	.000 E 0	2.560 E -3	2.970 E -3
CO- 57	CI	.000 E 0	.000 E 0	2.260 E -4	1.054 E -4
CO- 58	CI	.000 E 0	.000 E 0	6.590 E -2	3.490 E -2
FE- 59	CI	.000 E 0	.000 E 0	6.399 E -4	6.420 E -4
CO- 60	CI	.000 E 0	.000 E 0	2.369 E -2	2.679 E -2
ZN- 65	CI	.000 E 0	.000 E 0	1.339 E -4	2.060 E -4
SN-113	CI	.000 E 0	.000 E 0	1.540 E -4	1.589 E -4
SB-122	CI	.000 E 0	.000 E 0	3.160 E -4	6.939 E -4
SB-124	CI	.000 E 0	.000 E 0	8.390 E -3	1.150 E -2
N-187	CI	.000 E 0	.000 E 0	6.830 E -4	3.130 E -4
NP-239	CI	.000 E 0	.000 E 0	6.250 E -5	.000 E 0
ZR- 95	CI	.000 E 0	.000 E 0	6.949 E -3	1.099 E -2
MO- 99	CI	.000 E 0	.000 E 0	8.520 E -5	1.200 E -4
CS-134	CI	.000 E 0	.000 E 0	3.120 E -3	2.400 E -3
CS-136	CI	.000 E 0	.000 E 0	.000 E 0	6.710 E -5
CS-137	CI	.000 E 0	.000 E 0	5.140 E -3	3.140 E -2
BA-140	CI	.000 E 0	.000 E 0	2.529 E -4	9.630 E -5
ZR- 97	CI	.000 E 0	.000 E 0	.000 E 0	2.580 E -4
SB-125	CI	.000 E 0	.000 E 0	2.960 E -3	1.340 E -2
CE-144	CI	.000 E 0	.000 E 0	1.470 E -3	1.439 E -3
SR- 89	CI	.000 E 0	.000 E 0	1.000 E -6	.000 E 0
SR- 90	CI	.000 E 0	.000 E 0	1.000 E -6	.000 E 0
UNIDENTIFIED	CI	.000 E 0	.000 E 0	.000 E 0	.000 E 0
TOTAL FOR PERIOD (ABOVE)	CI	.000 E 0	.000 E 0	1.495 E -1	1.667 E -1
AR- 41	CI	.000 E 0	.000 E 0	3.369 E -5	1.920 E -5
KR- 85	CI	.000 E 0	.000 E 0	7.460 E -4	1.579 E -2
XE-131M	CI	.000 E 0	.000 E 0	2.900 E -3	1.230 E -2
XE-133	CI	.000 E 0	.000 E 0	1.199 E -1	1.509 E -1
XE-133M	CI	.000 E 0	.000 E 0	2.830 E -4	8.120 E -4
XE-135	CI	.000 E 0	.000 E 0	3.860 E -4	9.090 E -4

## FLORIDA POWER &amp; LIGHT COMPANY

## ST. LUCIE UNIT#1

SEMIANNUAL REPORT

JANUARY 1, 1979 THROUGH JUNE 30, 1979

TABLE 5.3 : GASEOUS EFFLUENTS - SUMMATION OF ALL RELEASES

	UNIT	QUARTER# 1	QUARTER# 2
<b>A. FISSION AND ACTIVATION GASES</b>			
1. TOTAL RELEASE	CI	1.137 E 4	1.098 E 3
2. AVERAGE RELEASE RATE FOR PERIOD	UCI/SEC	1.442 E 3	1.393 E 2
3. PERCENT OF TECH. SPEC. LIMIT	%	2.418 E 0	2.053 E -1
<b>B. IODINES</b>			
1. TOTAL IODINE-131	CI	5.197 E -2	3.145 E -2
2. AVERAGE RELEASE RATE FOR PERIOD	UCI/SEC	6.592 E -3	3.989 E -3
3. PERCENT OF TECH. SPEC. LIMIT	%	2.599 E 0	1.573 E 0
<b>C. PARTICULATES</b>			
1. PARTICULATES T-1/2 > 8 DAYS	CI	5.310 E -2	3.145 E -2
2. AVERAGE RELEASE RATE FOR PERIOD	UCI/SEC	6.735 E -3	3.989 E -3
3. PERCENT OF TECH. SPEC. LIMIT	%	8.699 E -1	9.146 E -2
4. GROSS ALPHA RADIOACTIVITY	CI	7.271 E -9	2.160 E -8
<b>D. TRITIUM</b>			
1. TOTAL RELEASE	CI	4.176 E 1	1.291 E 2
2. AVERAGE RELEASE RATE FOR PERIOD	UCI/SEC	5.297 E 0	1.637 E 1



## FLORIDA POWER &amp; LIGHT COMPANY

## ST. LUCIE UNIT #1

SEMIANNUAL REPORT

JANUARY 1, 1979 THROUGH JUNE 30, 1979

TABLE 5.4: GASEOUS EFFLUENTS

NUCLIDES RELEASED	UNIT	CONTINUOUS MODE		BATCH MODE	
		QUARTER# 1	QUARTER# 2	QUARTER# 1	QUARTER# 2
<b>1. FISSION GASES</b>					
AR- 41	CI	.000 E 0	.000 E 0	2.289 E 1	.000 E 0
KR- 85	CI	.000 E 0	.000 E 0	6.149 E 1	4.279 E 0
KR- 85M	CI	1.059 E 0	.000 E 0	1.179 E 2	1.699 E 0
KR- 87	CI	.000 E 0	.000 E 0	1.239 E 2	2.289 E -1
KR- 88	CI	.000 E 0	.000 E 0	2.460 E 2	1.389 E 1
XE-131M	CI	.000 E 0	.000 E 0	6.679 E 2	3.789 E 1
XE-133	CI	1.109 E 3	5.529 E 2	8.679 E 3	4.609 E 2
XE-133M	CI	1.459 E 1	2.519 E 0	8.799 E 1	5.759 E 0
XE-135	CI	3.209 E 1	3.359 E 0	9.909 E 1	1.019 E 1
XE-135M	CI	.000 E 0	.000 E 0	9.209 E 0	.000 E 0
XE-139	CI	.000 E 0	.000 E 0	1.169 E 2	3.819 E 0
UNIDENTIFIED	CI	.000 E 0	.000 E 0	.000 E 0	.000 E 0
TOTAL FOR PERIOD (ABOVE)	CI	1.157 E 3	5.588 E 2	1.023 E 4	5.387 E 2
<b>2. IODINES</b>					
I-131	CI	4.709 E -2	3.119 E -2	4.870 E -3	2.460 E -4
I-133	CI	9.059 E -1	6.879 E -2	1.420 E -5	4.990 E -4
I-135	CI	.000 E 0	.000 E 0	.000 E 0	1.020 E -4
TOTAL FOR PERIOD (ABOVE)	CI	9.530 E -1	9.999 E -2	4.884 E -3	8.470 E -4
<b>3. PARTICULATES</b>					
CR- 51	CI	7.759 E -7	.000 E 0	.000 E 0	.000 E 0
MN- 54	CI	.000 E 0	.000 E 0	1.109 E -3	.000 E 0
CO- 58	CI	4.230 E -6	.000 E 0	.000 E 0	.000 E 0
CO- 60	CI	7.450 E -6	.000 E 0	.000 E 0	.000 E 0
RB- 88	CI	.000 E 0	.000 E 0	3.040 E -3	2.944 E -3
ZR- 95	CI	7.380 E -6	.000 E 0	.000 E 0	.000 E 0





THE FOLLOWING INFORMATION PERTAINS TO QUARTER 1 1979  
OF THIS SEMIANNUAL REPORTING PERIOD

G<sup>7</sup> EQUALS 1.442 E -3 CURIES/SEC

K-BAR EQUALS 5.293 E -1 REM/YR/CI/SEC

L-BAR EQUALS 1.138 E 0 REM/YR/CI/SEC

M-BAR EQUALS 2.661 E 0 RAD/YR/CI/SEC

N-BAR EQUALS 6.239 E -1 RAD/YR/CI/SEC

QV EQUALS 1.216 E -7 CURIES/SEC

THIS REPORT IS FOR QUARTER 1 OF THIS REPORTING PERIOD 1979

AS PER APPENDIX B ENVIRONMENTAL TECHNICAL SPECS

SECTION 2.4.3.B.(1) THE AVERAGE RELEASE RATE OF NOBLE GASES FROM THE SITE DURING ANY CALENDAR QUARTER SHALL BE SUCH THAT

$$13(QTV * \bar{N}) < OR = 1$$

$$1.170 E -2 < 1.0$$

AND 6.3(QTV \*  $\bar{M}$ ) < OR = 1

$$2.418 E -2 < 1.0$$

SECTION 2.4.3.B.(3) THE AVERAGE RELEASE RATE PER SITE OF ALL RADIOIODINES AND RADIOACTIVE MATERIALS IN PARTICULATE FORM WITH HALF-LIVES > 8 DAYS DURING ANY CALENDAR QUARTER SHALL BE SUCH THAT

$$13(5.5E+3 * QV) < OR = 1$$

$$8.699 E -3 < 1.0$$

SECTION 2.4.3.(5) THE AMOUNT OF IODINE-131 RELEASED DURING ANY CALENDAR QUARTER SHALL NOT EXCEED 2 CI/REACTOR

$$5.197 E -2 < 2.0$$

INVESTIGATION AND REPORT TO NRC IN 30 DAYS IF :

SECTION 2.4.3.C.(1) IF THE AVERAGE RELEASE RATE OF NOBLE GASES FROM THE SITE DURING ANY CALENDAR QUARTER IS SUCH THAT

$$50(QTV * \bar{N}) > 1$$

$$4.499 E -2 < 1.0$$

OR 25(QTV \*  $\bar{M}$ ) > 1

$$9.593 E -2 < 1.0$$

SECTION 2.4.3.C.(2) IF THE AVERAGE RELEASE RATE PER SITE OF ALL RADIOIODINES AND RADIOACTIVE MATERIALS IN PARTICULATE FORM WITH HALF-LIVES > 8 DAYS DURING ANY CALENDAR QUARTER IS SUCH THAT

$$50(5.5E+3 * QV) > 1$$

$$3.346 E -2 < 1.0$$

SECTION 2.4.3.C.(3) IF THE AMOUNT OF I-131 RELEASED DURING ANY CALENDAR QUARTER IS > 0.5 CURIES/REACTOR

$$5.197 E -2 < .5$$

THE FOLLOWING INFORMATION PERTAINS TO QUARTER 2 1979  
OF THIS SEMIANNUAL REPORTING PERIOD

QTV EQUALS 1.392 E -4 CURIES/SEC

K-BAR EQUALS 4.501 E -1 REM/YR/CI/SEC

L-BAR EQUALS 8.032 E -1 REM/YR/CI/SEC

M-BAR EQUALS 2.339 E 0 RAD/YR/CI/SEC

N-BAR EQUALS 5.430 E -1 RAD/YR/CI/SEC

QV EQUALS 1.279 E -8 CURIES/SEC

THIS REPORT IS FOR QUARTER 2 OF THIS REPORTING PERIOD 1979

AS PER APPENDIX B ENVIRONMENTAL TECHNICAL SPECS

SECTION 2.4.3.B. (1) THE AVERAGE RELEASE RATE OF NOBLE GASES FROM THE SITE DURING ANY CALENDAR QUARTER SHALL BE SUCH THAT

$$13(QTV*N\text{-BAR}) < \text{OR} = 1$$

$$9.829 \text{ E } -4 < 1.0$$

AND 6.3(QTV\*M-BAR) < OR = 1

$$2.053 \text{ E } -3 < 1.0$$

SECTION 2.4.3.B. (3) THE AVERAGE RELEASE RATE PER SITE OF ALL RADIOIODINES AND RADIOACTIVE MATERIALS IN PARTICULATE FORM WITH HALF-LIVES > 8 DAYS DURING ANY CALENDAR QUARTER SHALL BE SUCH THAT

$$13(5.5\text{E}+3*QV) < \text{OR} = 1$$

$$9.146 \text{ E } -4 < 1.0$$

SECTION 2.4.3. (5) THE AMOUNT OF IODINE-131 RELEASED DURING ANY CALENDAR QUARTER SHALL NOT EXCEED 2 CI/REACTOR

$$3.145 \text{ E } -2 < 2.0$$

INVESTIGATION AND REPORT TO NRC IN 30 DAYS IF :

SECTION 2.4.3.C. (1) IF THE AVERAGE RELEASE RATE OF NOBLE GASES FROM THE SITE DURING ANY CALENDAR QUARTER IS SUCH THAT

$$50(QTV*N\text{-BAR}) > 1$$

$$3.781 \text{ E } -3 < 1.0$$

OR 25(QTV\*M-BAR) > 1

$$8.144 \text{ E } -3 < 1.0$$

SECTION 2.4.3.C. (2) IF THE AVERAGE RELEASE RATE PER SITE OF ALL RADIOIODINES AND RADIOACTIVE MATERIALS IN PARTICULATE FORM WITH HALF-LIVES > 8 DAYS DURING ANY CALENDAR QUARTER IS SUCH THAT

$$50(5.5\text{E}+3*QV) > 1$$

$$3.518 \text{ E } -3 < 1.0$$

SECTION 2.4.3.C. (3) IF THE AMOUNT OF I-131 RELEASED DURING ANY CALENDAR QUARTER IS > 0.5 CURIES/REACTOR

$$3.145 \text{ E } -2 < .5$$

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: A

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3'	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	4.00	1.00	.00	.00	5.00
NNE	1.00	.00	.00	.00	.00	.00	1.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	1.00	.00	.00	1.00
E	.00	.00	2.00	.00	.00	.00	2.00
ESE	.00	.00	1.00	.00	.00	.00	1.00
SE	.00	.00	2.00	.00	.00	.00	2.00
SSE	.00	.00	1.00	.00	.00	.00	1.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	1.00	1.00	.00	.00	2.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	1.00	.00	1.00	.00	.00	2.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	1.00	.00	.00	.00	1.00
NNW	.00	.00	1.86	.00	.00	.00	1.86
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	1.00	1.00	13.95	4.00	.00	.00	19.94

PERIODS OF CALM(HOURS): .00

HOURS OF MISSING DATA : .00

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: B

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED (MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.50	.00	.00	.00	.50
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	1.00	1.00	.00	.00	.00	2.00
SE	.00	.00	1.00	.00	.00	.00	1.00
SSE	.00	.00	1.00	.00	.00	.00	1.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.00	1.00	3.50	.00	.00	.00	4.49

PERIODS OF CALM (HOURS): : 00  
HOURS OF MISSING DATA : : 00

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: C

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	1.00	.00	1.00	.00	.00	.00	2.00
E	.00	.00	1.00	.75	.00	.00	1.75
ESE	.00	3.00	1.00	.00	.00	.00	4.00
SE	.00	.00	1.00	.00	.00	.00	1.00
SSE	.00	.00	.71	.00	.00	.00	.71
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	1.00	.00	.00	.00	.00	.00	1.00
NN	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	2.00	.00	.00	.00	2.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	2.00	3.00	6.71	.75	.00	.00	12.46

PERIODS OF CALM(HOURS): .00

HOURS OF MISSING DATA : .00





## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: D

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	1.00	1.91	1.00	.00	.00	4.00
NNE	.00	.00	2.00	.00	.00	.00	2.00
NE	.00	1.00	.00	1.00	.00	.00	2.00
ENE	2.00	.50	2.00	1.00	.00	.00	5.50
E	.00	1.00	1.75	.00	.00	.00	2.75
ESE	.00	8.23	4.00	.00	.00	.00	12.23
SE	.00	2.00	9.91	.00	.00	.00	11.91
SSE	2.00	4.00	.91	.00	.00	.00	6.91
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.50	3.00	1.00	.00	.00	4.50
W	.00	1.00	.66	1.91	.00	.00	3.58
WNW	2.00	2.33	1.00	.00	.00	.00	5.41
NW	1.00	.00	1.00	.00	.00	.00	2.00
NNW	.00	.00	1.41	2.00	.00	.00	3.41
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	7.00	21.73	29.58	7.91	.00	.00	66.31

PERIODS OF CALM(HOURS): .91  
HOURS OF MISSING DATA : .00

## HOURS AT EACH WIND SPEED AND DIRECTION


PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: E

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	3.03	.00	.00	.00	.00	3.03
NNE	2.91	.00	.00	.00	.00	.00	2.91
NE	4.00	2.00	1.75	.00	.00	.00	7.75
ENE	3.00	4.71	1.01	.00	.00	.00	8.73
E	4.00	4.95	.00	.00	.00	.00	8.95
ESE	4.58	12.10	2.58	.00	.00	.00	19.26
SE	4.00	4.00	1.00	.00	.00	.00	9.00
SSE	.20	8.68	1.00	.00	.00	.00	9.88
S	.00	.00	.00	.00	.00	.00	.00
SSW	1.00	2.00	1.83	.00	.00	.00	4.83
SW	1.00	.00	1.11	.00	.00	.00	2.11
WSW	1.00	1.00	.00	.00	.00	.00	2.00
W	3.00	.75	.00	.00	.00	.00	3.75
NNW	11.13	2.20	.00	.00	.00	.00	13.33
NW	3.00	5.90	1.00	.00	.00	.00	9.90
NNW	.00	2.00	2.00	.00	.00	.00	4.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS.	42.83	53.33	13.30	.00	.00	.00	109.46

PERIODS OF CALM(HOURS): 1.25  
HOURS OF MISSING DATA : .00



## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: F

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	2.00	.00	.00	.00	.00	.00	2.00
NNE	.26	.00	.00	.00	.00	.00	.26
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	2.43	.00	.00	.00	.00	.00	2.43
SSE	1.00	.00	.00	.00	.00	.00	1.00
S	.50	.00	.00	.00	.00	.00	.50
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	1.00	.00	.00	.00	.00	.00	1.00
W	.00	1.00	.00	.00	.00	.00	1.00
WNW	2.00	.00	.00	.00	.00	.00	2.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	1.00	1.00	.00	.00	.00	.00	2.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	10.20	2.00	.00	.00	.00	.00	12.19

PERIODS OF CALM(HOURS): .00

HOURS OF MISSING DATA: .00

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: JANUARY 1 THROUGH MARCH 31, 1979

STABILITY CLASS: G

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED (MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	.00	.00	.00	.00	.00	.00	.00
SSE	.00	.00	.00	.00	.00	.00	.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.75	.00	.00	.00	.00	.00	.75
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.75	.00	.00	.00	.00	.00	.75
PERIODS OF CALM (HOURS):			.00				
HOURS OF MISSING DATA :			.00				



## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: A

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED (MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	1.00	.00	.00	1.00
NE	.00	.00	.00	1.00	.00	.00	1.00
ENE	.00	1.00	.00	.00	.00	.00	1.00
E	.00	.83	.00	.00	.00	.00	.83
ESE	.00	.00	.00	.00	.00	.00	.00
SE	.00	.00	4.16	.00	.00	.00	4.16
SSE	.00	.00	.00	1.00	.00	.00	1.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.91	.00	.00	.00	.00	.91
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.00	2.75	4.16	3.00	.00	.00	9.91
PERIODS OF CALM (HOURS):			.00				
HOURS OF MISSING DATA :			.00				

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: B

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	1.00	.00	.00	.00	1.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	1.00	.00	.00	.00	.00	1.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	.00	.00	.00	.00	.00	.00	.00
SSE	.00	.00	.00	.00	.00	.00	.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.00	1.00	1.00	.00	.00	.00	1.99
PERIODS OF CALM(HOURS):			.00				
HOURS OF MISSING DATA :			.00				



## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: C

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M. LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	1.00	.00	.00	.00	1.00
NE	.00	.00	1.00	.00	.00	.00	1.00
ENE	1.00	.00	.00	.00	.00	.00	1.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	1.00	.00	.00	.00	.00	1.00
SE	.00	.00	.00	.00	.00	.00	.00
SSE	.00	.00	.00	.00	.00	.00	.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	1.00	.00	.00	.00	1.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	1.00	1.00	3.00	.00	.00	.00	5.00

PERIODS OF CALM(HOURS): .00

HOURS OF MISSING DATA : .00



## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: D

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT. 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	1.03	.00	.00	.00	.00	1.03
NE	.00	1.00	.00	.00	.00	.00	1.00
ENE	2.00	2.00	.00	.00	.00	.00	4.00
E	.00	2.56	.00	.00	.00	.00	2.56
ESE	.00	.00	1.00	.00	.00	.00	1.00
SE	.00	.00	1.50	.00	.00	.00	1.50
SSE	1.00	1.00	3.00	1.00	.00	.00	6.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	2.00	1.01	.00	.00	.00	3.01
SW	.00	1.00	.00	.00	.00	.00	1.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	1.00	.00	.00	.00	.00	1.00
WNW	1.00	2.00	.00	.00	.00	.00	3.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	4.00	13.60	6.51	1.00	.00	.00	25.11

PERIODS OF CALM(HOURS): .00

HOURS OF MISSING DATA : .00


## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: E

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED (MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	1.00	.00	.00	.00	.00	.00	1.00
NE	1.00	.00	.00	.00	.00	.00	1.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	2.08	.83	.00	.00	.00	.00	2.91
SSE	.00	1.00	.00	.00	.00	.00	1.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
NNW	1.00	.00	.00	.00	.00	.00	1.00
NW	2.00	1.00	.00	.00	.00	.00	3.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	7.08	2.91	.00	.00	.00	.00	9.99
PERIODS OF CALM (HOURS):			.00				
HOURS OF MISSING DATA :			.00				



## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: F

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	.00	.00	.00	.00	.00	.00	.00
SSE	.00	.00	.00	.00	.00	.00	.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	1.00	.00	.00	.00	.00	1.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.00	1.00	.00	.00	.00	.00	1.00
PERIODS OF CALM(HOURS):			.00				
HOURS OF MISSING DATA :			.00				

## HOURS AT EACH WIND SPEED AND DIRECTION

PERIOD OF RECORD: APRIL 1 THROUGH JUNE 30, 1979

STABILITY CLASS: G

ELEVATION: 190 FEET

WIND DIRECTION	WIND SPEED(MPH) AT 10M LEVEL						TOTAL
	1-3	4-7	8-12	13-18	19-24	> 24	
N	.00	.00	.00	.00	.00	.00	.00
NNE	.00	.00	.00	.00	.00	.00	.00
NE	.00	.00	.00	.00	.00	.00	.00
ENE	.00	.00	.00	.00	.00	.00	.00
E	.00	.00	.00	.00	.00	.00	.00
ESE	.00	.00	.00	.00	.00	.00	.00
SE	.00	.00	.00	.00	.00	.00	.00
SSE	.00	.00	.00	.00	.00	.00	.00
S	.00	.00	.00	.00	.00	.00	.00
SSW	.00	.00	.00	.00	.00	.00	.00
SW	.00	.00	.00	.00	.00	.00	.00
WSW	.00	.00	.00	.00	.00	.00	.00
W	.00	.00	.00	.00	.00	.00	.00
WNW	.00	.00	.00	.00	.00	.00	.00
NW	.00	.00	.00	.00	.00	.00	.00
NNW	.00	.00	.00	.00	.00	.00	.00
SUB TOTAL	-----	-----	-----	-----	-----	-----	-----
HOURS	.00	.00	.00	.00	.00	.00	0.00
PERIODS OF CALM(HOURS):			.00				
HOURS OF MISSING DATA :			.00				

## EFFLUENT AND WASTE DISPOSAL SEMI-ANNUAL REPORT (YEAR)

## SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

## A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL (Not irradiated fuel)

1. Type of waste	Unit	6-month Period	Est. Total Error, %
a. Spent resins, filter sludges, evaporator bottoms, etc.	m <sup>3</sup> Ci	8.3 E00 5.6 E01	2.0 E01
b. Dry compressible waste, contaminated equip, etc.	m <sup>3</sup> Ci	1.61E02 2.97E00	2.0 E 01
c. Irradiated components, control rods, etc.	m <sup>3</sup> Ci	E N.A.E	E
d. Other (describe)	m <sup>3</sup> Ci	E N.A.E	E

## 2. Estimate of major nuclide composition (by type of waste)

a. Cesium 137	%	4.9 E01
Cesium 134	%	2.2 E01
Cobalt 58	%	1.5 E01
b. Cobalt 60	%	6.2 E01
Cobalt 58	%	1.9 E01
Zirconium 95	%	1.3 E01
c. None Disposed	%	E
	%	E
	%	E
d. None Disposed	%	E
	%	E
	%	E

## 3. Solid Waste Disposition

<u>Number of Shipments</u>	<u>Mode of Transportation</u>	<u>Destination</u>
7	Truck	Chem-Nuclear Inc. Barn Well, S.C.

## B. IRRADIATED FUEL SHIPMENTS (Disposition)

<u>Number of Shipments</u>	<u>Mode of Transportation</u>	<u>Destination</u>
None Shipped		