

mae 84

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8211240345 DOC. DATE: 82/11/19 NOTARIZED: NO  
FACIL: 50-389 St. Lucie Plant, Unit 2, Florida Power & Light Co.  
AUTH. NAME: UHRIG, R.E. AUTHOR AFFILIATION: Florida Power & Light Co.  
RECIP. NAME: EISENHUT, D.G. RECIPIENT AFFILIATION: Office of Nuclear Reactor Regulation, Director

DOCKET # 05000389

SUBJECT: Confirms 821112 telcon agreement w/util to discontinue hot functional testing of reactor vessel internals intended solely to increase vibratory cycles on plant.

DISTRIBUTION CODE: B001S COPIES RECEIVED: LTR ( ENCL ) SIZE: 1  
TITLE: Licensing Submittal: PSAR/FSAR Amdts & Related Correspondence


NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	A/D LICENSNG	1 0	LIC BR #3 BC	1 0
	LIC BR #3 LA	1 0	NERSES, V. 01	1 1
INTERNAL:	ELD/HDS2	1 0	IE FILE	1 1
	IE/DEP EPDS 35	1 1	IE/DEP/EPLB 36	3 3
	NRR/DE/AEAB	1 0	NRR/DE/CEB 11	1 1
	NRR/DE/EOB 13	2 2	NRR/DE/GB 28	2 2
	NRR/DE/HGEB 30	1 1	NRR/DE/MEB 18	1 1
	NRR/DE/MTEB 17	1 1	NRR/DE/QAB 21	1 1
	NRR/DE/SAB 24	1 1	NRR/DE/SEB 25	1 1
	NRR/DHFS/HFEB40	1 1	NRR/DHFS/LQB 32	1 1
	NRR/DHFS/OLB 34	1 1	NRR/DL/SSPB	1 0
	NRR/DSI/AEB 26	1 1	NRR/DSI/CPB 10	1 1
	NRR/DSI/CSB 09	1 1	NRR/DSI/ICSB 16	1 1
	NRR/DSI/METB 12	1 1	NRR/DSI/PSB 19	1 1
	NRR/DSI/RAB 22	1 1	NRR/DSI/RSB 23	1 1
	<u>REG FILE</u> 04	1 1	RGN2	3 3
	RM/DDAMI/MIB	1 0		
EXTERNAL:	ACRS 41	6 6	BNL (AMDTS ONLY)	1 1
	DMB/DSS (AMDTS)	1 1	FEMA-REP DIV 39	1 1
	LPDR 03	1 1	NRC PDR 02	1 1
	NSIC 05	1 1	NTIS	1 1

ADL

TOTAL NUMBER OF COPIES REQUIRED: LTTR 52 ENCL 45





November 19, 1982

L-82-515

Office of Nuclear Reactor Regulations  
 Attention: Mr. Darrell G. Eisenhut, Director  
 Division of Licensing  
 U. S. Nuclear Regulatory Commission  
 Washington, D.C. 20555

Dear Mr. Eisenhut:

Re: St. Lucie Unit No. 2  
 Docket No. 50-389  
 Reactor Vessel Internals  
Vibration Testing

This letter documents the telephone conversation of November 12, 1982 held between V. Nerses of your staff and J. Sheetz (FPL) wherein NRC concurrence was provided to secure from hot functional testing after subjecting the reactor and internals to approximately  $8.6 \times 10^6$  vibratory cycles. This greatly exceeds the Regulatory Guide 1.20 minimum of  $1 \times 10^6$  cycles but is slightly short of the desired  $1 \times 10^7$  cycles. Since no other testing remained to be completed, it was agreed that hot functional testing need not continue solely to increase the number of vibratory cycles on the plant.

If you have any questions, please contact us accordingly.

Very truly yours,

Robert E. Uhrig  
 Vice President  
 Advanced Systems & Technology

REU/RJS/JES/cab

cc: J. P. O'Reilly, Region II  
 Harold F. Reis, Esquire

BOO1

8211240345 821119  
 PDR ADOCK 05000389  
 A PDR