

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	4
Summary of Pathway Selections .....	8
Contaminated Zone and Total Dose Summary .....	9
Total Dose Components	
Time = 0.000E+00 .....	10
Time = 1.000E+00 .....	11
Time = 3.000E+00 .....	12
Time = 1.000E+01 .....	13
Time = 3.000E+01 .....	14
Time = 1.000E+02 .....	15
Time = 3.000E+02 .....	16
Time = 1.000E+03 .....	17
Dose/Source Ratios Summed Over All Pathways .....	18
Single Radionuclide Soil Guidelines .....	18
Dose Per Nuclide Summed Over All Pathways .....	19
Soil Concentration Per Nuclide .....	19

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Dose Conversion Factor (and Related) Parameter Summary  
 Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1( 1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1( 2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1( 3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1( 4)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 5)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1( 6)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1( 7)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2( 1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2( 2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2( 3)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2( 4)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2( 5)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3( 1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3( 2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3( 3)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3( 4)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3( 5)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF( 1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF( 1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF( 1,3)
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 3,3)
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF( 4,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 4,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF( 4,3)
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF( 5,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF( 5,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF( 5,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC( 1,2)
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC( 2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 2,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC( 3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 4,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC( 5,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 5,2)

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.450E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	2.870E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1( 5)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	2.600E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.800E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	6.600E-02	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	9.700E-01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.532E-04	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.802E-04	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.802E-04	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.375E-04	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCC(5)
R016	Unsat. zone 1 (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.177E-02	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.220E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.900E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.900E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 64500.00 square meters	Co-60	1.000E+00
Thickness: 1.00 meters	Cs-134	1.000E+00
Cover Depth: 0.00 meters	Cs-137	1.000E+00
	Ni-63	1.000E+00
	Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	2.813E+01	2.479E+01	1.976E+01	1.051E+01	2.895E+00	9.570E-01	3.928E-03	0.000E+00
M(t):	1.125E+00	9.917E-01	7.902E-01	4.202E-01	1.158E-01	3.828E-02	1.571E-04	0.000E+00

Maximum TDOSE(t): 2.813E+01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	5.644E+00	0.2007	1.972E-06	0.0000	0.000E+00	0.0000	4.131E-01	0.0147	3.786E-01	0.0135	9.998E-02	0.0036	3.565E-04	0.0000
Cs-134	2.983E+00	0.1061	3.771E-07	0.0000	0.000E+00	0.0000	5.306E-01	0.0189	6.082E-01	0.0216	9.478E-01	0.0337	8.807E-04	0.0000
Cs-137	1.248E+00	0.0444	3.030E-07	0.0000	0.000E+00	0.0000	4.212E-01	0.0150	4.828E-01	0.0172	7.524E-01	0.0267	6.991E-04	0.0000
Ni-63	0.000E+00	0.0000	6.023E-08	0.0000	0.000E+00	0.0000	5.779E-03	0.0002	4.927E-04	0.0000	2.321E-02	0.0008	8.132E-06	0.0000
Sr-90	8.807E-03	0.0003	1.211E-05	0.0000	0.000E+00	0.0000	9.501E+00	0.3378	1.093E+00	0.0389	2.981E+00	0.1060	2.082E-03	0.0001
Total	9.883E+00	0.3514	1.482E-05	0.0000	0.000E+00	0.0000	1.087E+01	0.3865	2.563E+00	0.0911	4.804E+00	0.1708	4.026E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.536E+00	0.2324
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.071E+00	0.1803
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.905E+00	0.1033
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.949E-02	0.0010
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.359E+01	0.4830
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.813E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	4.947E+00	0.1995	1.729E-06	0.0000	0.000E+00	0.0000	3.616E-01	0.0146	3.314E-01	0.0134	8.753E-02	0.0035	3.126E-04	0.0000
Cs-134	2.132E+00	0.0860	2.695E-07	0.0000	0.000E+00	0.0000	3.787E-01	0.0153	4.341E-01	0.0175	6.764E-01	0.0273	6.294E-04	0.0000
Cs-137	1.219E+00	0.0492	2.961E-07	0.0000	0.000E+00	0.0000	4.109E-01	0.0166	4.711E-01	0.0190	7.341E-01	0.0296	6.831E-04	0.0000
Ni-63	0.000E+00	0.0000	5.978E-08	0.0000	0.000E+00	0.0000	5.727E-03	0.0002	4.885E-04	0.0000	2.300E-02	0.0009	8.071E-06	0.0000
Sr-90	8.163E-03	0.0003	1.123E-05	0.0000	0.000E+00	0.0000	8.795E+00	0.3547	1.012E+00	0.0408	2.761E+00	0.1113	1.930E-03	0.0001
Total	8.307E+00	0.3350	1.358E-05	0.0000	0.000E+00	0.0000	9.952E+00	0.4014	2.249E+00	0.0907	4.282E+00	0.1727	3.563E-03	0.0001

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.728E+00	0.2310
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.622E+00	0.1461
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.836E+00	0.1144
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.923E-02	0.0012
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.258E+01	0.5073
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.479E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.802E+00	0.1925	1.329E-06	0.0000	0.000E+00	0.0000	2.771E-01	0.0140	2.540E-01	0.0129	6.708E-02	0.0034	2.402E-04	0.0000
Cs-134	1.089E+00	0.0551	1.376E-07	0.0000	0.000E+00	0.0000	1.928E-01	0.0098	2.212E-01	0.0112	3.445E-01	0.0174	3.214E-04	0.0000
Cs-137	1.164E+00	0.0589	2.826E-07	0.0000	0.000E+00	0.0000	3.911E-01	0.0198	4.487E-01	0.0227	6.988E-01	0.0354	6.520E-04	0.0000
Ni-63	0.000E+00	0.0000	5.889E-08	0.0000	0.000E+00	0.0000	5.626E-03	0.0003	4.801E-04	0.0000	2.260E-02	0.0011	7.952E-06	0.0000
Sr-90	7.014E-03	0.0004	9.645E-06	0.0000	0.000E+00	0.0000	7.535E+00	0.3814	8.671E-01	0.0439	2.365E+00	0.1197	1.658E-03	0.0001
Total	6.062E+00	0.3068	1.145E-05	0.0000	0.000E+00	0.0000	8.401E+00	0.4253	1.792E+00	0.0907	3.498E+00	0.1771	2.880E-03	0.0001

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.401E+00	0.2228
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.848E+00	0.0935
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.703E+00	0.1368
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.872E-02	0.0015
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.078E+01	0.5454
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.976E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.513E+00	0.1440	5.287E-07	0.0000	0.000E+00	0.0000	1.091E-01	0.0104	1.002E-01	0.0095	2.642E-02	0.0025	9.558E-05	0.0000
Cs-134	1.036E-01	0.0099	1.310E-08	0.0000	0.000E+00	0.0000	1.816E-02	0.0017	2.088E-02	0.0020	3.249E-02	0.0031	3.060E-05	0.0000
Cs-137	9.890E-01	0.0941	2.402E-07	0.0000	0.000E+00	0.0000	3.288E-01	0.0313	3.781E-01	0.0360	5.883E-01	0.0560	5.541E-04	0.0001
Ni-63	0.000E+00	0.0000	5.590E-08	0.0000	0.000E+00	0.0000	5.283E-03	0.0005	4.517E-04	0.0000	2.125E-02	0.0020	7.547E-06	0.0000
Sr-90	4.125E-03	0.0004	5.672E-06	0.0000	0.000E+00	0.0000	4.384E+00	0.4173	5.047E-01	0.0480	1.376E+00	0.1310	9.750E-04	0.0001
Total	2.610E+00	0.2484	6.510E-06	0.0000	0.000E+00	0.0000	4.845E+00	0.4612	1.004E+00	0.0956	2.045E+00	0.1946	1.663E-03	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.749E+00	0.1664
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.752E-01	0.0167
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.285E+00	0.2175
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.699E-02	0.0026
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.270E+00	0.5968
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.051E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.087E-01	0.0376	3.799E-08	0.0000	0.000E+00	0.0000	7.601E-03	0.0026	7.006E-03	0.0024	1.845E-03	0.0006	6.869E-06	0.0000
Cs-134	1.251E-04	0.0000	1.582E-11	0.0000	0.000E+00	0.0000	2.125E-05	0.0000	2.461E-05	0.0000	3.815E-05	0.0000	3.693E-08	0.0000
Cs-137	6.211E-01	0.2146	1.508E-07	0.0000	0.000E+00	0.0000	2.002E-01	0.0692	2.318E-01	0.0801	3.594E-01	0.1242	3.480E-04	0.0001
Ni-63	0.000E+00	0.0000	4.815E-08	0.0000	0.000E+00	0.0000	4.412E-03	0.0015	3.795E-04	0.0001	1.780E-02	0.0061	6.501E-06	0.0000
Sr-90	9.049E-04	0.0003	1.244E-06	0.0000	0.000E+00	0.0000	9.325E-01	0.3221	1.075E-01	0.0371	2.929E-01	0.1012	2.139E-04	0.0001
Total	7.309E-01	0.2525	1.481E-06	0.0000	0.000E+00	0.0000	1.145E+00	0.3954	3.467E-01	0.1198	6.720E-01	0.2321	5.753E-04	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.252E-01	0.0432
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.092E-04	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.413E+00	0.4881
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.259E-02	0.0078
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.334E+00	0.4608
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.895E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.082E-05	0.0000	3.780E-12	0.0000	0.000E+00	0.0000	6.731E-07	0.0000	6.305E-07	0.0000	1.646E-07	0.0000	6.835E-10	0.0000
Cs-134	7.645E-15	0.0000	9.664E-22	0.0000	0.000E+00	0.0000	1.156E-15	0.0000	1.375E-15	0.0000	2.103E-15	0.0000	2.257E-18	0.0000
Cs-137	1.219E-01	0.1274	2.961E-08	0.0000	0.000E+00	0.0000	3.498E-02	0.0366	4.163E-02	0.0435	6.367E-02	0.0665	6.832E-05	0.0001
Ni-63	0.000E+00	0.0000	2.856E-08	0.0000	0.000E+00	0.0000	2.329E-03	0.0024	2.052E-04	0.0002	9.506E-03	0.0099	3.856E-06	0.0000
Sr-90	4.476E-06	0.0000	6.154E-09	0.0000	0.000E+00	0.0000	4.104E-03	0.0043	4.752E-04	0.0005	1.292E-03	0.0013	1.058E-06	0.0000
Total	1.220E-01	0.1274	6.433E-08	0.0000	0.000E+00	0.0000	4.142E-02	0.0433	4.231E-02	0.0442	7.446E-02	0.0778	7.323E-05	0.0001

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.229E-05	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.228E-14	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.623E-01	0.2741
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.204E-02	0.0126
Sr-90	5.010E-01	0.5235	0.000E+00	0.0000	0.000E+00	0.0000	4.881E-02	0.0510	4.343E-02	0.0454	8.355E-02	0.0873	6.827E-01	0.7133
Total	5.010E-01	0.5235	0.000E+00	0.0000	0.000E+00	0.0000	4.881E-02	0.0510	4.343E-02	0.0454	8.355E-02	0.0873	9.570E-01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.974E-17	0.0000	1.389E-23	0.0000	0.000E+00	0.0000	1.600E-18	0.0000	1.617E-18	0.0000	4.058E-19	0.0000	2.512E-21	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.164E-03	0.2964	2.827E-10	0.0000	0.000E+00	0.0000	2.160E-04	0.0550	2.916E-04	0.0742	4.198E-04	0.1069	6.523E-07	0.0002
Ni-63	0.000E+00	0.0000	6.421E-09	0.0000	0.000E+00	0.0000	3.387E-04	0.0862	3.337E-05	0.0085	1.463E-03	0.3724	8.669E-07	0.0002
Sr-90	1.156E-12	0.0000	1.590E-15	0.0000	0.000E+00	0.0000	6.856E-10	0.0000	8.117E-11	0.0000	2.180E-10	0.0000	2.732E-13	0.0000
<b>Total</b>	<b>1.164E-03</b>	<b>0.2964</b>	<b>6.703E-09</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>5.547E-04</b>	<b>0.1412</b>	<b>3.249E-04</b>	<b>0.0827</b>	<b>1.883E-03</b>	<b>0.4793</b>	<b>1.519E-06</b>	<b>0.0004</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.336E-17	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.092E-03	0.5326
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.836E-03	0.4674
Sr-90	8.940E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.711E-09	0.0000	7.750E-09	0.0000	1.491E-08	0.0000	1.218E-07	0.0000
<b>Total</b>	<b>8.940E-08</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.711E-09</b>	<b>0.0000</b>	<b>7.750E-09</b>	<b>0.0000</b>	<b>1.491E-08</b>	<b>0.0000</b>	<b>3.928E-03</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	6.536E+00	5.728E+00	4.401E+00	1.749E+00	1.252E-01	1.229E-05	4.336E-17	0.000E+00
Cs-134	Cs-134	1.000E+00	5.071E+00	3.622E+00	1.848E+00	1.752E-01	2.092E-04	1.228E-14	5.045E-44	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	2.905E+00	2.836E+00	2.703E+00	2.285E+00	1.413E+00	2.623E-01	2.092E-03	0.000E+00
Ni-63	Ni-63	1.000E+00	2.949E-02	2.923E-02	2.872E-02	2.699E-02	2.259E-02	1.204E-02	1.836E-03	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	1.359E+01	1.258E+01	1.078E+01	6.270E+00	1.334E+00	6.827E-01	1.218E-07	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		3.825E+00	4.364E+00	5.681E+00	1.430E+01	1.997E+02	2.035E+06	*1.113E+15	*1.113E+15
Cs-134		4.930E+00	6.903E+00	1.353E+01	1.427E+02	1.195E+05	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137		8.606E+00	8.815E+00	9.249E+00	1.094E+01	1.769E+01	9.531E+01	1.195E+04	*8.593E+13
Ni-63		8.478E+02	8.553E+02	8.706E+02	9.263E+02	1.107E+03	2.076E+03	1.362E+04	*5.586E+13
Sr-90		1.840E+00	1.988E+00	2.320E+00	3.987E+00	1.874E+01	3.662E+01	2.053E+08	*1.366E+14

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	1.000E+00	0.000E+00	6.536E+00	3.825E+00	6.536E+00	3.825E+00
Cs-134	1.000E+00	0.000E+00	5.071E+00	4.930E+00	5.071E+00	4.930E+00
Cs-137	1.000E+00	0.000E+00	2.905E+00	8.606E+00	2.905E+00	8.606E+00
Ni-63	1.000E+00	0.000E+00	2.949E-02	8.478E+02	2.949E-02	8.478E+02
Sr-90	1.000E+00	0.000E+00	1.359E+01	1.840E+00	1.359E+01	1.840E+00

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	6.536E+00	5.728E+00	4.401E+00	1.749E+00	1.252E-01	1.229E-05	4.336E-17	0.000E+00	
Cs-134	Cs-134	1.000E+00	5.071E+00	3.622E+00	1.848E+00	1.752E-01	2.092E-04	1.228E-14	0.000E+00	0.000E+00	
Cs-137	Cs-137	1.000E+00	2.905E+00	2.836E+00	2.703E+00	2.285E+00	1.413E+00	2.623E-01	2.092E-03	0.000E+00	
Ni-63	Ni-63	1.000E+00	2.949E-02	2.923E-02	2.872E-02	2.699E-02	2.259E-02	1.204E-02	1.836E-03	0.000E+00	
Sr-90	Sr-90	1.000E+00	1.359E+01	1.258E+01	1.078E+01	6.270E+00	1.334E+00	6.827E-01	1.218E-07	0.000E+00	

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Co-60	Co-60	1.000E+00	1.000E+00	8.766E-01	6.737E-01	2.681E-01	1.927E-02	1.917E-06	7.044E-18	0.000E+00	
Cs-134	Cs-134	1.000E+00	1.000E+00	7.146E-01	3.650E-01	3.474E-02	4.194E-05	2.563E-15	1.682E-44	0.000E+00	
Cs-137	Cs-137	1.000E+00	1.000E+00	9.770E-01	9.326E-01	7.925E-01	4.977E-01	9.771E-02	9.330E-04	7.935E-11	
Ni-63	Ni-63	1.000E+00	1.000E+00	9.926E-01	9.779E-01	9.281E-01	7.994E-01	4.742E-01	1.066E-01	5.745E-04	
Sr-90	Sr-90	1.000E+00	1.000E+00	9.270E-01	7.965E-01	4.684E-01	1.028E-01	5.082E-04	1.313E-10	1.149E-33	

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 11.60 seconds

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Table of Contents

---

---

Part VI: Uncertainty Analysis

---

---

## RESRAD Uncertainty Analysis Results

Probabilistic Input .....	2
Total Dose .....	3
Total Risk .....	4
Dose vs Pathway: Ground External .....	5
Dose vs Pathway: Inhalation (w/o Radon) .....	6
Dose vs Pathway: Radon (Water Ind.) .....	7
Dose vs Pathway: Plant (Water Ind.) .....	8
Dose vs Pathway: Meat (Water Ind.) .....	9
Dose vs Pathway: Milk (Water Ind.) .....	10
Dose vs Pathway: Soil Ingestion .....	11
Dose vs Pathway: Water Ingestion .....	12
Dose vs Pathway: Fish Ingestion .....	13
Dose vs Pathway: Radon (Water Dep.) .....	14
Dose vs Pathway: Plant (Water Dep.) .....	15
Dose vs Pathway: Meat (Water Dep.) .....	16
Dose vs Pathway: Milk (Water Dep.) .....	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Input

Number of Sample Runs: 300

Number	Name	Distribution	Parameters	
1	DCACTC (2)	UNIFORM	615	635
2	DCACTU1 (2)	UNIFORM	615	635
3	DCACTS (2)	UNIFORM	615	635
4	DCACTC (3)	UNIFORM	615	635
5	DCACTU1 (3)	UNIFORM	615	635
6	DCACTS (3)	UNIFORM	615	635
7	DCACTC (4)	UNIFORM	62	331
8	DCACTU1 (4)	UNIFORM	62	331
9	DCACTS (4)	UNIFORM	62	331
10	DCACTC (5)	UNIFORM	2.3	3.4
11	DCACTU1 (5)	UNIFORM	2.3	3.4
12	DCACTS (5)	UNIFORM	2.3	3.4

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE (j,t), mrem/yr							
			t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Max	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Avg	0.00E+00	6.54E+00	6.54E+00	5.73E+00	4.40E+00	1.75E+00	1.25E-01	1.23E-05	4.34E-17	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134										
Min	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Max	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Avg	0.00E+00	5.07E+00	5.07E+00	3.62E+00	1.85E+00	1.75E-01	2.09E-04	1.23E-14	0.00E+00	0.00E+00
Std	0.00E+00	5.84E-06	5.83E-06	1.37E-05	1.67E-05	4.81E-06	1.67E-08	3.24E-18	0.00E+00	0.00E+00
Cs-137										
Min	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Max	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Avg	0.00E+00	2.91E+00	2.91E+00	2.84E+00	2.70E+00	2.28E+00	1.41E+00	2.62E-01	2.09E-03	0.00E+00
Std	0.00E+00	3.43E-06	3.44E-06	1.08E-05	2.45E-05	6.28E-05	1.13E-04	6.93E-05	1.65E-06	0.00E+00
Ni-63										
Min	0.00E+00	2.95E-02	2.95E-02	2.91E-02	2.85E-02	2.63E-02	2.11E-02	9.54E-03	9.13E-04	0.00E+00
Max	0.00E+00	2.95E-02	2.95E-02	2.92E-02	2.87E-02	2.70E-02	2.26E-02	1.20E-02	1.84E-03	6.54E-07
Avg	0.00E+00	2.95E-02	2.95E-02	2.92E-02	2.87E-02	2.68E-02	2.22E-02	1.14E-02	1.57E-03	2.01E-08
Std	0.00E+00	6.78E-06	6.78E-06	2.30E-05	5.47E-05	1.56E-04	3.75E-04	6.20E-04	2.39E-04	8.52E-08
Sr-90										
Min	0.00E+00	1.34E+01	1.34E+01	1.21E+01	9.91E+00	4.87E+00	6.39E-01	1.18E-01	1.96E-10	0.00E+00
Max	0.00E+00	1.36E+01	1.36E+01	1.26E+01	1.08E+01	6.27E+00	1.80E+00	6.44E-01	8.33E-08	0.00E+00
Avg	0.00E+00	1.35E+01	1.35E+01	1.24E+01	1.04E+01	5.63E+00	1.05E+00	3.15E-01	1.54E-08	0.00E+00
Std	0.00E+00	4.13E-02	4.13E-02	1.23E-01	2.48E-01	4.05E-01	2.53E-01	1.07E-01	1.81E-08	0.00E+00
ΣALL										
Min	0.00E+00	2.80E+01	2.80E+01	2.44E+01	1.89E+01	9.10E+00	2.20E+00	3.92E-01	3.00E-03	0.00E+00
Max	0.00E+00	2.81E+01	2.81E+01	2.48E+01	1.98E+01	1.05E+01	3.36E+00	9.18E-01	3.93E-03	6.54E-07
Avg	0.00E+00	2.81E+01	2.81E+01	2.46E+01	1.94E+01	9.86E+00	2.61E+00	5.89E-01	3.66E-03	2.01E-08
Std	0.00E+00	4.13E-02	4.13E-02	1.23E-01	2.48E-01	4.05E-01	2.53E-01	1.07E-01	2.39E-04	8.52E-08

ΣALL is total dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Risk Summary

Nuclide (j)	RISK(j,t)							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Max	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Avg	1.62E-04	1.42E-04	1.09E-04	4.33E-05	3.10E-06	3.04E-10	1.07E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.39E-09	3.17E-19	0.00E+00	0.00E+00
Max	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.40E-09	3.17E-19	0.00E+00	0.00E+00
Avg	1.31E-04	9.34E-05	4.76E-05	4.52E-06	5.39E-09	3.17E-19	0.00E+00	0.00E+00
Std	0.00E+00	2.37E-10	3.71E-10	1.18E-10	4.25E-13	8.34E-23	0.00E+00	0.00E+00
Cs-137								
Min	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.20E-05	5.94E-06	4.73E-08	0.00E+00
Max	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.21E-05	5.95E-06	4.74E-08	0.00E+00
Avg	6.59E-05	6.43E-05	6.13E-05	5.18E-05	3.20E-05	5.95E-06	4.74E-08	0.00E+00
Std	0.00E+00	1.61E-10	4.76E-10	1.36E-09	2.52E-09	1.56E-09	3.74E-11	0.00E+00
Ni-63								
Min	1.46E-06	1.45E-06	1.42E-06	1.31E-06	1.05E-06	4.74E-07	4.54E-08	0.00E+00
Max	1.46E-06	1.45E-06	1.43E-06	1.34E-06	1.12E-06	5.98E-07	9.12E-08	2.93E-11
Avg	1.46E-06	1.45E-06	1.42E-06	1.33E-06	1.10E-06	5.66E-07	7.79E-08	8.97E-13
Std	0.00E+00	7.35E-10	2.32E-09	7.39E-09	1.83E-08	3.07E-08	1.18E-08	3.81E-12
Sr-90								
Min	2.63E-04	2.39E-04	1.95E-04	9.58E-05	1.26E-05	1.94E-06	3.22E-15	0.00E+00
Max	2.63E-04	2.45E-04	2.10E-04	1.22E-04	3.08E-05	1.05E-05	1.36E-12	0.00E+00
Avg	2.63E-04	2.42E-04	2.03E-04	1.10E-04	1.99E-05	5.15E-06	2.51E-13	0.00E+00
Std	0.00E+00	1.58E-06	4.15E-06	7.54E-06	4.19E-06	1.75E-06	2.95E-13	0.00E+00
ΣALL								
Min	6.23E-04	5.40E-04	4.14E-04	1.97E-04	4.88E-05	8.48E-06	9.27E-08	0.00E+00
Max	6.23E-04	5.46E-04	4.29E-04	2.23E-04	6.71E-05	1.70E-05	1.39E-07	2.93E-11
Avg	6.23E-04	5.43E-04	4.22E-04	2.11E-04	5.61E-05	1.17E-05	1.25E-07	8.97E-13
Std	0.00E+00	1.58E-06	4.15E-06	7.54E-06	4.19E-06	1.75E-06	1.18E-08	3.81E-12

ΣALL is total risk summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Ground External

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Max	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Avg	5.64E+00	4.95E+00	3.80E+00	1.51E+00	1.09E-01	1.08E-05	3.97E-17	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Max	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Avg	2.98E+00	2.13E+00	1.09E+00	1.04E-01	1.25E-04	7.64E-15	0.00E+00	0.00E+00
Std	3.69E-06	8.24E-06	9.94E-06	2.85E-06	1.00E-08	2.02E-18	0.00E+00	0.00E+00
Cs-137								
Min	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Max	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Avg	1.25E+00	1.22E+00	1.16E+00	9.89E-01	6.21E-01	1.22E-01	1.16E-03	0.00E+00
Std	1.63E-06	4.80E-06	1.07E-05	2.73E-05	4.98E-05	3.22E-05	9.19E-07	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	8.70E-03	7.87E-03	6.44E-03	3.20E-03	4.32E-04	3.91E-07	7.87E-16	0.00E+00
Max	8.81E-03	8.16E-03	7.01E-03	4.12E-03	9.04E-04	4.46E-06	1.15E-12	0.00E+00
Avg	8.76E-03	8.04E-03	6.76E-03	3.70E-03	6.69E-04	1.92E-06	2.07E-13	0.00E+00
Std	3.01E-05	8.34E-05	1.64E-04	2.68E-04	1.38E-04	1.18E-06	2.90E-13	0.00E+00
ΣALL								
Min	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.30E-01	1.22E-01	1.16E-03	0.00E+00
Max	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.31E-01	1.22E-01	1.16E-03	0.00E+00
Avg	9.88E+00	8.31E+00	6.06E+00	2.61E+00	7.31E-01	1.22E-01	1.16E-03	0.00E+00
Std	3.03E-05	8.40E-05	1.65E-04	2.69E-04	1.46E-04	3.22E-05	9.19E-07	0.00E+00

ΣALL is total pathway dose summed for all nuclides.



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Max	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Avg	1.97E-06	1.73E-06	1.33E-06	5.29E-07	3.80E-08	3.78E-12	1.39E-23	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	3.77E-07	2.69E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Max	3.77E-07	2.70E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Avg	3.77E-07	2.70E-07	1.38E-07	1.31E-08	1.58E-11	9.66E-22	0.00E+00	0.00E+00
Std	4.67E-13	1.04E-12	1.26E-12	3.61E-13	1.27E-15	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.82E-10	0.00E+00
Max	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.83E-10	0.00E+00
Avg	3.03E-07	2.96E-07	2.83E-07	2.40E-07	1.51E-07	2.96E-08	2.82E-10	0.00E+00
Std	3.96E-13	1.17E-12	2.60E-12	6.63E-12	1.21E-11	7.82E-12	2.23E-13	0.00E+00
Ni-63								
Min	6.02E-08	5.96E-08	5.84E-08	5.45E-08	4.48E-08	2.26E-08	3.19E-09	0.00E+00
Max	6.02E-08	5.98E-08	5.89E-08	5.59E-08	4.81E-08	2.86E-08	6.42E-09	0.00E+00
Avg	6.02E-08	5.97E-08	5.88E-08	5.56E-08	4.73E-08	2.70E-08	5.48E-09	0.00E+00
Std	1.69E-11	5.03E-11	1.15E-10	3.27E-10	8.02E-10	1.47E-09	8.35E-10	0.00E+00
Sr-90								
Min	1.20E-05	1.08E-05	8.86E-06	4.40E-06	5.94E-07	5.37E-10	1.08E-18	0.00E+00
Max	1.21E-05	1.12E-05	9.64E-06	5.67E-06	1.24E-06	6.14E-09	1.58E-15	0.00E+00
Avg	1.20E-05	1.10E-05	9.30E-06	5.09E-06	9.20E-07	2.64E-09	2.85E-16	0.00E+00
Std	4.13E-08	1.15E-07	2.25E-07	3.68E-07	1.89E-07	1.63E-09	3.99E-16	0.00E+00
ΣALL								
Min	1.47E-05	1.32E-05	1.07E-05	5.23E-06	8.29E-07	5.35E-08	3.47E-09	0.00E+00
Max	1.48E-05	1.36E-05	1.15E-05	6.51E-06	1.48E-06	6.41E-08	6.70E-09	0.00E+00
Avg	1.48E-05	1.34E-05	1.11E-05	5.92E-06	1.16E-06	5.93E-08	5.76E-09	0.00E+00
Std	4.13E-08	1.15E-07	2.25E-07	3.68E-07	1.89E-07	2.19E-09	8.35E-10	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Max	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Avg	4.13E-01	3.62E-01	2.77E-01	1.09E-01	7.60E-03	6.73E-07	1.60E-18	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.12E-05	1.15E-15	0.00E+00	0.00E+00
Max	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.13E-05	1.16E-15	0.00E+00	0.00E+00
Avg	5.31E-01	3.79E-01	1.93E-01	1.82E-02	2.12E-05	1.16E-15	0.00E+00	0.00E+00
Std	6.14E-07	1.44E-06	1.74E-06	4.99E-07	1.70E-09	3.05E-19	0.00E+00	0.00E+00
Cs-137								
Min	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.15E-04	0.00E+00
Max	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.16E-04	0.00E+00
Avg	4.21E-01	4.11E-01	3.91E-01	3.29E-01	2.00E-01	3.50E-02	2.16E-04	0.00E+00
Std	5.14E-07	1.59E-06	3.56E-06	9.05E-06	1.60E-05	9.24E-06	1.70E-07	0.00E+00
Ni-63								
Min	5.77E-03	5.71E-03	5.58E-03	5.16E-03	4.11E-03	1.84E-03	1.68E-04	0.00E+00
Max	5.78E-03	5.73E-03	5.63E-03	5.28E-03	4.41E-03	2.33E-03	3.39E-04	0.00E+00
Avg	5.78E-03	5.72E-03	5.61E-03	5.25E-03	4.34E-03	2.20E-03	2.89E-04	0.00E+00
Std	1.52E-06	4.71E-06	1.09E-05	3.08E-05	7.34E-05	1.20E-04	4.40E-05	0.00E+00
Sr-90								
Min	9.40E+00	8.49E+00	6.93E+00	3.40E+00	4.45E-01	3.59E-04	4.67E-13	0.00E+00
Max	9.50E+00	8.79E+00	7.53E+00	4.38E+00	9.32E-01	4.09E-03	6.80E-10	0.00E+00
Avg	9.45E+00	8.66E+00	7.26E+00	3.93E+00	6.90E-01	1.76E-03	1.23E-10	0.00E+00
Std	3.05E-02	8.80E-02	1.75E-01	2.84E-01	1.42E-01	1.09E-03	1.72E-10	0.00E+00
ΣALL								
Min	1.08E+01	9.65E+00	7.79E+00	3.86E+00	6.57E-01	3.74E-02	3.84E-04	0.00E+00
Max	1.09E+01	9.95E+00	8.40E+00	4.84E+00	1.14E+00	4.14E-02	5.55E-04	0.00E+00
Avg	1.08E+01	9.82E+00	8.13E+00	4.39E+00	9.02E-01	3.89E-02	5.05E-04	0.00E+00
Std	3.05E-02	8.80E-02	1.75E-01	2.84E-01	1.42E-01	1.09E-03	4.40E-05	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Max	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Avg	3.79E-01	3.31E-01	2.54E-01	1.00E-01	7.01E-03	6.30E-07	1.62E-18	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.37E-15	0.00E+00	0.00E+00
Max	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.38E-15	0.00E+00	0.00E+00
Avg	6.08E-01	4.34E-01	2.21E-01	2.09E-02	2.46E-05	1.37E-15	0.00E+00	0.00E+00
Std	6.09E-07	1.57E-06	1.96E-06	5.69E-07	1.97E-09	3.63E-19	0.00E+00	0.00E+00
Cs-137								
Min	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.91E-04	0.00E+00
Max	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.92E-04	0.00E+00
Avg	4.83E-01	4.71E-01	4.49E-01	3.78E-01	2.32E-01	4.16E-02	2.91E-04	0.00E+00
Std	5.12E-07	1.74E-06	4.01E-06	1.03E-05	1.85E-05	1.10E-05	2.30E-07	0.00E+00
Ni-63								
Min	4.92E-04	4.87E-04	4.76E-04	4.41E-04	3.54E-04	1.62E-04	1.66E-05	0.00E+00
Max	4.93E-04	4.88E-04	4.80E-04	4.52E-04	3.80E-04	2.05E-04	3.34E-05	0.00E+00
Avg	4.93E-04	4.88E-04	4.79E-04	4.49E-04	3.73E-04	1.94E-04	2.85E-05	0.00E+00
Std	1.12E-07	3.83E-07	9.13E-07	2.61E-06	6.30E-06	1.06E-05	4.34E-06	0.00E+00
Sr-90								
Min	1.08E+00	9.79E-01	7.99E-01	3.92E-01	5.14E-02	4.16E-05	5.54E-14	0.00E+00
Max	1.09E+00	1.01E+00	8.67E-01	5.05E-01	1.07E-01	4.74E-04	8.05E-11	0.00E+00
Avg	1.09E+00	9.98E-01	8.37E-01	4.53E-01	7.96E-02	2.04E-04	1.46E-11	0.00E+00
Std	2.89E-03	9.51E-03	1.96E-02	3.24E-02	1.63E-02	1.26E-04	2.04E-11	0.00E+00
ΣALL								
Min	2.55E+00	2.22E+00	1.72E+00	8.92E-01	2.91E-01	4.18E-02	3.07E-04	0.00E+00
Max	2.56E+00	2.25E+00	1.79E+00	1.00E+00	3.47E-01	4.23E-02	3.25E-04	0.00E+00
Avg	2.56E+00	2.23E+00	1.76E+00	9.53E-01	3.19E-01	4.20E-02	3.20E-04	0.00E+00
Std	2.89E-03	9.51E-03	1.96E-02	3.24E-02	1.63E-02	1.27E-04	4.34E-06	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Max	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Avg	1.00E-01	8.75E-02	6.71E-02	2.64E-02	1.84E-03	1.65E-07	4.06E-19	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.81E-05	2.10E-15	0.00E+00	0.00E+00
Max	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.82E-05	2.10E-15	0.00E+00	0.00E+00
Avg	9.48E-01	6.76E-01	3.45E-01	3.25E-02	3.81E-05	2.10E-15	0.00E+00	0.00E+00
Std	9.20E-07	2.42E-06	3.04E-06	8.85E-07	3.05E-09	5.55E-19	0.00E+00	0.00E+00
Cs-137								
Min	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.36E-02	4.19E-04	0.00E+00
Max	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.37E-02	4.20E-04	0.00E+00
Avg	7.52E-01	7.34E-01	6.99E-01	5.88E-01	3.59E-01	6.36E-02	4.19E-04	0.00E+00
Std	7.80E-07	2.67E-06	6.22E-06	1.61E-05	2.87E-05	1.68E-05	3.31E-07	0.00E+00
Ni-63								
Min	2.32E-02	2.29E-02	2.24E-02	2.07E-02	1.66E-02	7.53E-03	7.28E-04	0.00E+00
Max	2.32E-02	2.30E-02	2.26E-02	2.12E-02	1.78E-02	9.50E-03	1.46E-03	0.00E+00
Avg	2.32E-02	2.30E-02	2.26E-02	2.11E-02	1.75E-02	8.99E-03	1.25E-03	0.00E+00
Std	5.14E-06	1.79E-05	4.28E-05	1.23E-04	2.95E-04	4.90E-04	1.90E-04	0.00E+00
Sr-90								
Min	2.95E+00	2.67E+00	2.18E+00	1.07E+00	1.40E-01	1.13E-04	1.49E-13	0.00E+00
Max	2.98E+00	2.76E+00	2.36E+00	1.38E+00	2.93E-01	1.29E-03	2.16E-10	0.00E+00
Avg	2.97E+00	2.72E+00	2.28E+00	1.24E+00	2.17E-01	5.55E-04	3.91E-11	0.00E+00
Std	7.85E-03	2.59E-02	5.34E-02	8.84E-02	4.44E-02	3.42E-04	5.47E-11	0.00E+00
ΣALL								
Min	4.78E+00	4.19E+00	3.31E+00	1.74E+00	5.19E-01	7.15E-02	1.15E-03	0.00E+00
Max	4.80E+00	4.28E+00	3.50E+00	2.04E+00	6.71E-01	7.44E-02	1.88E-03	0.00E+00
Avg	4.79E+00	4.24E+00	3.42E+00	1.90E+00	5.96E-01	7.32E-02	1.67E-03	0.00E+00
Std	7.85E-03	2.59E-02	5.34E-02	8.84E-02	4.44E-02	5.95E-04	1.90E-04	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Max	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Avg	3.57E-04	3.13E-04	2.40E-04	9.56E-05	6.87E-06	6.83E-10	2.51E-21	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.25E-18	0.00E+00	0.00E+00
Max	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.26E-18	0.00E+00	0.00E+00
Avg	8.81E-04	6.29E-04	3.21E-04	3.06E-05	3.69E-08	2.26E-18	0.00E+00	0.00E+00
Std	1.09E-09	2.44E-09	2.93E-09	8.42E-10	2.96E-12	5.96E-22	0.00E+00	0.00E+00
Cs-137								
Min	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.50E-07	0.00E+00
Max	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.52E-07	0.00E+00
Avg	6.99E-04	6.83E-04	6.52E-04	5.54E-04	3.48E-04	6.83E-05	6.51E-07	0.00E+00
Std	9.16E-10	2.69E-09	6.00E-09	1.53E-08	2.79E-08	1.80E-08	5.15E-10	0.00E+00
Ni-63								
Min	8.12E-06	8.04E-06	7.89E-06	7.37E-06	6.06E-06	3.05E-06	4.31E-07	0.00E+00
Max	8.13E-06	8.07E-06	7.95E-06	7.55E-06	6.50E-06	3.86E-06	8.67E-07	0.00E+00
Avg	8.13E-06	8.06E-06	7.94E-06	7.50E-06	6.39E-06	3.65E-06	7.40E-07	0.00E+00
Std	2.28E-09	6.79E-09	1.56E-08	4.41E-08	1.08E-07	1.99E-07	1.13E-07	0.00E+00
Sr-90								
Min	2.06E-03	1.86E-03	1.52E-03	7.56E-04	1.02E-04	9.23E-08	1.86E-16	0.00E+00
Max	2.08E-03	1.93E-03	1.66E-03	9.75E-04	2.14E-04	1.05E-06	2.71E-13	0.00E+00
Avg	2.07E-03	1.90E-03	1.60E-03	8.74E-04	1.58E-04	4.54E-07	4.90E-14	0.00E+00
Std	7.10E-06	1.97E-05	3.88E-05	6.33E-05	3.25E-05	2.80E-07	6.85E-14	0.00E+00
ΣALL								
Min	4.00E-03	3.49E-03	2.74E-03	1.44E-03	4.63E-04	7.15E-05	1.08E-06	0.00E+00
Max	4.03E-03	3.56E-03	2.88E-03	1.66E-03	5.75E-04	7.32E-05	1.52E-06	0.00E+00
Avg	4.02E-03	3.53E-03	2.82E-03	1.56E-03	5.19E-04	7.24E-05	1.39E-06	0.00E+00
Std	7.10E-06	1.97E-05	3.88E-05	6.33E-05	3.25E-05	3.43E-07	1.13E-07	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.12E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.52E-09
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-08
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.71E-02	1.44E-10	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.48E-01	4.73E-01	6.12E-08	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.80E-02	2.32E-01	1.13E-08	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-01	7.92E-02	1.33E-08	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.71E-02	1.44E-10	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.48E-01	4.73E-01	6.12E-08	2.12E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.80E-02	2.32E-01	1.13E-08	6.52E-09
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-01	7.92E-02	1.33E-08	2.77E-08

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.71E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.26E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.23E-09
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-03	1.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.25E-02	4.61E-02	5.97E-09	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.59E-03	2.26E-02	1.10E-09	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.22E-02	7.72E-03	1.29E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-03	1.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.25E-02	4.61E-02	5.97E-09	1.71E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.59E-03	2.26E-02	1.10E-09	5.26E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.22E-02	7.72E-03	1.29E-09	2.23E-09

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.14E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.49E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.48E-09
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.56E-03	1.25E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.49E-02	4.10E-02	5.31E-09	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-03	2.01E-02	9.78E-10	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-02	6.87E-03	1.15E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.56E-03	1.25E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.49E-02	4.10E-02	5.31E-09	1.14E-08
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-03	2.01E-02	9.78E-10	3.49E-10
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-02	6.87E-03	1.15E-09	1.48E-09

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.13E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.27E-08
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.38E-08
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-02	2.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-01	7.89E-02	1.02E-08	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.53E-03	3.86E-02	1.88E-09	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.01E-02	1.32E-02	2.21E-09	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-02	2.41E-11	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-01	7.89E-02	1.02E-08	4.13E-07
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.53E-03	3.86E-02	1.88E-09	1.27E-08
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.01E-02	1.32E-02	2.21E-09	5.38E-08

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose (t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	2.80E+01	2.44E+01	1.89E+01	9.15E+00	2.23E+00	4.18E-01	3.08E-03	0.00E+00
0.050	2.80E+01	2.44E+01	1.90E+01	9.19E+00	2.24E+00	4.25E-01	3.14E-03	0.00E+00
0.075	2.80E+01	2.44E+01	1.90E+01	9.23E+00	2.26E+00	4.40E-01	3.22E-03	0.00E+00
0.100	2.80E+01	2.44E+01	1.90E+01	9.27E+00	2.28E+00	4.52E-01	3.27E-03	0.00E+00
0.125	2.80E+01	2.44E+01	1.90E+01	9.32E+00	2.30E+00	4.65E-01	3.32E-03	0.00E+00
0.150	2.80E+01	2.44E+01	1.91E+01	9.35E+00	2.32E+00	4.76E-01	3.36E-03	0.00E+00
0.175	2.80E+01	2.45E+01	1.91E+01	9.40E+00	2.34E+00	4.84E-01	3.41E-03	0.00E+00
0.200	2.80E+01	2.45E+01	1.91E+01	9.44E+00	2.35E+00	4.99E-01	3.45E-03	0.00E+00
0.225	2.80E+01	2.45E+01	1.91E+01	9.49E+00	2.38E+00	5.06E-01	3.49E-03	0.00E+00
0.250	2.80E+01	2.45E+01	1.92E+01	9.53E+00	2.40E+00	5.16E-01	3.53E-03	0.00E+00
0.275	2.80E+01	2.45E+01	1.92E+01	9.57E+00	2.42E+00	5.24E-01	3.54E-03	0.00E+00
0.300	2.80E+01	2.45E+01	1.92E+01	9.60E+00	2.44E+00	5.27E-01	3.57E-03	0.00E+00
0.325	2.80E+01	2.45E+01	1.92E+01	9.64E+00	2.47E+00	5.31E-01	3.60E-03	0.00E+00
0.350	2.80E+01	2.46E+01	1.93E+01	9.68E+00	2.50E+00	5.39E-01	3.62E-03	0.00E+00
0.375	2.80E+01	2.46E+01	1.93E+01	9.71E+00	2.52E+00	5.46E-01	3.64E-03	0.00E+00
0.400	2.81E+01	2.46E+01	1.93E+01	9.75E+00	2.53E+00	5.50E-01	3.66E-03	0.00E+00
0.425	2.81E+01	2.46E+01	1.93E+01	9.79E+00	2.55E+00	5.55E-01	3.68E-03	0.00E+00
0.450	2.81E+01	2.46E+01	1.94E+01	9.83E+00	2.56E+00	5.59E-01	3.70E-03	0.00E+00
0.475	2.81E+01	2.46E+01	1.94E+01	9.86E+00	2.58E+00	5.65E-01	3.72E-03	0.00E+00
0.500	2.81E+01	2.46E+01	1.94E+01	9.90E+00	2.61E+00	5.72E-01	3.73E-03	0.00E+00
0.525	2.81E+01	2.46E+01	1.94E+01	9.93E+00	2.63E+00	5.79E-01	3.75E-03	0.00E+00
0.550	2.81E+01	2.46E+01	1.94E+01	9.96E+00	2.65E+00	5.87E-01	3.76E-03	0.00E+00
0.575	2.81E+01	2.46E+01	1.95E+01	9.99E+00	2.67E+00	5.98E-01	3.78E-03	0.00E+00
0.600	2.81E+01	2.47E+01	1.95E+01	1.00E+01	2.68E+00	6.05E-01	3.79E-03	0.00E+00
0.625	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.71E+00	6.17E-01	3.80E-03	0.00E+00
0.650	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.72E+00	6.21E-01	3.81E-03	0.00E+00
0.675	2.81E+01	2.47E+01	1.95E+01	1.01E+01	2.73E+00	6.27E-01	3.82E-03	0.00E+00
0.700	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.74E+00	6.37E-01	3.83E-03	0.00E+00
0.725	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.75E+00	6.49E-01	3.84E-03	0.00E+00
0.750	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.78E+00	6.61E-01	3.85E-03	0.00E+00
0.775	2.81E+01	2.47E+01	1.96E+01	1.02E+01	2.80E+00	6.73E-01	3.86E-03	0.00E+00
0.800	2.81E+01	2.47E+01	1.96E+01	1.03E+01	2.82E+00	6.82E-01	3.87E-03	0.00E+00
0.825	2.81E+01	2.47E+01	1.96E+01	1.03E+01	2.84E+00	6.91E-01	3.88E-03	0.00E+00
0.850	2.81E+01	2.47E+01	1.97E+01	1.03E+01	2.86E+00	7.02E-01	3.88E-03	0.00E+00
0.875	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.88E+00	7.25E-01	3.89E-03	0.00E+00
0.900	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.89E+00	7.41E-01	3.90E-03	0.00E+00
0.925	2.81E+01	2.48E+01	1.97E+01	1.04E+01	2.99E+00	7.58E-01	3.91E-03	4.07E-08
0.950	2.81E+01	2.48E+01	1.97E+01	1.05E+01	3.09E+00	7.74E-01	3.92E-03	1.62E-07
0.975	2.81E+01	2.48E+01	1.97E+01	1.05E+01	3.20E+00	8.33E-01	3.92E-03	3.73E-07
1.000	2.81E+01	2.48E+01	1.98E+01	1.05E+01	3.36E+00	9.18E-01	3.93E-03	6.54E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Summary of dose at graphical times, reptition 1

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.51E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.10E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.15E+00	9.67E+00	9.72E+00	9.75E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.54E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.49E+00	5.68E+00	5.12E+00	5.13E+00	5.59E+00	5.64E+00	5.66E+00	5.68E+00
2.42E+01	3.06E+00	4.00E+00	3.54E+00	3.54E+00	3.92E+00	3.96E+00	3.98E+00	4.00E+00
3.00E+01	2.22E+00	3.36E+00	2.61E+00	2.62E+00	2.88E+00	3.13E+00	3.25E+00	3.36E+00
3.16E+01	2.04E+00	3.57E+00	2.52E+00	2.48E+00	3.08E+00	3.36E+00	3.50E+00	3.56E+00
4.12E+01	1.43E+00	4.30E+00	2.91E+00	2.97E+00	3.93E+00	4.12E+00	4.15E+00	4.30E+00
5.38E+01	2.49E+00	3.95E+00	3.15E+00	3.14E+00	3.65E+00	3.81E+00	3.89E+00	3.95E+00
7.02E+01	2.09E+00	2.92E+00	2.48E+00	2.47E+00	2.77E+00	2.85E+00	2.90E+00	2.92E+00
9.15E+01	6.12E-01	1.42E+00	9.93E-01	9.68E-01	1.31E+00	1.39E+00	1.41E+00	1.42E+00
1.00E+02	3.92E-01	8.80E-01	5.89E-01	5.75E-01	7.34E-01	7.68E-01	8.52E-01	8.80E-01
1.19E+02	1.91E-01	2.96E-01	2.32E-01	2.29E-01	2.58E-01	2.74E-01	2.88E-01	2.96E-01
1.56E+02	7.50E-02	8.20E-02	7.77E-02	7.76E-02	7.97E-02	8.01E-02	8.10E-02	8.20E-02
2.03E+02	2.48E-02	2.66E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.66E-02
2.65E+02	6.30E-03	7.47E-03	7.14E-03	7.24E-03	7.45E-03	7.47E-03	7.47E-03	7.47E-03
3.00E+02	3.01E-03	3.92E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.92E-03
3.46E+02	1.22E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.86E-03	1.86E-03
4.51E+02	1.90E-04	4.36E-04	3.59E-04	3.78E-04	4.29E-04	4.33E-04	4.36E-04	4.36E-04
5.88E+02	1.77E-05	6.34E-05	4.81E-05	5.15E-05	6.19E-05	6.28E-05	6.33E-05	6.34E-05
7.67E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1.00E+03	0.00E+00	6.54E-07	2.19E-08	0.00E+00	0.00E+00	2.70E-07	3.96E-07	6.51E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Summary of dose at graphical times, reptition 2

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.51E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.11E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.15E+00	9.66E+00	9.72E+00	9.75E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.53E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.49E+00	5.68E+00	5.12E+00	5.13E+00	5.58E+00	5.64E+00	5.66E+00	5.68E+00
2.42E+01	3.06E+00	3.99E+00	3.54E+00	3.55E+00	3.91E+00	3.96E+00	3.98E+00	3.99E+00
3.00E+01	2.20E+00	3.30E+00	2.61E+00	2.61E+00	2.89E+00	3.14E+00	3.27E+00	3.30E+00
3.16E+01	2.02E+00	3.55E+00	2.51E+00	2.46E+00	3.05E+00	3.41E+00	3.48E+00	3.55E+00
4.12E+01	1.47E+00	4.24E+00	2.92E+00	2.98E+00	3.88E+00	3.98E+00	4.14E+00	4.24E+00
5.38E+01	2.42E+00	3.92E+00	3.16E+00	3.16E+00	3.61E+00	3.79E+00	3.85E+00	3.92E+00
7.02E+01	2.10E+00	2.97E+00	2.48E+00	2.46E+00	2.76E+00	2.82E+00	2.90E+00	2.97E+00
9.15E+01	6.43E-01	1.41E+00	9.92E-01	9.52E-01	1.33E+00	1.38E+00	1.40E+00	1.41E+00
1.00E+02	4.11E-01	8.89E-01	5.89E-01	5.61E-01	7.54E-01	7.70E-01	8.48E-01	8.89E-01
1.19E+02	1.93E-01	3.00E-01	2.32E-01	2.27E-01	2.68E-01	2.81E-01	2.90E-01	2.99E-01
1.56E+02	7.51E-02	8.20E-02	7.77E-02	7.74E-02	8.01E-02	8.10E-02	8.14E-02	8.20E-02
2.03E+02	2.47E-02	2.66E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.66E-02
2.65E+02	6.28E-03	7.48E-03	7.14E-03	7.23E-03	7.45E-03	7.46E-03	7.47E-03	7.48E-03
3.00E+02	3.00E-03	3.93E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.93E-03
3.46E+02	1.21E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.85E-03	1.86E-03
4.51E+02	1.88E-04	4.37E-04	3.59E-04	3.78E-04	4.29E-04	4.34E-04	4.35E-04	4.37E-04
5.88E+02	1.74E-05	6.35E-05	4.80E-05	5.14E-05	6.18E-05	6.28E-05	6.32E-05	6.35E-05
7.67E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1.00E+03	0.00E+00	4.01E-07	1.51E-08	0.00E+00	0.00E+00	1.62E-07	2.58E-07	4.00E-07

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Summary of dose at graphical times, reptition 3

Time Years	Dose statistics at graphical times, mrem/yr							
	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	2.80E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01	2.81E+01
1.00E+00	2.44E+01	2.48E+01	2.46E+01	2.46E+01	2.48E+01	2.48E+01	2.48E+01	2.48E+01
1.30E+00	2.34E+01	2.39E+01	2.37E+01	2.37E+01	2.39E+01	2.39E+01	2.39E+01	2.39E+01
1.70E+00	2.22E+01	2.28E+01	2.25E+01	2.26E+01	2.28E+01	2.28E+01	2.28E+01	2.28E+01
2.22E+00	2.08E+01	2.15E+01	2.12E+01	2.12E+01	2.15E+01	2.15E+01	2.15E+01	2.15E+01
2.89E+00	1.91E+01	2.00E+01	1.96E+01	1.96E+01	1.99E+01	2.00E+01	2.00E+01	2.00E+01
3.00E+00	1.89E+01	1.98E+01	1.94E+01	1.94E+01	1.97E+01	1.97E+01	1.97E+01	1.98E+01
3.78E+00	1.72E+01	1.82E+01	1.78E+01	1.78E+01	1.82E+01	1.82E+01	1.82E+01	1.82E+01
4.92E+00	1.52E+01	1.63E+01	1.58E+01	1.58E+01	1.62E+01	1.62E+01	1.63E+01	1.63E+01
6.42E+00	1.29E+01	1.42E+01	1.36E+01	1.36E+01	1.41E+01	1.41E+01	1.42E+01	1.42E+01
8.38E+00	1.06E+01	1.20E+01	1.14E+01	1.14E+01	1.19E+01	1.19E+01	1.20E+01	1.20E+01
1.00E+01	9.11E+00	1.05E+01	9.86E+00	9.89E+00	1.04E+01	1.05E+01	1.05E+01	1.05E+01
1.09E+01	8.37E+00	9.77E+00	9.13E+00	9.16E+00	9.67E+00	9.72E+00	9.76E+00	9.77E+00
1.43E+01	6.29E+00	7.64E+00	7.01E+00	7.03E+00	7.54E+00	7.59E+00	7.62E+00	7.64E+00
1.86E+01	4.50E+00	5.68E+00	5.12E+00	5.13E+00	5.59E+00	5.64E+00	5.67E+00	5.68E+00
2.42E+01	3.06E+00	3.99E+00	3.54E+00	3.55E+00	3.92E+00	3.96E+00	3.98E+00	3.99E+00
3.00E+01	2.21E+00	3.21E+00	2.61E+00	2.59E+00	2.99E+00	3.08E+00	3.16E+00	3.21E+00
3.16E+01	2.03E+00	3.48E+00	2.52E+00	2.45E+00	3.17E+00	3.32E+00	3.45E+00	3.48E+00
4.12E+01	1.50E+00	4.16E+00	2.91E+00	2.94E+00	3.85E+00	4.04E+00	4.14E+00	4.16E+00
5.38E+01	2.38E+00	3.86E+00	3.15E+00	3.13E+00	3.69E+00	3.78E+00	3.80E+00	3.86E+00
7.02E+01	2.06E+00	2.92E+00	2.48E+00	2.45E+00	2.77E+00	2.83E+00	2.88E+00	2.92E+00
9.15E+01	6.25E-01	1.46E+00	9.87E-01	9.67E-01	1.31E+00	1.37E+00	1.41E+00	1.46E+00
1.00E+02	3.98E-01	9.18E-01	5.89E-01	5.76E-01	7.44E-01	7.81E-01	8.68E-01	9.18E-01
1.19E+02	1.91E-01	3.14E-01	2.32E-01	2.30E-01	2.63E-01	2.69E-01	2.90E-01	3.13E-01
1.56E+02	7.50E-02	8.34E-02	7.77E-02	7.76E-02	7.96E-02	8.07E-02	8.17E-02	8.34E-02
2.03E+02	2.48E-02	2.65E-02	2.60E-02	2.62E-02	2.65E-02	2.65E-02	2.65E-02	2.65E-02
2.65E+02	6.32E-03	7.48E-03	7.14E-03	7.24E-03	7.45E-03	7.46E-03	7.47E-03	7.48E-03
3.00E+02	3.03E-03	3.93E-03	3.66E-03	3.73E-03	3.90E-03	3.92E-03	3.92E-03	3.93E-03
3.46E+02	1.23E-03	1.86E-03	1.67E-03	1.72E-03	1.84E-03	1.85E-03	1.85E-03	1.86E-03
4.51E+02	1.93E-04	4.37E-04	3.59E-04	3.78E-04	4.29E-04	4.34E-04	4.35E-04	4.37E-04
5.88E+02	1.82E-05	6.35E-05	4.80E-05	5.14E-05	6.19E-05	6.28E-05	6.32E-05	6.35E-05
7.67E+02	0.00E+00	9.52E-08	9.52E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.42E-08
1.00E+03	0.00E+00	6.27E-07	2.32E-08	0.00E+00	0.00E+00	1.61E-07	4.33E-07	6.25E-07



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	2.806E+01
2	0.000E+00	2.806E+01
3	0.000E+00	2.806E+01

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	3	-0.19	3	-0.02	10	-0.03	10	0.00
Kd of Cs-134 in Unsaturated Zone 1	10	-0.03	10	0.00	12	0.02	12	0.00
Kd of Cs-134 in Saturated Zone	9	0.03	9	0.00	7	0.04	7	0.00
Kd of Cs-137 in Contaminated Zone	6	0.08	6	0.01	11	-0.02	11	0.00
Kd of Cs-137 in Unsaturated Zone 1	5	0.08	5	0.01	8	0.03	8	0.00
Kd of Cs-137 in Saturated Zone	12	0.02	12	0.00	9	-0.03	9	0.00
Kd of Ni-63 in Contaminated Zone	8	-0.06	8	-0.01	3	-0.14	3	-0.01
Kd of Ni-63 in Unsaturated Zone 1	4	0.12	4	0.01	2	0.16	2	0.01
Kd of Ni-63 in Saturated Zone	2	0.21	2	0.02	5	0.09	5	0.01
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	11	-0.03	11	0.00	6	-0.05	6	0.00
Kd of Sr-90 in Saturated Zone	7	0.06	7	0.01	4	0.12	4	0.01
R-SQUARE	0.99		0.99		1.00		1.00	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	12	-0.03	12	0.00	9	0.04	9	0.00
Kd of Cs-134 in Unsaturated Zone 1	6	-0.08	6	-0.01	7	-0.07	7	0.00
Kd of Cs-134 in Saturated Zone	3	0.15	3	0.02	10	-0.02	10	0.00
Kd of Cs-137 in Contaminated Zone	11	0.03	11	0.00	11	0.01	11	0.00
Kd of Cs-137 in Unsaturated Zone 1	2	-0.22	2	-0.03	8	-0.06	8	0.00
Kd of Cs-137 in Saturated Zone	5	0.11	5	0.01	2	0.12	2	0.01
Kd of Ni-63 in Contaminated Zone	8	-0.07	8	-0.01	12	0.00	12	0.00
Kd of Ni-63 in Unsaturated Zone 1	7	-0.07	7	-0.01	5	0.08	5	0.01
Kd of Ni-63 in Saturated Zone	9	0.06	9	0.01	6	0.08	6	0.01
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	4	-0.13	4	-0.02	3	-0.11	3	-0.01
Kd of Sr-90 in Saturated Zone	10	0.04	10	0.01	4	-0.09	4	-0.01
R-SQUARE		0.99		0.99		1.00		1.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	9	-0.08	9	-0.01	3	-0.13	3	-0.01
Kd of Cs-134 in Unsaturated Zone 1	11	-0.06	11	-0.01	8	-0.04	8	0.00
Kd of Cs-134 in Saturated Zone	3	-0.20	3	-0.02	11	-0.02	11	0.00
Kd of Cs-137 in Contaminated Zone	5	-0.12	5	-0.01	7	-0.05	7	0.00
Kd of Cs-137 in Unsaturated Zone 1	2	0.26	2	0.03	2	0.21	2	0.02
Kd of Cs-137 in Saturated Zone	6	-0.11	6	-0.01	10	-0.02	10	0.00
Kd of Ni-63 in Contaminated Zone	12	0.01	12	0.00	12	-0.01	12	0.00
Kd of Ni-63 in Unsaturated Zone 1	10	0.07	10	0.01	5	-0.08	5	-0.01
Kd of Ni-63 in Saturated Zone	8	-0.09	8	-0.01	6	-0.07	6	0.00
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	4	0.13	4	0.01	9	0.04	9	0.00
Kd of Sr-90 in Saturated Zone	7	0.10	7	0.01	4	0.09	4	0.01
R-SQUARE		0.99		0.99		1.00		1.00

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	4
Summary of Pathway Selections .....	8
Contaminated Zone and Total Dose Summary .....	9
Total Dose Components	
Time = 0.000E+00 .....	10
Time = 1.000E+00 .....	11
Time = 3.000E+00 .....	12
Time = 1.000E+01 .....	13
Time = 3.000E+01 .....	14
Time = 1.000E+02 .....	15
Time = 3.000E+02 .....	16
Time = 1.000E+03 .....	17
Dose/Source Ratios Summed Over All Pathways .....	18
Single Radionuclide Soil Guidelines .....	18
Dose Per Nuclide Summed Over All Pathways .....	19
Soil Concentration Per Nuclide .....	19

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ba-137m (Source: FGR 12)	3.606E+00	3.606E+00	DCF1( 1)
A-1	Co-60 (Source: FGR 12)	1.622E+01	1.622E+01	DCF1( 2)
A-1	Cs-134 (Source: FGR 12)	9.472E+00	9.472E+00	DCF1( 3)
A-1	Cs-137 (Source: FGR 12)	7.510E-04	7.510E-04	DCF1( 4)
A-1	Ni-63 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 5)
A-1	Sr-90 (Source: FGR 12)	7.043E-04	7.043E-04	DCF1( 6)
A-1	Y-90 (Source: FGR 12)	2.391E-02	2.391E-02	DCF1( 7)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Co-60	2.190E-04	2.190E-04	DCF2( 1)
B-1	Cs-134	4.620E-05	4.620E-05	DCF2( 2)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2( 3)
B-1	Ni-63	6.290E-06	6.290E-06	DCF2( 4)
B-1	Sr-90+D	1.308E-03	1.300E-03	DCF2( 5)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Co-60	2.690E-05	2.690E-05	DCF3( 1)
D-1	Cs-134	7.330E-05	7.330E-05	DCF3( 2)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3( 3)
D-1	Ni-63	5.770E-07	5.770E-07	DCF3( 4)
D-1	Sr-90+D	1.528E-04	1.420E-04	DCF3( 5)
D-34	Food transfer factors:			
D-34	Co-60 , plant/soil concentration ratio, dimensionless	1.500E-01	8.000E-02	RTF( 1,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.800E-02	2.000E-02	RTF( 1,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF( 1,3)
D-34	Cs-134 , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 2,1)
D-34	Cs-134 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 2,2)
D-34	Cs-134 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 2,3)
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	7.800E-02	4.000E-02	RTF( 3,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	6.500E-02	3.000E-02	RTF( 3,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.400E-02	8.000E-03	RTF( 3,3)
D-34	Ni-63 , plant/soil concentration ratio, dimensionless	9.200E-02	5.000E-02	RTF( 4,1)
D-34	Ni-63 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 4,2)
D-34	Ni-63 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.200E-02	2.000E-02	RTF( 4,3)
D-34	Sr-90+D , plant/soil concentration ratio, dimensionless	5.900E-01	3.000E-01	RTF( 5,1)
D-34	Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-03	8.000E-03	RTF( 5,2)
D-34	Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.700E-03	2.000E-03	RTF( 5,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC( 1,2)
D-5	Cs-134 , fish	2.000E+03	2.000E+03	BIOFAC( 2,1)
D-5	Cs-134 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 2,2)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: Surface Soil DCGL Plus FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC( 3,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5				
D-5	Ni-63 , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Ni-63 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 4,2)
D-5				
D-5	Sr-90+D , fish	6.000E+01	6.000E+01	BIOFAC( 5,1)
D-5	Sr-90+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 5,2)

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.450E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	2.870E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Co-60	1.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Cs-134	1.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Cs-137	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Ni-63	1.000E+00	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Sr-90	1.000E+00	0.000E+00	---	S1(5)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Cs-134	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Ni-63	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Sr-90	not used	0.000E+00	---	W1( 5)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.500E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	6.600E-02	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	9.700E-01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	4.200E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.250E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.300E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	1.900E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.900E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	6.600E-02	2.000E-01	---	FCSZ



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone hydraulic conductivity (m/yr)	2.880E+03	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.900E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.300E+00	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.250E+03	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	3.450E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.800E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.900E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	6.600E-02	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	9.700E-01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	2.880E+03	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.161E+03	1.000E+03	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.022E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Cs-134				
R016	Contaminated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.868E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	6.350E+02	4.600E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.868E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Ni-63				
R016	Contaminated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	3.310E+02	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.583E-03	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for Sr-90				
R016	Contaminated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCC(5)
R016	Unsat. zone 1 (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	3.400E+00	3.000E+01	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.451E-01	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.350E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.500E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	4.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	6.490E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.240E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.120E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	2.140E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	2.330E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.510E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.830E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.780E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	2.830E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	6.520E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.060E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	6.000E+01	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	4.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	1.220E+00	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	1.750E+00	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	2.900E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.900E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	2.460E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	1.230E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.200E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	3.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	3.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	5.800E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	3.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	3.300E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	1.000E+00	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	1	---	---	KYMAX

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	suppressed
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g	
Area: 64500.00 square meters	Co-60	1.000E+00
Thickness: 0.15 meters	Cs-134	1.000E+00
Cover Depth: 0.00 meters	Cs-137	1.000E+00
	Ni-63	1.000E+00
	Sr-90	1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.206E+01	9.799E+00	6.770E+00	2.700E+00	7.361E-01	1.300E-01	0.000E+00	0.000E+00
M(t):	4.823E-01	3.920E-01	2.708E-01	1.080E-01	2.944E-02	5.201E-03	0.000E+00	0.000E+00

Maximum TDOSE(t): 1.206E+01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	5.102E+00	0.4231	1.962E-06	0.0000	0.000E+00	0.0000	6.170E-02	0.0051	9.682E-02	0.0080	1.991E-02	0.0017	3.546E-04	0.0000
Cs-134	2.813E+00	0.2333	3.751E-07	0.0000	0.000E+00	0.0000	7.925E-02	0.0066	2.023E-01	0.0168	2.275E-01	0.0189	8.759E-04	0.0001
Cs-137	1.182E+00	0.0980	3.013E-07	0.0000	0.000E+00	0.0000	6.290E-02	0.0052	1.605E-01	0.0133	1.806E-01	0.0150	6.951E-04	0.0001
Ni-63	0.000E+00	0.0000	5.983E-08	0.0000	0.000E+00	0.0000	8.622E-04	0.0001	1.526E-04	0.0000	5.276E-03	0.0004	8.079E-06	0.0000
Sr-90	7.513E-03	0.0006	1.047E-05	0.0000	0.000E+00	0.0000	1.244E+00	0.1031	1.747E-01	0.0145	4.340E-01	0.0360	1.799E-03	0.0001
Total	9.104E+00	0.7550	1.316E-05	0.0000	0.000E+00	0.0000	1.448E+00	0.1201	6.345E-01	0.0526	8.673E-01	0.0719	3.733E-03	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.280E+00	0.4379
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.323E+00	0.2756
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.586E+00	0.1316
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.299E-03	0.0005
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.862E+00	0.1544
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.206E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	4.457E+00	0.4548	1.701E-06	0.0000	0.000E+00	0.0000	5.351E-02	0.0055	8.396E-02	0.0086	1.727E-02	0.0018	3.075E-04	0.0000
Cs-134	2.003E+00	0.2044	2.649E-07	0.0000	0.000E+00	0.0000	5.598E-02	0.0057	1.429E-01	0.0146	1.607E-01	0.0164	6.187E-04	0.0001
Cs-137	1.150E+00	0.1174	2.909E-07	0.0000	0.000E+00	0.0000	6.074E-02	0.0062	1.550E-01	0.0158	1.744E-01	0.0178	6.712E-04	0.0001
Ni-63	0.000E+00	0.0000	5.861E-08	0.0000	0.000E+00	0.0000	8.447E-04	0.0001	1.495E-04	0.0000	5.169E-03	0.0005	7.914E-06	0.0000
Sr-90	5.188E-03	0.0005	7.162E-06	0.0000	0.000E+00	0.0000	8.520E-01	0.0869	1.200E-01	0.0122	2.982E-01	0.0304	1.231E-03	0.0001
Total	7.615E+00	0.7772	9.477E-06	0.0000	0.000E+00	0.0000	1.023E+00	0.1044	5.020E-01	0.0512	6.558E-01	0.0669	2.836E-03	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.612E+00	0.4706
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.363E+00	0.2412
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.541E+00	0.1573
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.171E-03	0.0006
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.277E+00	0.1303
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.799E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	3.400E+00	0.5022	1.278E-06	0.0000	0.000E+00	0.0000	4.022E-02	0.0059	6.310E-02	0.0093	1.298E-02	0.0019	2.311E-04	0.0000
Cs-134	1.015E+00	0.1500	1.321E-07	0.0000	0.000E+00	0.0000	2.792E-02	0.0041	7.126E-02	0.0105	8.017E-02	0.0118	3.086E-04	0.0000
Cs-137	1.090E+00	0.1610	2.712E-07	0.0000	0.000E+00	0.0000	5.662E-02	0.0084	1.445E-01	0.0213	1.626E-01	0.0240	6.257E-04	0.0001
Ni-63	0.000E+00	0.0000	5.623E-08	0.0000	0.000E+00	0.0000	8.103E-04	0.0001	1.434E-04	0.0000	4.959E-03	0.0007	7.592E-06	0.0000
Sr-90	2.473E-03	0.0004	3.353E-06	0.0000	0.000E+00	0.0000	3.989E-01	0.0589	5.618E-02	0.0083	1.396E-01	0.0206	5.763E-04	0.0001
Total	5.508E+00	0.8136	5.091E-06	0.0000	0.000E+00	0.0000	5.244E-01	0.0775	3.352E-01	0.0495	4.003E-01	0.0591	1.749E-03	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.517E+00	0.5194
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.195E+00	0.1765
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.455E+00	0.2149
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.921E-03	0.0009
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.977E-01	0.0883
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.770E+00	1.0000

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	1.316E+00	0.4872	4.689E-07	0.0000	0.000E+00	0.0000	1.475E-02	0.0055	2.315E-02	0.0086	4.761E-03	0.0018	8.478E-05	0.0000
Cs-134	9.399E-02	0.0348	1.154E-08	0.0000	0.000E+00	0.0000	2.438E-03	0.0009	6.222E-03	0.0023	7.000E-03	0.0026	2.694E-05	0.0000
Cs-137	9.013E-01	0.3338	2.114E-07	0.0000	0.000E+00	0.0000	4.413E-02	0.0163	1.126E-01	0.0417	1.267E-01	0.0469	4.877E-04	0.0002
Ni-63	0.000E+00	0.0000	4.845E-08	0.0000	0.000E+00	0.0000	6.983E-04	0.0003	1.236E-04	0.0000	4.274E-03	0.0016	6.542E-06	0.0000
Sr-90	1.846E-04	0.0001	2.346E-07	0.0000	0.000E+00	0.0000	2.791E-02	0.0103	3.931E-03	0.0015	9.769E-03	0.0036	4.032E-05	0.0000
Total	2.311E+00	0.8559	9.749E-07	0.0000	0.000E+00	0.0000	8.993E-02	0.0333	1.461E-01	0.0541	1.525E-01	0.0565	6.463E-04	0.0002

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.358E+00	0.5031
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.097E-01	0.0406
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.185E+00	0.4389
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.102E-03	0.0019
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.183E-02	0.0155
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.700E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	8.508E-02	0.1156	2.572E-08	0.0000	0.000E+00	0.0000	8.092E-04	0.0011	1.270E-03	0.0017	2.612E-04	0.0004	4.650E-06	0.0000
Cs-134	1.023E-04	0.0001	1.048E-11	0.0000	0.000E+00	0.0000	2.214E-06	0.0000	5.651E-06	0.0000	6.359E-06	0.0000	2.447E-08	0.0000
Cs-137	5.112E-01	0.6944	9.987E-08	0.0000	0.000E+00	0.0000	2.085E-02	0.0283	5.322E-02	0.0723	5.988E-02	0.0813	2.304E-04	0.0003
Ni-63	0.000E+00	0.0000	3.049E-08	0.0000	0.000E+00	0.0000	4.395E-04	0.0006	7.779E-05	0.0001	2.690E-03	0.0037	4.117E-06	0.0000
Sr-90	1.092E-07	0.0000	1.131E-10	0.0000	0.000E+00	0.0000	1.346E-05	0.0000	1.896E-06	0.0000	4.713E-06	0.0000	1.945E-08	0.0000
Total	5.963E-01	0.8101	1.562E-07	0.0000	0.000E+00	0.0000	2.212E-02	0.0300	5.458E-02	0.0741	6.285E-02	0.0854	2.392E-04	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.742E-02	0.1188
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.165E-04	0.0002
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.454E-01	0.8767
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.212E-03	0.0044
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.020E-05	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.361E-01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	2.834E-14	0.0000	2.392E-21	0.0000	0.000E+00	0.0000	7.569E-13	0.0000	7.405E-12	0.0000	2.100E-12	0.0000	4.325E-19	0.0000
Cs-134	2.091E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.335E-21	0.0000	1.458E-20	0.0000	2.575E-20	0.0000	1.466E-27	0.0000
Cs-137	2.936E-10	0.0000	1.653E-17	0.0000	0.000E+00	0.0000	3.470E-08	0.0000	3.840E-07	0.0000	6.785E-07	0.0000	3.814E-14	0.0000
Ni-63	0.000E+00	0.0000	1.367E-17	0.0000	0.000E+00	0.0000	1.981E-09	0.0000	1.685E-09	0.0000	8.855E-08	0.0000	1.846E-15	0.0000
Sr-90	3.989E-27	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.006E-22	0.0000	1.235E-21	0.0000	3.434E-21	0.0000	1.291E-28	0.0000
Total	2.936E-10	0.0000	3.020E-17	0.0000	0.000E+00	0.0000	3.668E-08	0.0000	3.857E-07	0.0000	7.671E-07	0.0000	3.998E-14	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.029E-11	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.168E-20	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.098E-06	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.222E-08	0.0000
Sr-90	9.636E-02	0.7411	0.000E+00	0.0000	0.000E+00	0.0000	9.314E-03	0.0716	8.331E-03	0.0641	1.601E-02	0.1231	1.300E-01	1.0000
Total	9.636E-02	0.7411	0.000E+00	0.0000	0.000E+00	0.0000	9.314E-03	0.0716	8.331E-03	0.0641	1.601E-02	0.1231	1.300E-01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-134	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ni-63	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Sr-90	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	5.280E+00	4.612E+00	3.517E+00	1.358E+00	8.742E-02	1.029E-11	0.000E+00	0.000E+00
Cs-134	Cs-134	1.000E+00	3.323E+00	2.363E+00	1.195E+00	1.097E-01	1.165E-04	4.168E-20	0.000E+00	0.000E+00
Cs-137+D	Cs-137+D	1.000E+00	1.586E+00	1.541E+00	1.455E+00	1.185E+00	6.454E-01	1.098E-06	0.000E+00	0.000E+00
Ni-63	Ni-63	1.000E+00	6.299E-03	6.171E-03	5.921E-03	5.102E-03	3.212E-03	9.222E-08	0.000E+00	0.000E+00
Sr-90+D	Sr-90+D	1.000E+00	1.862E+00	1.277E+00	5.977E-01	4.183E-02	2.020E-05	1.300E-01	0.000E+00	0.000E+00

The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t =	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60		4.734E+00	5.421E+00	7.109E+00	1.840E+01	2.860E+02	2.430E+12	*1.113E+15	*1.113E+15
Cs-134		7.523E+00	1.058E+01	2.092E+01	2.279E+02	2.146E+05	*1.283E+15	*1.283E+15	*1.283E+15
Cs-137		1.576E+01	1.622E+01	1.719E+01	2.109E+01	3.874E+01	2.278E+07	*8.593E+13	*8.593E+13
Ni-63		3.969E+03	4.051E+03	4.223E+03	4.900E+03	7.784E+03	2.711E+08	*5.586E+13	*5.586E+13
Sr-90		1.343E+01	1.958E+01	4.183E+01	5.976E+02	1.238E+06	1.923E+02	*1.366E+14	*1.366E+14

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Co-60	1.000E+00	0.000E+00	5.280E+00	4.734E+00	5.280E+00	4.734E+00
Cs-134	1.000E+00	0.000E+00	3.323E+00	7.523E+00	3.323E+00	7.523E+00
Cs-137	1.000E+00	0.000E+00	1.586E+00	1.576E+01	1.586E+00	1.576E+01
Ni-63	1.000E+00	0.000E+00	6.299E-03	3.969E+03	6.299E-03	3.969E+03
Sr-90	1.000E+00	0.000E+00	1.862E+00	1.343E+01	1.862E+00	1.343E+01

Summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE (j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	5.280E+00	4.612E+00	3.517E+00	1.358E+00	8.742E-02	1.029E-11	0.000E+00	0.000E+00
Cs-134	Cs-134	1.000E+00	3.323E+00	2.363E+00	1.195E+00	1.097E-01	1.165E-04	4.168E-20	0.000E+00	0.000E+00
Cs-137	Cs-137	1.000E+00	1.586E+00	1.541E+00	1.455E+00	1.185E+00	6.454E-01	1.098E-06	0.000E+00	0.000E+00
Ni-63	Ni-63	1.000E+00	6.299E-03	6.171E-03	5.921E-03	5.102E-03	3.212E-03	9.222E-08	0.000E+00	0.000E+00
Sr-90	Sr-90	1.000E+00	1.862E+00	1.277E+00	5.977E-01	4.183E-02	2.020E-05	1.300E-01	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Co-60	Co-60	1.000E+00	1.000E+00	8.759E-01	6.720E-01	2.658E-01	1.877E-02	1.758E-06	5.429E-18	0.000E+00
Cs-134	Cs-134	1.000E+00	1.000E+00	7.135E-01	3.632E-01	3.420E-02	3.999E-05	2.186E-15	9.809E-45	0.000E+00
Cs-137	Cs-137	1.000E+00	1.000E+00	9.755E-01	9.282E-01	7.800E-01	4.746E-01	8.337E-02	5.795E-04	1.622E-11
Ni-63	Ni-63	1.000E+00	1.000E+00	9.895E-01	9.690E-01	9.003E-01	7.296E-01	3.497E-01	4.275E-02	2.733E-05
Sr-90	Sr-90	1.000E+00	1.000E+00	6.913E-01	3.303E-01	2.492E-02	1.547E-05	9.234E-17	0.000E+00	0.000E+00

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 15.44 seconds

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Table of Contents

---

---

Part VI: Uncertainty Analysis

---

---

## RESRAD Uncertainty Analysis Results

Probabilistic Input .....	2
Total Dose .....	3
Total Risk .....	4
Dose vs Pathway: Ground External .....	5
Dose vs Pathway: Inhalation (w/o Radon) .....	6
Dose vs Pathway: Radon (Water Ind.) .....	7
Dose vs Pathway: Plant (Water Ind.) .....	8
Dose vs Pathway: Meat (Water Ind.) .....	9
Dose vs Pathway: Milk (Water Ind.) .....	10
Dose vs Pathway: Soil Ingestion .....	11
Dose vs Pathway: Water Ingestion .....	12
Dose vs Pathway: Fish Ingestion .....	13
Dose vs Pathway: Radon (Water Dep.) .....	14
Dose vs Pathway: Plant (Water Dep.) .....	15
Dose vs Pathway: Meat (Water Dep.) .....	16
Dose vs Pathway: Milk (Water Dep.) .....	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Input

Number of Sample Runs: 300

Number	Name	Distribution	Parameters	
1	DCACTC (2)	UNIFORM	615	635
2	DCACTU1 (2)	UNIFORM	615	635
3	DCACTS (2)	UNIFORM	615	635
4	DCACTC (3)	UNIFORM	615	635
5	DCACTU1 (3)	UNIFORM	615	635
6	DCACTS (3)	UNIFORM	615	635
7	DCACTC (4)	UNIFORM	62	331
8	DCACTU1 (4)	UNIFORM	62	331
9	DCACTS (4)	UNIFORM	62	331
10	DCACTC (5)	UNIFORM	2.3	3.4
11	DCACTU1 (5)	UNIFORM	2.3	3.4
12	DCACTS (5)	UNIFORM	2.3	3.4

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE (j, t), mrem/yr							
			t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60										
Min	0.00E+00	5.28E+00	5.28E+00	4.61E+00	3.52E+00	1.36E+00	8.74E-02	1.03E-11	0.00E+00	0.00E+00
Max	0.00E+00	5.28E+00	5.28E+00	4.61E+00	3.52E+00	1.36E+00	8.74E-02	1.03E-11	0.00E+00	0.00E+00
Avg	0.00E+00	5.28E+00	5.28E+00	4.61E+00	3.52E+00	1.36E+00	8.74E-02	1.03E-11	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134										
Min	0.00E+00	3.32E+00	3.32E+00	2.36E+00	1.19E+00	1.10E-01	1.16E-04	4.14E-20	0.00E+00	0.00E+00
Max	0.00E+00	3.32E+00	3.32E+00	2.36E+00	1.20E+00	1.10E-01	1.17E-04	4.17E-20	0.00E+00	0.00E+00
Avg	0.00E+00	3.32E+00	3.32E+00	2.36E+00	1.19E+00	1.10E-01	1.16E-04	4.16E-20	0.00E+00	0.00E+00
Std	0.00E+00	2.70E-05	2.70E-05	6.06E-05	7.25E-05	2.01E-05	6.22E-08	7.28E-23	0.00E+00	0.00E+00
Cs-137										
Min	0.00E+00	1.59E+00	1.59E+00	1.54E+00	1.45E+00	1.18E+00	6.44E-01	1.09E-06	0.00E+00	0.00E+00
Max	0.00E+00	1.59E+00	1.59E+00	1.54E+00	1.45E+00	1.19E+00	6.45E-01	1.10E-06	0.00E+00	0.00E+00
Avg	0.00E+00	1.59E+00	1.59E+00	1.54E+00	1.45E+00	1.18E+00	6.45E-01	1.09E-06	0.00E+00	0.00E+00
Std	0.00E+00	1.35E-05	1.35E-05	4.01E-05	8.88E-05	2.18E-04	3.45E-04	1.92E-09	0.00E+00	0.00E+00
Ni-63										
Min	0.00E+00	6.26E-03	6.26E-03	6.04E-03	5.61E-03	4.34E-03	2.00E-03	1.96E-08	0.00E+00	0.00E+00
Max	0.00E+00	6.30E-03	6.30E-03	6.17E-03	5.92E-03	5.10E-03	3.21E-03	9.22E-08	0.00E+00	0.00E+00
Avg	0.00E+00	6.29E-03	6.29E-03	6.14E-03	5.84E-03	4.91E-03	2.88E-03	6.70E-08	0.00E+00	0.00E+00
Std	0.00E+00	1.02E-05	1.02E-05	3.27E-05	7.44E-05	1.87E-04	3.06E-04	2.01E-08	0.00E+00	0.00E+00
Sr-90										
Min	0.00E+00	1.74E+00	1.74E+00	1.02E+00	3.45E-01	7.77E-03	1.48E-07	7.61E-06	0.00E+00	0.00E+00
Max	0.00E+00	1.86E+00	1.86E+00	1.28E+00	5.97E-01	4.18E-02	2.01E-05	1.58E-01	0.00E+00	0.00E+00
Avg	0.00E+00	1.81E+00	1.81E+00	1.16E+00	4.75E-01	2.23E-02	5.10E-06	3.87E-02	0.00E+00	0.00E+00
Std	0.00E+00	3.44E-02	3.44E-02	7.48E-02	7.34E-02	9.94E-03	5.46E-06	5.38E-02	0.00E+00	0.00E+00
ΣALL										
Min	0.00E+00	1.19E+01	1.19E+01	9.54E+00	6.52E+00	2.67E+00	7.34E-01	8.79E-06	0.00E+00	0.00E+00
Max	0.00E+00	1.21E+01	1.21E+01	9.80E+00	6.77E+00	2.70E+00	7.36E-01	1.58E-01	0.00E+00	0.00E+00
Avg	0.00E+00	1.20E+01	1.20E+01	9.68E+00	6.65E+00	2.68E+00	7.35E-01	3.87E-02	0.00E+00	0.00E+00
Std	0.00E+00	3.44E-02	3.44E-02	7.48E-02	7.34E-02	9.95E-03	4.57E-04	5.38E-02	0.00E+00	0.00E+00

ΣALL is total dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Risk Summary

Nuclide (j)	RISK(j,t)								
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03	
Co-60									
Min	1.30E-04	1.13E-04	8.65E-05	3.34E-05	2.15E-06	4.79E-15	0.00E+00	0.00E+00	
Max	1.30E-04	1.13E-04	8.65E-05	3.34E-05	2.15E-06	4.79E-15	0.00E+00	0.00E+00	
Avg	1.30E-04	1.13E-04	8.65E-05	3.34E-05	2.15E-06	4.79E-15	0.00E+00	0.00E+00	
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	
Cs-134									
Min	8.73E-05	6.21E-05	3.14E-05	2.88E-06	3.07E-09	1.52E-23	0.00E+00	0.00E+00	
Max	8.73E-05	6.21E-05	3.14E-05	2.88E-06	3.07E-09	1.53E-23	0.00E+00	0.00E+00	
Avg	8.73E-05	6.21E-05	3.14E-05	2.88E-06	3.07E-09	1.53E-23	0.00E+00	0.00E+00	
Std	0.00E+00	1.08E-09	1.65E-09	5.05E-10	1.61E-12	0.00E+00	0.00E+00	0.00E+00	
Cs-137									
Min	3.60E-05	3.50E-05	3.30E-05	2.69E-05	1.47E-05	4.22E-10	0.00E+00	0.00E+00	
Max	3.60E-05	3.50E-05	3.30E-05	2.69E-05	1.47E-05	4.25E-10	0.00E+00	0.00E+00	
Avg	3.60E-05	3.50E-05	3.30E-05	2.69E-05	1.47E-05	4.24E-10	0.00E+00	0.00E+00	
Std	0.00E+00	6.05E-10	1.73E-09	4.72E-09	7.71E-09	7.42E-13	0.00E+00	0.00E+00	
Ni-63									
Min	3.14E-07	3.04E-07	2.83E-07	2.19E-07	1.01E-07	1.62E-11	0.00E+00	0.00E+00	
Max	3.14E-07	3.08E-07	2.96E-07	2.55E-07	1.61E-07	7.64E-11	0.00E+00	0.00E+00	
Avg	3.14E-07	3.07E-07	2.93E-07	2.46E-07	1.44E-07	5.55E-11	0.00E+00	0.00E+00	
Std	0.00E+00	1.07E-09	3.19E-09	8.93E-09	1.51E-08	1.67E-11	0.00E+00	0.00E+00	
Sr-90									
Min	4.11E-05	2.47E-05	8.36E-06	1.89E-07	3.59E-12	1.54E-10	0.00E+00	0.00E+00	
Max	4.11E-05	2.87E-05	1.34E-05	9.40E-07	4.53E-10	2.51E-06	0.00E+00	0.00E+00	
Avg	4.11E-05	2.69E-05	1.10E-05	5.15E-07	1.16E-10	6.62E-07	0.00E+00	0.00E+00	
Std	0.00E+00	1.17E-06	1.48E-06	2.20E-07	1.23E-10	8.82E-07	0.00E+00	0.00E+00	
ΣALL									
Min	2.95E-04	2.36E-04	1.60E-04	6.37E-05	1.69E-05	6.47E-10	0.00E+00	0.00E+00	
Max	2.95E-04	2.40E-04	1.65E-04	6.44E-05	1.70E-05	2.51E-06	0.00E+00	0.00E+00	
Avg	2.95E-04	2.38E-04	1.62E-04	6.40E-05	1.70E-05	6.62E-07	0.00E+00	0.00E+00	
Std	0.00E+00	1.17E-06	1.48E-06	2.20E-07	1.68E-08	8.82E-07	0.00E+00	0.00E+00	

ΣALL is total risk summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Ground External

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	5.10E+00	4.46E+00	3.40E+00	1.32E+00	8.51E-02	2.83E-14	0.00E+00	0.00E+00
Max	5.10E+00	4.46E+00	3.40E+00	1.32E+00	8.51E-02	2.83E-14	0.00E+00	0.00E+00
Avg	5.10E+00	4.46E+00	3.40E+00	1.32E+00	8.51E-02	2.83E-14	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	2.81E+00	2.00E+00	1.02E+00	9.39E-02	1.02E-04	2.08E-23	0.00E+00	0.00E+00
Max	2.81E+00	2.00E+00	1.02E+00	9.40E-02	1.02E-04	2.09E-23	0.00E+00	0.00E+00
Avg	2.81E+00	2.00E+00	1.02E+00	9.40E-02	1.02E-04	2.08E-23	0.00E+00	0.00E+00
Std	2.33E-05	5.17E-05	6.18E-05	1.72E-05	5.46E-08	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	1.18E+00	1.15E+00	1.09E+00	9.01E-01	5.10E-01	2.92E-10	0.00E+00	0.00E+00
Max	1.18E+00	1.15E+00	1.09E+00	9.01E-01	5.11E-01	2.94E-10	0.00E+00	0.00E+00
Avg	1.18E+00	1.15E+00	1.09E+00	9.01E-01	5.11E-01	2.93E-10	0.00E+00	0.00E+00
Std	1.03E-05	3.02E-05	6.69E-05	1.66E-04	2.73E-04	5.13E-13	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	6.97E-03	4.09E-03	1.41E-03	3.40E-05	7.90E-10	0.00E+00	0.00E+00	0.00E+00
Max	7.51E-03	5.19E-03	2.47E-03	1.84E-04	1.09E-07	3.91E-27	0.00E+00	0.00E+00
Avg	7.27E-03	4.69E-03	1.96E-03	9.83E-05	2.75E-08	3.44E-28	0.00E+00	0.00E+00
Std	1.56E-04	3.15E-04	3.08E-04	4.40E-05	2.95E-08	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	9.10E+00	7.61E+00	5.51E+00	2.31E+00	5.95E-01	2.92E-10	0.00E+00	0.00E+00
Max	9.10E+00	7.62E+00	5.51E+00	2.31E+00	5.96E-01	2.94E-10	0.00E+00	0.00E+00
Avg	9.10E+00	7.61E+00	5.51E+00	2.31E+00	5.96E-01	2.93E-10	0.00E+00	0.00E+00
Std	1.58E-04	3.22E-04	3.22E-04	1.73E-04	2.73E-04	5.13E-13	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.96E-06	1.70E-06	1.28E-06	4.69E-07	2.57E-08	2.39E-21	0.00E+00	0.00E+00
Max	1.96E-06	1.70E-06	1.28E-06	4.69E-07	2.57E-08	2.39E-21	0.00E+00	0.00E+00
Avg	1.96E-06	1.70E-06	1.28E-06	4.69E-07	2.57E-08	2.39E-21	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	6.56E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	3.75E-07	2.65E-07	1.32E-07	1.15E-08	1.05E-11	0.00E+00	0.00E+00	0.00E+00
Max	3.75E-07	2.65E-07	1.32E-07	1.15E-08	1.05E-11	0.00E+00	0.00E+00	0.00E+00
Avg	3.75E-07	2.65E-07	1.32E-07	1.15E-08	1.05E-11	0.00E+00	0.00E+00	0.00E+00
Std	3.10E-12	6.83E-12	8.04E-12	2.12E-12	5.59E-15	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	3.01E-07	2.91E-07	2.71E-07	2.11E-07	9.97E-08	1.64E-17	0.00E+00	0.00E+00
Max	3.01E-07	2.91E-07	2.71E-07	2.11E-07	9.99E-08	1.65E-17	0.00E+00	0.00E+00
Avg	3.01E-07	2.91E-07	2.71E-07	2.11E-07	9.98E-08	1.65E-17	0.00E+00	0.00E+00
Std	2.63E-12	7.64E-12	1.66E-11	3.89E-11	5.34E-11	2.89E-20	0.00E+00	0.00E+00
Ni-63								
Min	5.94E-08	5.73E-08	5.33E-08	4.12E-08	1.90E-08	2.90E-18	0.00E+00	0.00E+00
Max	5.98E-08	5.86E-08	5.62E-08	4.84E-08	3.05E-08	1.37E-17	0.00E+00	0.00E+00
Avg	5.97E-08	5.83E-08	5.55E-08	4.66E-08	2.73E-08	9.93E-18	0.00E+00	0.00E+00
Std	1.11E-10	3.26E-10	7.21E-10	1.79E-09	2.91E-09	2.99E-18	0.00E+00	0.00E+00
Sr-90								
Min	9.71E-06	5.65E-06	1.92E-06	4.32E-08	8.19E-13	0.00E+00	0.00E+00	0.00E+00
Max	1.05E-05	7.16E-06	3.35E-06	2.34E-07	1.12E-10	0.00E+00	0.00E+00	0.00E+00
Avg	1.01E-05	6.47E-06	2.66E-06	1.25E-07	2.85E-11	0.00E+00	0.00E+00	0.00E+00
Std	2.17E-07	4.35E-07	4.17E-07	5.59E-08	3.06E-11	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	1.24E-05	7.97E-06	3.65E-06	7.80E-07	1.44E-07	1.93E-17	0.00E+00	0.00E+00
Max	1.32E-05	9.47E-06	5.09E-06	9.74E-07	1.56E-07	3.02E-17	0.00E+00	0.00E+00
Avg	1.28E-05	8.79E-06	4.39E-06	8.63E-07	1.53E-07	2.64E-17	0.00E+00	0.00E+00
Std	2.17E-07	4.35E-07	4.17E-07	5.59E-08	2.91E-09	2.98E-18	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	6.17E-02	5.35E-02	4.02E-02	1.48E-02	8.09E-04	7.57E-13	0.00E+00	0.00E+00
Max	6.17E-02	5.35E-02	4.02E-02	1.48E-02	8.09E-04	7.57E-13	0.00E+00	0.00E+00
Avg	6.17E-02	5.35E-02	4.02E-02	1.48E-02	8.09E-04	7.57E-13	0.00E+00	0.00E+00
Std	1.22E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	7.92E-02	5.60E-02	2.79E-02	2.44E-03	2.21E-06	1.33E-21	0.00E+00	0.00E+00
Max	7.93E-02	5.60E-02	2.79E-02	2.44E-03	2.21E-06	1.33E-21	0.00E+00	0.00E+00
Avg	7.93E-02	5.60E-02	2.79E-02	2.44E-03	2.21E-06	1.33E-21	0.00E+00	0.00E+00
Std	6.14E-07	1.41E-06	1.68E-06	4.46E-07	1.18E-09	2.16E-24	0.00E+00	0.00E+00
Cs-137								
Min	6.29E-02	6.07E-02	5.66E-02	4.41E-02	2.08E-02	3.45E-08	0.00E+00	0.00E+00
Max	6.29E-02	6.07E-02	5.66E-02	4.41E-02	2.09E-02	3.47E-08	0.00E+00	0.00E+00
Avg	6.29E-02	6.07E-02	5.66E-02	4.41E-02	2.08E-02	3.46E-08	0.00E+00	0.00E+00
Std	5.15E-07	1.56E-06	3.44E-06	8.09E-06	1.11E-05	6.06E-11	0.00E+00	0.00E+00
Ni-63								
Min	8.56E-04	8.26E-04	7.68E-04	5.94E-04	2.74E-04	4.21E-10	0.00E+00	0.00E+00
Max	8.62E-04	8.45E-04	8.10E-04	6.98E-04	4.39E-04	1.98E-09	0.00E+00	0.00E+00
Avg	8.61E-04	8.40E-04	8.00E-04	6.72E-04	3.94E-04	1.44E-09	0.00E+00	0.00E+00
Std	1.51E-06	4.59E-06	1.03E-05	2.57E-05	4.19E-05	4.32E-10	0.00E+00	0.00E+00
Sr-90								
Min	1.16E+00	6.76E-01	2.29E-01	5.16E-03	9.80E-08	8.54E-29	0.00E+00	0.00E+00
Max	1.24E+00	8.52E-01	3.99E-01	2.79E-02	1.34E-05	8.84E-22	0.00E+00	0.00E+00
Avg	1.21E+00	7.72E-01	3.17E-01	1.49E-02	3.39E-06	7.77E-23	0.00E+00	0.00E+00
Std	2.42E-02	5.07E-02	4.93E-02	6.64E-03	3.64E-06	1.74E-22	0.00E+00	0.00E+00
ΣALL								
Min	1.36E+00	8.47E-01	3.55E-01	6.71E-02	2.19E-02	3.49E-08	0.00E+00	0.00E+00
Max	1.45E+00	1.02E+00	5.24E-01	8.98E-02	2.21E-02	3.66E-08	0.00E+00	0.00E+00
Avg	1.41E+00	9.43E-01	4.42E-01	7.69E-02	2.20E-02	3.60E-08	0.00E+00	0.00E+00
Std	2.42E-02	5.07E-02	4.93E-02	6.64E-03	4.33E-05	4.36E-10	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	9.68E-02	8.40E-02	6.31E-02	2.31E-02	1.27E-03	7.40E-12	0.00E+00	0.00E+00
Max	9.68E-02	8.40E-02	6.31E-02	2.31E-02	1.27E-03	7.40E-12	0.00E+00	0.00E+00
Avg	9.68E-02	8.40E-02	6.31E-02	2.31E-02	1.27E-03	7.40E-12	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	2.02E-01	1.43E-01	7.12E-02	6.22E-03	5.64E-06	1.45E-20	0.00E+00	0.00E+00
Max	2.02E-01	1.43E-01	7.13E-02	6.22E-03	5.65E-06	1.46E-20	0.00E+00	0.00E+00
Avg	2.02E-01	1.43E-01	7.13E-02	6.22E-03	5.65E-06	1.45E-20	0.00E+00	0.00E+00
Std	1.52E-06	3.57E-06	4.28E-06	1.14E-06	3.01E-09	2.55E-23	0.00E+00	0.00E+00
Cs-137								
Min	1.61E-01	1.55E-01	1.44E-01	1.13E-01	5.31E-02	3.82E-07	0.00E+00	0.00E+00
Max	1.61E-01	1.55E-01	1.45E-01	1.13E-01	5.32E-02	3.84E-07	0.00E+00	0.00E+00
Avg	1.61E-01	1.55E-01	1.44E-01	1.13E-01	5.32E-02	3.83E-07	0.00E+00	0.00E+00
Std	1.28E-06	3.94E-06	8.74E-06	2.06E-05	2.84E-05	6.71E-10	0.00E+00	0.00E+00
Ni-63								
Min	1.52E-04	1.46E-04	1.36E-04	1.05E-04	4.85E-05	3.58E-10	0.00E+00	0.00E+00
Max	1.53E-04	1.49E-04	1.43E-04	1.24E-04	7.78E-05	1.68E-09	0.00E+00	0.00E+00
Avg	1.52E-04	1.49E-04	1.42E-04	1.19E-04	6.97E-05	1.22E-09	0.00E+00	0.00E+00
Std	2.57E-07	8.03E-07	1.81E-06	4.54E-06	7.41E-06	3.68E-10	0.00E+00	0.00E+00
Sr-90								
Min	1.65E-01	9.63E-02	3.26E-02	7.36E-04	1.40E-08	1.18E-28	0.00E+00	0.00E+00
Max	1.75E-01	1.20E-01	5.61E-02	3.92E-03	1.89E-06	1.21E-21	0.00E+00	0.00E+00
Avg	1.70E-01	1.09E-01	4.48E-02	2.10E-03	4.79E-07	1.07E-22	0.00E+00	0.00E+00
Std	2.93E-03	6.83E-03	6.83E-03	9.33E-04	5.13E-07	2.39E-22	0.00E+00	0.00E+00
ΣALL								
Min	6.24E-01	4.78E-01	3.12E-01	1.43E-01	5.44E-02	3.82E-07	0.00E+00	0.00E+00
Max	6.34E-01	5.02E-01	3.35E-01	1.46E-01	5.46E-02	3.86E-07	0.00E+00	0.00E+00
Avg	6.30E-01	4.91E-01	3.24E-01	1.44E-01	5.45E-02	3.84E-07	0.00E+00	0.00E+00
Std	2.93E-03	6.83E-03	6.83E-03	9.33E-04	2.92E-05	7.59E-10	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	1.99E-02	1.73E-02	1.30E-02	4.76E-03	2.61E-04	2.10E-12	0.00E+00	0.00E+00
Max	1.99E-02	1.73E-02	1.30E-02	4.76E-03	2.61E-04	2.10E-12	0.00E+00	0.00E+00
Avg	1.99E-02	1.73E-02	1.30E-02	4.76E-03	2.61E-04	2.10E-12	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	2.28E-01	1.61E-01	8.02E-02	7.00E-03	6.35E-06	2.56E-20	0.00E+00	0.00E+00
Max	2.28E-01	1.61E-01	8.02E-02	7.00E-03	6.36E-06	2.58E-20	0.00E+00	0.00E+00
Avg	2.28E-01	1.61E-01	8.02E-02	7.00E-03	6.35E-06	2.57E-20	0.00E+00	0.00E+00
Std	1.62E-06	3.94E-06	4.78E-06	1.28E-06	3.39E-09	4.50E-23	0.00E+00	0.00E+00
Cs-137								
Min	1.81E-01	1.74E-01	1.63E-01	1.27E-01	5.98E-02	6.74E-07	0.00E+00	0.00E+00
Max	1.81E-01	1.74E-01	1.63E-01	1.27E-01	5.99E-02	6.79E-07	0.00E+00	0.00E+00
Avg	1.81E-01	1.74E-01	1.63E-01	1.27E-01	5.98E-02	6.77E-07	0.00E+00	0.00E+00
Std	1.37E-06	4.36E-06	9.76E-06	2.32E-05	3.19E-05	1.19E-09	0.00E+00	0.00E+00
Ni-63								
Min	5.24E-03	5.06E-03	4.70E-03	3.64E-03	1.68E-03	1.88E-08	0.00E+00	0.00E+00
Max	5.28E-03	5.17E-03	4.96E-03	4.27E-03	2.69E-03	8.85E-08	0.00E+00	0.00E+00
Avg	5.27E-03	5.14E-03	4.90E-03	4.11E-03	2.41E-03	6.43E-08	0.00E+00	0.00E+00
Std	8.44E-06	2.73E-05	6.22E-05	1.57E-04	2.56E-04	1.93E-08	0.00E+00	0.00E+00
Sr-90								
Min	4.09E-01	2.40E-01	8.12E-02	1.83E-03	3.48E-08	3.28E-28	0.00E+00	0.00E+00
Max	4.34E-01	2.98E-01	1.40E-01	9.75E-03	4.69E-06	3.37E-21	0.00E+00	0.00E+00
Avg	4.23E-01	2.72E-01	1.11E-01	5.23E-03	1.19E-06	2.97E-22	0.00E+00	0.00E+00
Std	7.08E-03	1.68E-02	1.69E-02	2.32E-03	1.28E-06	6.65E-22	0.00E+00	0.00E+00
ΣALL								
Min	8.43E-01	5.97E-01	3.42E-01	1.44E-01	6.17E-02	6.93E-07	0.00E+00	0.00E+00
Max	8.67E-01	6.56E-01	4.00E-01	1.52E-01	6.28E-02	7.66E-07	0.00E+00	0.00E+00
Avg	8.56E-01	6.29E-01	3.72E-01	1.48E-01	6.25E-02	7.41E-07	0.00E+00	0.00E+00
Std	7.08E-03	1.68E-02	1.69E-02	2.32E-03	2.58E-04	1.93E-08	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	3.55E-04	3.08E-04	2.31E-04	8.48E-05	4.65E-06	4.33E-19	0.00E+00	0.00E+00
Max	3.55E-04	3.08E-04	2.31E-04	8.48E-05	4.65E-06	4.33E-19	0.00E+00	0.00E+00
Avg	3.55E-04	3.08E-04	2.31E-04	8.48E-05	4.65E-06	4.33E-19	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	8.76E-04	6.19E-04	3.08E-04	2.69E-05	2.44E-08	1.46E-27	0.00E+00	0.00E+00
Max	8.76E-04	6.19E-04	3.09E-04	2.69E-05	2.45E-08	1.47E-27	0.00E+00	0.00E+00
Avg	8.76E-04	6.19E-04	3.09E-04	2.69E-05	2.44E-08	1.46E-27	0.00E+00	0.00E+00
Std	7.23E-09	1.60E-08	1.88E-08	4.94E-09	1.31E-11	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	6.95E-04	6.71E-04	6.26E-04	4.87E-04	2.30E-04	3.79E-14	0.00E+00	0.00E+00
Max	6.95E-04	6.71E-04	6.26E-04	4.88E-04	2.30E-04	3.81E-14	0.00E+00	0.00E+00
Avg	6.95E-04	6.71E-04	6.26E-04	4.88E-04	2.30E-04	3.80E-14	0.00E+00	0.00E+00
Std	6.06E-09	1.76E-08	3.84E-08	8.97E-08	1.23E-07	6.67E-17	0.00E+00	0.00E+00
Ni-63								
Min	8.02E-06	7.73E-06	7.19E-06	5.56E-06	2.57E-06	3.92E-16	0.00E+00	0.00E+00
Max	8.08E-06	7.91E-06	7.59E-06	6.54E-06	4.12E-06	1.84E-15	0.00E+00	0.00E+00
Avg	8.06E-06	7.87E-06	7.49E-06	6.29E-06	3.69E-06	1.34E-15	0.00E+00	0.00E+00
Std	1.50E-08	4.40E-08	9.74E-08	2.41E-07	3.93E-07	4.03E-16	0.00E+00	0.00E+00
Sr-90								
Min	1.67E-03	9.72E-04	3.29E-04	7.42E-06	1.41E-10	0.00E+00	0.00E+00	0.00E+00
Max	1.80E-03	1.23E-03	5.76E-04	4.02E-05	1.93E-08	1.27E-28	0.00E+00	0.00E+00
Avg	1.74E-03	1.11E-03	4.57E-04	2.15E-05	4.90E-09	1.11E-29	0.00E+00	0.00E+00
Std	3.73E-05	7.48E-05	7.17E-05	9.61E-06	5.26E-09	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	3.60E-03	2.58E-03	1.50E-03	6.13E-04	2.37E-04	3.83E-14	0.00E+00	0.00E+00
Max	3.73E-03	2.84E-03	1.75E-03	6.46E-04	2.39E-04	4.00E-14	0.00E+00	0.00E+00
Avg	3.67E-03	2.72E-03	1.63E-03	6.27E-04	2.39E-04	3.94E-14	0.00E+00	0.00E+00
Std	3.73E-05	7.48E-05	7.17E-05	9.61E-06	4.10E-07	4.07E-16	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.60E-06	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.17E-01	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-02	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-02	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.60E-06	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.17E-01	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-02	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.99E-02	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.45E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.13E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.85E-03	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.45E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.13E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.85E-03	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.97E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.01E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.49E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.46E-03	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.97E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.01E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.49E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.46E-03	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Co-60								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-134								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cs-137								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ni-63								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr-90								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.64E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.94E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.81E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.66E-03	0.00E+00	0.00E+00
ΣALL								
Min	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.64E-07	0.00E+00	0.00E+00
Max	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.94E-02	0.00E+00	0.00E+00
Avg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.81E-03	0.00E+00	0.00E+00
Std	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.66E-03	0.00E+00	0.00E+00

ΣALL is total pathway dose summed for all nuclides.



Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

## Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose (t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	1.19E+01	9.55E+00	6.52E+00	2.67E+00	7.34E-01	2.43E-05	0.00E+00	0.00E+00
0.050	1.19E+01	9.56E+00	6.53E+00	2.67E+00	7.34E-01	3.19E-05	0.00E+00	0.00E+00
0.075	1.19E+01	9.56E+00	6.54E+00	2.67E+00	7.34E-01	5.13E-05	0.00E+00	0.00E+00
0.100	1.20E+01	9.57E+00	6.54E+00	2.67E+00	7.35E-01	9.59E-05	0.00E+00	0.00E+00
0.125	1.20E+01	9.58E+00	6.55E+00	2.67E+00	7.35E-01	1.53E-04	0.00E+00	0.00E+00
0.150	1.20E+01	9.59E+00	6.56E+00	2.67E+00	7.35E-01	2.37E-04	0.00E+00	0.00E+00
0.175	1.20E+01	9.59E+00	6.56E+00	2.67E+00	7.35E-01	3.38E-04	0.00E+00	0.00E+00
0.200	1.20E+01	9.60E+00	6.57E+00	2.67E+00	7.35E-01	5.32E-04	0.00E+00	0.00E+00
0.225	1.20E+01	9.61E+00	6.58E+00	2.67E+00	7.35E-01	6.87E-04	0.00E+00	0.00E+00
0.250	1.20E+01	9.62E+00	6.59E+00	2.67E+00	7.35E-01	9.01E-04	0.00E+00	0.00E+00
0.275	1.20E+01	9.63E+00	6.59E+00	2.67E+00	7.35E-01	1.18E-03	0.00E+00	0.00E+00
0.300	1.20E+01	9.63E+00	6.60E+00	2.67E+00	7.35E-01	1.39E-03	0.00E+00	0.00E+00
0.325	1.20E+01	9.64E+00	6.60E+00	2.67E+00	7.35E-01	1.73E-03	0.00E+00	0.00E+00
0.350	1.20E+01	9.65E+00	6.61E+00	2.67E+00	7.35E-01	2.29E-03	0.00E+00	0.00E+00
0.375	1.20E+01	9.65E+00	6.62E+00	2.68E+00	7.35E-01	2.86E-03	0.00E+00	0.00E+00
0.400	1.20E+01	9.66E+00	6.62E+00	2.68E+00	7.35E-01	3.89E-03	0.00E+00	0.00E+00
0.425	1.20E+01	9.67E+00	6.63E+00	2.68E+00	7.35E-01	4.86E-03	0.00E+00	0.00E+00
0.450	1.20E+01	9.67E+00	6.64E+00	2.68E+00	7.35E-01	5.42E-03	0.00E+00	0.00E+00
0.475	1.20E+01	9.68E+00	6.64E+00	2.68E+00	7.35E-01	6.55E-03	0.00E+00	0.00E+00
0.500	1.20E+01	9.69E+00	6.65E+00	2.68E+00	7.35E-01	7.62E-03	0.00E+00	0.00E+00
0.525	1.20E+01	9.69E+00	6.66E+00	2.68E+00	7.35E-01	9.05E-03	0.00E+00	0.00E+00
0.550	1.20E+01	9.70E+00	6.66E+00	2.68E+00	7.35E-01	1.03E-02	0.00E+00	0.00E+00
0.575	1.20E+01	9.70E+00	6.67E+00	2.68E+00	7.35E-01	1.26E-02	0.00E+00	0.00E+00
0.600	1.20E+01	9.71E+00	6.67E+00	2.68E+00	7.35E-01	1.46E-02	0.00E+00	0.00E+00
0.625	1.20E+01	9.72E+00	6.68E+00	2.68E+00	7.35E-01	1.81E-02	0.00E+00	0.00E+00
0.650	1.20E+01	9.72E+00	6.69E+00	2.68E+00	7.35E-01	2.39E-02	0.00E+00	0.00E+00
0.675	1.20E+01	9.73E+00	6.69E+00	2.69E+00	7.35E-01	3.12E-02	0.00E+00	0.00E+00
0.700	1.20E+01	9.73E+00	6.70E+00	2.69E+00	7.35E-01	3.95E-02	0.00E+00	0.00E+00
0.725	1.20E+01	9.74E+00	6.71E+00	2.69E+00	7.36E-01	5.15E-02	0.00E+00	0.00E+00
0.750	1.20E+01	9.75E+00	6.71E+00	2.69E+00	7.36E-01	6.28E-02	0.00E+00	0.00E+00
0.775	1.20E+01	9.75E+00	6.72E+00	2.69E+00	7.36E-01	7.62E-02	0.00E+00	0.00E+00
0.800	1.20E+01	9.76E+00	6.72E+00	2.69E+00	7.36E-01	1.13E-01	0.00E+00	0.00E+00
0.825	1.20E+01	9.76E+00	6.73E+00	2.69E+00	7.36E-01	1.32E-01	0.00E+00	0.00E+00
0.850	1.20E+01	9.77E+00	6.73E+00	2.69E+00	7.36E-01	1.33E-01	0.00E+00	0.00E+00
0.875	1.20E+01	9.77E+00	6.74E+00	2.69E+00	7.36E-01	1.35E-01	0.00E+00	0.00E+00
0.900	1.20E+01	9.78E+00	6.75E+00	2.70E+00	7.36E-01	1.38E-01	0.00E+00	0.00E+00
0.925	1.21E+01	9.78E+00	6.75E+00	2.70E+00	7.36E-01	1.41E-01	0.00E+00	0.00E+00
0.950	1.21E+01	9.79E+00	6.76E+00	2.70E+00	7.36E-01	1.43E-01	0.00E+00	0.00E+00
0.975	1.21E+01	9.79E+00	6.76E+00	2.70E+00	7.36E-01	1.50E-01	0.00E+00	0.00E+00
1.000	1.21E+01	9.80E+00	6.77E+00	2.70E+00	7.36E-01	1.58E-01	0.00E+00	0.00E+00







Probabilistic results summary : RESRAD Default

File : C:\USERS\DAVID FAUVER\DOCUMENTS\ZION\RESRAD\TSD\SOIL DCGL\RESRAD INPUT FILE\ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose Years	Peak mean dose mrem/yr
1	0.000E+00	1.200E+01
2	0.000E+00	1.200E+01
3	0.000E+00	1.200E+01

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	5	-0.12	5	-0.01	9	0.03	9	0.00
Kd of Cs-134 in Unsaturated Zone 1	4	-0.13	4	-0.01	3	-0.17	3	-0.01
Kd of Cs-134 in Saturated Zone	11	-0.04	11	0.00	7	-0.09	7	-0.01
Kd of Cs-137 in Contaminated Zone	6	0.11	6	0.01	8	0.07	8	0.01
Kd of Cs-137 in Unsaturated Zone 1	2	0.19	2	0.02	2	0.21	2	0.02
Kd of Cs-137 in Saturated Zone	9	0.08	9	0.01	11	0.01	11	0.00
Kd of Ni-63 in Contaminated Zone	8	0.09	8	0.01	5	0.14	5	0.01
Kd of Ni-63 in Unsaturated Zone 1	10	-0.07	10	-0.01	6	-0.10	6	-0.01
Kd of Ni-63 in Saturated Zone	3	0.15	3	0.02	12	0.00	12	0.00
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	0.99
Kd of Sr-90 in Unsaturated Zone 1	12	0.00	12	0.00	10	-0.02	10	0.00
Kd of Sr-90 in Saturated Zone	7	-0.10	7	-0.01	4	-0.15	4	-0.01
R-SQUARE		0.99		0.99		0.99		0.99

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	6	-0.08	6	-0.01	12	0.00	12	0.00
Kd of Cs-134 in Unsaturated Zone 1	12	0.00	12	0.00	8	0.09	8	0.01
Kd of Cs-134 in Saturated Zone	2	0.25	2	0.03	4	0.17	4	0.01
Kd of Cs-137 in Contaminated Zone	5	0.13	5	0.02	3	0.18	3	0.01
Kd of Cs-137 in Unsaturated Zone 1	7	-0.07	7	-0.01	5	0.13	5	0.01
Kd of Cs-137 in Saturated Zone	3	0.17	3	0.02	2	0.20	2	0.02
Kd of Ni-63 in Contaminated Zone	11	0.01	11	0.00	7	0.09	7	0.01
Kd of Ni-63 in Unsaturated Zone 1	4	-0.15	4	-0.02	9	-0.06	9	0.00
Kd of Ni-63 in Saturated Zone	10	-0.02	10	0.00	6	-0.11	6	-0.01
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	8	-0.07	8	-0.01	10	-0.04	10	0.00
Kd of Sr-90 in Saturated Zone	9	0.05	9	0.01	11	-0.03	11	0.00
R-SQUARE		0.99		0.99		0.99		0.99

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default

Input File : ZION SURFACE SOIL DCGL KD SENSITIVITY.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Kd of Cs-134 in Contaminated Zone	6	0.09	6	0.01	5	0.12	5	0.01
Kd of Cs-134 in Unsaturated Zone 1	10	-0.05	10	-0.01	9	-0.04	9	0.00
Kd of Cs-134 in Saturated Zone	2	-0.16	2	-0.02	10	-0.02	10	0.00
Kd of Cs-137 in Contaminated Zone	5	-0.09	5	-0.01	8	-0.05	8	0.00
Kd of Cs-137 in Unsaturated Zone 1	8	0.07	8	0.01	6	-0.10	6	-0.01
Kd of Cs-137 in Saturated Zone	9	0.07	9	0.01	2	0.24	2	0.02
Kd of Ni-63 in Contaminated Zone	7	0.07	7	0.01	7	0.05	7	0.00
Kd of Ni-63 in Unsaturated Zone 1	11	0.02	11	0.00	4	-0.14	4	-0.01
Kd of Ni-63 in Saturated Zone	3	0.12	3	0.01	3	0.21	3	0.02
Kd of Sr-90 in Contaminated Zone	1	0.99	1	0.99	1	1.00	1	1.00
Kd of Sr-90 in Unsaturated Zone 1	4	0.10	4	0.01	11	0.02	11	0.00
Kd of Sr-90 in Saturated Zone	12	0.01	12	0.00	12	-0.01	12	0.00
R-SQUARE		0.99		0.99		0.99		0.99

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.