



Region I Office  
 Division of Nuclear Materials Safety  
 2100 Renaissance Boulevard, Suite 100  
 King of Prussia, PA 19406-2713  
 (610)337-5000

## Telephone Conversation Record

Date: 8/2/2017  
 License No. 06-01060-01  
 Docket No.(no hyphens): 03001247  
 Mail Control/Report No. 599873  
 Licensee Name: Bridgeport Hospital  
 Participant(s) Name/Title: Michael Bohan  
 Work Telephone No. (203) 688-2950  
 Business Cellphone No.  
 NRC Representative Name/Title: Robert Gallagher

Subject: Request for Additional Information

Discussion: Request for clarification on proposed AU, the 313 (AUS) requests authorization for 35.400, 35.600 HDR and 35.600 GSR, however Bridgeport Hospital is only authorized for 100/200/300/600 HDR/and 1000 microspheres. Also requested additional information on proposed AU received supervised work experience at the Robert Wood Johnson University Hospital (NJ Lic. No. 450729, former NRC Lic. No. 29-10173-02). My review of the former NRC license shows authorization for 35.100, 200 and 300.

Action Required: Additional information submitted to clarify request.

<b>SUNSI REVIEW</b>		
<b>Document Availability:</b>	<input checked="" type="checkbox"/> Public	or <input type="checkbox"/> Non-Public
<b>Document Sensitivity:</b> (select "1" value to the right)	<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
	<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
	<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
	<input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
	<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
	<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 ( Internal)
SUNSI Review Completed by: RGallagher		