

ATTACHMENT

Marked Up Technical Specifications Pages

St. Lucie Unit 1

6 - 10

St. Lucie Unit 2

6 - 10

9004270122 900424
PDR ADOCK 05000335
P PIC



Handwritten marks or scribbles in the top right corner.

The main body of the page is mostly blank, with scattered small black specks and faint, illegible marks that appear to be artifacts from the scanning process or dust on the original paper.

ADMINISTRATIVE CONTROLS

CONSULTANTS

6.5.2.4 Consultants shall be utilized as determined by the CNRB Chairman to provide expert advice to the CNRB.

MEETING FREQUENCY

6.5.2.5 The CNRB shall meet at least once per calendar quarter during the initial year of unit operation following fuel loading and at least once per 6 months thereafter and as convened by the CNRB Chairman or his designated alternate.

QUORUM

6.5.2.6 The quorum of the CNRB necessary for the performance of the CNRB review and audit functions of these Technical Specifications shall consist of the Chairman or his designated alternate and at least ~~four~~ CNRB members including alternates. No more than a minority of the quorum shall have line responsibility for operation of the facility.

A majority of

REVIEW

6.5.2.7 The CNRB shall review:

- a. The safety evaluations for (1) changes to procedures, equipment, or systems and (2) tests or experiments completed under the provisions of Section 50.59, 10 CFR, to verify that such actions did not constitute an unreviewed safety question.
- b. Proposed changes to procedures, equipment, or systems which involve an unreviewed safety question as defined in Section 50.59, 10 CFR.
- c. Proposed tests or experiments which involve an unreviewed safety question as defined in Section 50.59, 10 CFR.
- d. Proposed changes to Technical Specifications or this Operating License.
- e. Violations of codes, regulations, orders, Technical Specifications, license requirements, or of internal procedures or instructions having nuclear safety significance.
- f. Significant operating abnormalities or deviations from normal and expected performance of unit equipment that affect nuclear safety.

ADMINISTRATIVE CONTROLS

FUNCTION (Continued)

- e. instrumentation and control
- f. radiological safety
- g. mechanical and electrical engineering
- h. quality assurance practices

COMPOSITION

6.5.2.2 The CNRB shall be composed of the following members:

- Member: Group Vice President
- Member: Senior Vice President - Nuclear
- Member: Vice President - Engineering, Projects & Construction
- Member: Vice President - Nuclear Energy
- Member: Director - Nuclear Licensing
- Member: Director - Quality Assurance
- Member: Chief Engineer - Power Plant Engineering
- Member: Manager - Nuclear Energy Services
- Member: Manager - Nuclear Fuel
- Member: Manager - Power Plant Engineering

The Chairman shall be a member of the CNRB and shall be designated in writing. r

ALTERNATES

6.5.2.3 All alternate members shall be appointed in writing by the CNRB Chairman to serve on a temporary basis; however, no more than two alternates shall participate as voting members in CNRB activities at any one time.

CONSULTANTS

6.5.2.4 Consultants shall be utilized as determined by the CNRB Chairman to provide expert advice to the CNRB.

MEETING FREQUENCY

6.5.2.5 The CNRB shall meet at least once per calendar quarter during the initial year of unit operation following fuel loading and at least once per 6 months thereafter and as convened by the CNRB Chairman or his designated alternate.

QUORUM

6.5.2.6 The quorum of the CNRB necessary for the performance of the CNRB review and audit functions of these Technical Specifications shall consist of the Chairman and his designated alternate and at least ~~four~~ CNRB members including alternates. No more than a minority of the quorum shall have line responsibility for operation of the unit.

a majority of

