



# CERTIFICATE OF DISPOSITION OF MATERIALS

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (1-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by e-mail to [InfoCollects.Resource@nrc.gov](mailto:InfoCollects.Resource@nrc.gov), and to the Desk Officer, Office of Information and Regulatory Affairs, NE0B-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

Mountaineer Testing Services, Inc.  
dba - Mountain State Bridge, Co.  
11 Hanna Farm Road  
Summersville, West Virginia 26651

LICENSE NUMBER

47-35066-01

DOCKET NUMBER

030-38644

LICENSE EXPIRATION DATE

May 31, 2023

### A. LICENSE STATUS (Check the appropriate box)

- This license has expired.
- This license has not yet expired; please terminate it.

### B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.

- a. Transfer of radioactive materials to the licensee listed below:

Date of Transfer: 21-Jun-2017, Recipient: A. Folino Construction Inc., Contact Name: Dino Folino,  
Contact Number: (412) 820-2800, Agreement State License Number: PA-1031

- b. Disposal of radioactive materials:

- 1. Directly by the licensee:

- 2. By licensed disposal site:

- 3. By waste contractor:

Br 1

03038644

600412

NMSS/RGN1 MATERIALS-002

REC-051 080717 PM 01:40

- c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

### C. SURVEYS PERFORMED AND REPORTED

- 1. A radiation survey was conducted by the licensee. The survey confirms:
  - a. the absence of licensed radioactive materials
  - b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- 2. A copy of the radiation survey results:
  - a. is attached; or  b. is not attached (Provide explanation); or  c. was forwarded to NRC on: \_\_\_\_\_ Date
- 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
  - a. The results of the latest leak test are attached; and/or
  - b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
Jaclyn Hatfield	Radiation Safety Officer	(304) 872-8110	info@mountainstatebridge.com

Mail all future correspondence regarding this license to:

Mountain State Bridge, Co.  
11 Hanna Farm Rd, Summersville, WV 26651

### C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
Jaclyn Hatfield, RSO	<i>Jaclyn Hatfield</i>	08/02/2017

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

# Nuclear Gauge Certificate

---

Model: **Troxler 3440**Transfer Date: **21-Jun-2017**Serial Number: **24535**

Transfer From:

**Transfer To:** A. Folino Construction Inc.

**Mountaineer Testing Services, Inc.**  
**dba - Mountain State Bridge, Co.**  
**11 Hanna Farm Rd**  
**Summersville, WV 26651**  
**USA**

License No. **47-35066-01****License No.:** PA-1031Exp. Date: **31-May-2023****Exp. Date:** 4/30/2021

---

## Sealed Source

**.30 GBq (8 mCi +/- 10%)****Cs-137****Activity/Radioactive Material****1.48 GBq (40 mCi +/-10%)****Am-241:Be****102112****Drawing Number****102451****USA/0614/S****Special Form Certificate****USA/0632/S****C64444****ANSI Specification****C66544****05/21/2017****Date of Leak Test****05/21/2017****75-4419****Source Code****47-18505**


---

## Leak Test

**The above referenced leak test revealed the removable activity to be less than 0.005 microcurie.**

---

## Special Form Certificates

**Radioactive materials used in this gauge have been certified as "Special Form" by a recognized "Competent Authority"**

---

## Proper Shipping Name

**RQ, Radioactive Material, Special Form, NON FISSILE OR FISSILE EXCEPTED UN 3332 , US DOT 7A**

**Type "A" Package, Radioactive Yellow II**

**This nuclear gauge was manufactured by Troxler Electronic Labs, Inc.**

To: A. Folino Construction Inc.

Return Fax To: **Mountaineer Testing Service, Inc.**  
dba - Mountain State Bridge, Co.

Fax: (412) 820-2808

Fax: (304) 872-7110

Phone: (412) 820-2800

Phone: (304) 872-8110

## Nuclear Gauge Transfer Statement

By accepting the nuclear gauge listed below, we agree:

1. That our Radioactive Materials Licence is current.
2. That receipt of this gauge is in compliance with our Radioactive Materials License and,
3. That the maximum inventory allowed by our license has not been exceeded.

Gauge Manufacturer Troxler

Model 3440

Serial Number 24535

.30 GBq (8 mCi +/- 10%) Cs-137

1.48 GBq (40 mCi +/- 10%) Am-241:Be

Signature

Dino Folino

Print Name

A. Folino Construction Inc.

Company Name

Vice President

Title

InstroTek, Inc.  
5908 Triangle Drive  
Raleigh, NC 27617  
(919)875-8371 Fax (919)875-8328

5/25/2017  
Test Number: 4

Jackie Hatfield Lycans  
Mountain State Bridge  
11 Hanna Farm Road  
Summersville, WV 26651

Phone: (304)872-8110  
Fax: (304)872-7110

### LEAK TEST CERTIFICATE

NC Materials License #092-1073-1

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removable contamination.


Gauge Model: 3440  
Gauge S/N: 24535

Test Date: 5/21/2017

Source (Model/Serial#)	Reading in microCuries
47-20658	0.00000
75-6592	0.00022

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source.° The source(s) tested above may remain in use.


Reviewed by:



Date:

5/25/2017

Customer Signature:



Date:

5/30/17

°CPN gauges are 50 mCi Am241:Be and 10 mCi Cs-137. Humboldt gauges are 40 mCi Am241:Be and 10 mCi Cs-137. InstroTek Gauge is 40 mCi Am241:Be and 10 mCi Cs-137. Troxler gauges all, except 4640, are 40 mCi Am241:Be and 8 mCi Cs-137. Troxler 4640 is 8 mCi Cs-137.

# Nuclear Gauge Certificate

---

Model: **Troxler 3440**

Transfer Date: **21-Jun-2017**

Serial Number: **22663**

Transfer From:  
**Mountaineer Testing Services, Inc.**  
**dba - Mountain State Bridge, Co.**  
**11 Hanna Farm Rd**  
**Summersville, WV 26651**  
**USA**

**Transfer To:** **A. Folino Construction Inc.**  
**109 Dark Hollow Road**  
**Oakmont, PA 15139**

License No. **47-35066-01**

**License No.:** PA-1031

Exp. Date: **31-May-2023**

**Exp. Date:** 4/30/2021

---

## Sealed Source

<b>.30 GBq (8 mCi +/- 10%)</b>	<b>Activity/Radioactive Material</b>	<b>1.48 GBq (40 mCi +/-10%)</b>
<b>Cs-137</b>		<b>Am-241:Be</b>
<b>102112</b>	<b>Drawing Number</b>	<b>102451</b>
<b>USA/0614/S</b>	<b>Special Form Certificate</b>	<b>USA/0632/S</b>
<b>C64444</b>	<b>ANSI Specification</b>	<b>C66544</b>
<b>05/21/2017</b>	<b>Date of Leak Test</b>	<b>05/21/2017</b>
<b>75-4419</b>	<b>Source Code</b>	<b>47-18505</b>

---

## Leak Test

The above referenced leak test revealed the removable activity to be less than 0.005 microcurie.

---

## Special Form Certificates

Radioactive materials used in this gauge have been certified as "Special Form" by a recognized "Competent Authority"

---

## Proper Shipping Name

**RQ, Radioactive Material, Special Form, NON FISSILE OR FISSILE EXCEPTED UN**  
**3332 , US DOT 7A**

**Type "A" Package, Radioactive Yellow II**

This nuclear gauge was manufactured by Troxler Electronic Labs, Inc.

To: A. Folino Construction Inc.

Return Fax To: Mountaineer Testing Service, Inc.  
dba - Mountain State Bridge, Co.

Fax: (412) 820-2808

Fax: (304) 872-7110

Phone: (412) 820-2800

Phone: (304) 872-8110

## Nuclear Gauge Transfer Statement

By accepting the nuclear gauge listed below, we agree:

1. That our Radioactive Materials Licence is current.
2. That receipt of this gauge is in compliance with our Radioactive Materials License and,
3. That the maximum inventory allowed by our license has not been exceeded.

Gauge Manufacturer Troxler

Model 3440

Serial Number 22663

30 GBq (8 mCi +/- 10%) Cs-137

1.48 GBq (40 mCi +/-10%) Am-241:Be

Signature

Dino Folino

Print Name

A. Folino Construction, Inc.

Company Name

Vice President

Title

InstroTek, Inc.  
5908 Triangle Drive  
Raleigh, NC 27617  
(919)875-8371 Fax (919)875-8328


5/25/2017  
Test Number: 3

Jackie Hatfield Lycans  
Mountain State Bridge  
11 Hanna Farm Road  
Summersville, WV 26651

Phone: (304)872-8110  
Fax: (304)872-7110

**NC Materials License #092-1073-1**


This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removable contamination.

Gauge Model: 3440  
Gauge S/N: 


Test Date: 5/21/2017

Source (Model/Serial#)	Reading in microCuries
47-18505	0.00000
75-4419	0.00023

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source.° The source(s) tested above may remain in use.

Reviewed by: 

Date: 5/25/2017

Customer Signature: 

Date: 5/30/17

°CPN gauges are 50 mCi Am241:Be and 10 mCi Cs-137. Humboldt gauges are 40 mCi Am241:Be and 10 mCi Cs-137. InstroTek Gauge is 40 mCi Am241:Be and 10 mCi Cs-137. Troxler gauges all, except 4640, are 40 mCi Am241:Be and 8 mCi Cs-137. Troxler 4640 is 8 mCi Cs-137.



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee

Mountaineer Testing Services, Inc.  
dba - Mountain State Bridge, Co.  
Attn: Jaclyn Hatfield, RSO  
11 Hanna Farm Road  
Summersville, WV 26651

Date

08/11/2017

License Number(s)

47-35066-01

Mail Control Number(s)

600412

Licensing and/or Technical Reviewer or Branch

Comm, Industrial, R&D, and Academic Branch

This is to acknowledge receipt of your:  Letter and/or  Application Dated: 08/02/2017

The initial processing, which included an administrative review, has been performed.

Amendment  Termination  New License  Renewal

There were no administrative omissions identified during our initial review.

This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>  
Follow the instructions on the form for submission.

The following administrative omissions have been identified:

[Empty box for administrative omissions]

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

**Region I**  
U. S. Nuclear Regulatory Commission  
Division of Nuclear Materials Safety  
2100 Renaissance Boulevard, Suite 100  
King of Prussia, PA 19406-2713  
(610) 337-5260, (610) 337-5313,  
(610) 337-5398, or (610) 337-5239




MSB

11 HANNA FARM RD

SUMMERSVILLE, WY 26651


**CERTIFIED MAIL**



7016 0910 0001 4864 8148



1000



19406

U.S. POSTAGE  
PAID  
SUMMERSVILLE, WV  
26651  
AUG 04, 17  
AMOUNT

**\$4.54**

R2305K138739-11

LICENSING ASSISTANT SECTION  
NUCLEAR MATERIALS SAFETY BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
2100 RENAISSANCE BOULEVARD, SUITE 100  
KING OF PRUSSIA, PA 19406-2713