



We answer to you.

One Robinson Plaza Ste 200, Pittsburgh PA 15205 • Phone: (412) 446-1728
E-mail: rettew@rettew.com • Web site: rettew.com

Engineers
Planners
Surveyors
Landscape
Architects
Environmental
Consultants

August 10, 2017

Leonardo Wardrobe
U.S Nuclear Regulatory Commission, Region I
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406

RE: Addendum to Radioactive Material License No. 37-35160-01

Dear Mr. Wardrobe:

RETTEW Associates, Inc. currently has a total of six gauges. One CPN gauge, one 3411B gauge, and four 3430 gauges. They are listed below as follows;

Unit #	Unit Name
1	CPN MC-1DR-P PortaProbe Serial # MD 30601483
2	Troxler 3430 Serial # 68674
3	Troxler 3411B Serial # 15862
4	Troxler 3430 Serial # 68991
5	Troxler 3430 Serial # 68992
6	Troxler 3430 Serial # 68993


We would like to be approved for one additional Troxler 3430 series gauge. We currently are approved for possession limits for Cesium 137 up to 55 mCi and Americium 241:Be up to 270 mCi. We would like to amend license No. 37-35160 to increase the possession limits for Cesium 137 to up to 65 mCi and Americium 241:Be to up to 315 mCi. We request this in order to allow RETTEW Associates, Inc. the capabilities to add an additional nuclear surface, Troxler gauge. RETTEW has ample secured storage for both the permitted gauges, as well as the additional requested gauge. RETTEW personnel will continue to comply with all required rules and regulations for storage and use in accordance with license No. 37-35160-01.

Our license number is 37-35160-01 and the expiration date is August 31, 2024.



If you should have any questions or need additional information, please do not hesitate to contact me at (412) 446-1728 or at jstipe@rettew.com.

Sincerely,

A handwritten signature in black ink, appearing to read "J B Stipe III". The signature is stylized with large, overlapping letters and a horizontal line underlining the last name.

John B. Stipe III, CPSS
Director of Geosciences