



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

AUG 21 2017

Brian Davidson
Radiation Safety Officer
Covance Central Laboratory Services, Inc.
8211 SciCor Drive
Indianapolis, IN 46214

Dear Mr. Davidson:

Enclosed is Amendment No. 19 to your NRC Material License No. 13-26058-01 in accordance with your request.

Please note that we were able to confirm that Dr. Eric Thomas had worked with the requested isotopes under the supervision of an authorized user at a broad scope license, and have added Dr. Thomas to the license per your request. You also requested to add Dr. Sherri Rinker to the license for the use of iodine-125 (I-125) for in vitro studies. You provided that Dr. Rinker had worked with I-125 under Mark O'Dell and Ron Bowsher's supervision at a license issued to AIT Biosciences in Indianapolis, Indiana. However, we could not locate any nuclear material license issued to AIT Biosciences or under the names of Mark O'Dell or Ron Bowsher in our licensing data base. Therefore, we did not add Dr. Rinker to your license. If you would like to resubmit the request for Dr. Rinker, please include the relevant information as discussed in the NUREG-1556, Volume 7, Section 8.7.2. and include the license number or a copy of the nuclear material license that she worked under.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture.

You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with Title 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read "Frank P.D. Tran". The signature is written in a cursive style with a large, sweeping initial "F".

Frank P.D. Tran
Health Physicist
Materials Licensing Branch

License No. 13-26058-01
Docket No. 030-31150

Enclosure: Amendment No. 19