

REGULATOR INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8512310135 DOC. DATE: 85/12/19 NOTARIZED: NO DOCKET #  
 FACIL: 50-244 Robert Emmet Ginna Nuclear Plant, Unit 1, Rochester G 05000244  
 AUTH. NAME AUTHOR AFFILIATION  
 KOBER, R. W. Rochester Gas & Electric Corp.  
 RECIPIENT AFFILIATION  
 LEAR, G. E. PWR Project Directorate 1

SUBJECT: Forwards R562-N4, "Reinforced Masonry Wall Evaluation, Evaluation of Control Bldg Reinforced Walls," documenting results of elastic & inelastic analyses for selected masonry walls. Commitments re IE Bulletin 80-11 complete.

DISTRIBUTION CODE: A001D COPIES RECEIVED: LTR    ENCL    SIZE:   1+37    
 TITLE: OR Submittal: General Distribution


NOTES: NRR PWR-B ISAPD 1cy. 05000244  
 OL: 09/19/69

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PWR-A PD1 PD 01	5 5	CLIFFORD, J	1 1
INTERNAL:	ACRS 09	6 6	ADM/LFMB	1 0
	ELD/HDS4	1 0	NRR BWR EB	1 1
	NRR PWR-A EB	1 1	NRR PWR-B EB	1 1
	NRR/DHFT/TSCB	1 1	NRR/DSRO DIR	1 1
	NRR/DSRO/RRAB	1 1	NRR/ORAS	1 0
	<u>REG FILE</u> 04	1 1	RGN1	1 1
EXTERNAL:	24X	1 1	EG&G BRUSKE, S	1 1
	LPDR 03	1 1	NRC PDR 02.	1 1
	NSIC 05	1 1		
NOTES:		1 1		

ADD: PWR-A/BC's Tech Support

- AD - J. Knight (ltr only)
- EB - (Ballard)
- ETCSR (ROSA)
- PBB (Gammill)
- RSB (Berlinger)
- FOB (Benaroya)

TOTAL NUMBER OF COPIES REQUIRED: LTTR   35   ENCL   32



TOP SECRET  
This document contains information of a highly confidential nature and is intended for the eyes of authorized personnel only. It is to be controlled and distributed in accordance with the provisions of the Atomic Energy Act of 1954 and the Atomic Energy Regulations. It is to be destroyed when it is no longer required for official use.

It is the policy of the United States Government to keep secret the scientific and technical information which it develops, or which it receives from other sources, and which it deems to be of exceptional significance to the national defense.

2. This information is being furnished to you for your information and use in connection with the project mentioned above. It is to be controlled and distributed in accordance with the provisions of the Atomic Energy Act of 1954 and the Atomic Energy Regulations. It is to be destroyed when it is no longer required for official use.

Category	Item	Quantity	Unit	Remarks
Materials	Uranium Dioxide	100	kg	For research
	Plutonium Dioxide	50	kg	For research
	Thorium Dioxide	200	kg	For research
	Neptunium Dioxide	100	kg	For research
	Protactinium Dioxide	50	kg	For research
Equipment	Research Reactor	1	unit	For research
	Accelerator	1	unit	For research

Approved for release by the Atomic Energy Commission on 10/10/54.

Approved for release by the Atomic Energy Commission on 10/10/54.



ROCHESTER GAS AND ELECTRIC CORPORATION • 89 EAST AVENUE, ROCHESTER, N.Y. 14649-0001

ROGER W. KOBER  
VICE PRESIDENT  
ELECTRIC & STEAM PRODUCTION

TELEPHONE  
AREA CODE 716 546-2700

December 19, 1985

Director of Nuclear Reactor Regulation  
Attention: Mr. George E. Lear, Chief  
PWR Project Directorate No. 1  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Subject: Seismic Masonry Wall Analyses  
R. E. Ginna Nuclear Power Plant  
Docket No. 50-244

ADD: PWR - A/BC's TECH SUPPORT  
AD - J. Knight (ltr only)  
EB (BALLARD)  
EICSB (ROSA)  
PSB (GAMMILL)  
RSB (BERLINGER)  
FOB (BENAROYA)

Dear Mr. Lear:

In RG&E's letter of November 6, 1985 regarding seismic analysis of safety-related reinforced masonry block walls in the control building, RG&E committed to provide the final analytical results for these walls by December 20, 1985.

Enclosed is Computech Report No. R562-N4, which documents the results of the elastic and inelastic analyses for selected masonry block walls at Ginna Station. These results indicate that there are significant margins of safety for all of the walls, as determined from the inelastic analyses of the selected "worst-case" walls. The margins of safety vary from between 76% for masonry strain ratios to 600% for steel strain ratios. Thus, it can be concluded that the reinforced block walls will be able to maintain their safety configuration following an SSE.

The seismic inputs used in these analyses were derived from the NRC "Senior Seismic Review Team" report, NUREG-CR/1821, as modified to correspond to the Ginna site-specific SSE ground response spectrum, as defined in NUREG/CR-1582, "Seismic Hazard Analysis", anchored at 0.17g. This spectrum was found acceptable for use in assessing safety margins for structures, systems and components at Ginna, as documented in the NRC Safety Evaluation Report for SEP Topic III-6, "Seismic Design Considerations", January 29, 1982.

A report documenting the Computech correlation study for San Onofre Nuclear Generating Station Unit No. 1 (SONGS-1) wall FB5, which was discussed with the NRC during a December 5, 1985 meeting, has also been prepared. Parts of that report are considered proprietary to Southern California Edison. That report will be submitted as soon as the appropriate application for withholding and affidavit are prepared. The submittal of these reports will conclude all RG&E seismic commitments resulting from IE Bulletin 80-11, "Masonry Wall Design".

Very truly yours,

*Roger W. Kober*

Roger W. Kober

Aool  
|||

8512310135 851219  
PDR ADOCK 05000244  
G PDR

