

August 31, 2017

ZS-2017-0107

U.S. Army Corps of Engineers Chicago District, Regulatory Branch 231 South LaSalle Street, Suite 1500 Chicago, Illinois 60604-1437

Subject: Zion Station Barge Project Permit Compliance Certification

Per your instructions dated July 1, 2016 please find attached a Permit Compliance Certification for the Zion Station Permit No. LM2016012.

Please contact me if there are any questions regarding this matter.

ferry Houff

ZionSolutions Licensing Manager jxhouff@enrgysolutions.com Work Phone (224)789-4090 Cell Phone (860)608-6408

PERMIT COMPLIANCE



CERTIFICATION

Permit Number:	LRC-2015-00962
Permittee:	Zion Solutions, Inc.
Date:	July 1, 2016

I hereby certify that the work authorized by the above-referenced permit has been completed in accordance with the terms and conditions of said permit and if applicable, compensatory wetland mitigation was completed in accordance with the approved mitigation plan.¹

<u>S-/30/17</u> DATE PERMITTEE

Upon completion of the activity authorized by this permit and any mitigation required by the permit, this certification must be signed and returned to the following address:

U.S. Army Corps of Engineers Chicago District, Regulatory Branch 231 South LaSalle Street, Suite 1500 Chicago, Illinois 60604-1437

Please note that your permitted activity is subject to compliance inspections by Corps of Engineers representatives. If you fail to comply with this permit, you may be subject to permit suspension, modification, or revocation.

¹ If compensatory mitigation was required as part of your authorization, you are certifying that the mitigation area has been graded and planted in accordance with the approved plan. You are acknowledging that the maintenance and monitoring period will begin after a site inspection by a Corps of Engineers representative or after thirty days of the Corps' receipt of this certification. You agree to comply with all permit terms and conditions, including additional reporting requirements, for the duration of the maintenance and monitoring period.