

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
7I-398	PASS	7/5/2016	PVC	605	595	168	155	-13	-7.7%
7P-174	PASS	7/5/2016	PVC	535	525	168	156	-12	-7.1%
7I-359	PASS	7/6/2016	PVC	535	525	168	159	-9	-5.4%
7P-153	PASS	7/6/2016	PVC	602	590	168	162	-6	-3.6%
7I-361	PASS	7/6/2016	PVC	535	525	168	158	-10	-6.0%
7I-350	PASS	7/7/2016	PVC	538	530	168	155	-13	-7.7%
7I-397	PASS	7/7/2016	PVC	600	590	168	153	-15	-8.9%
7I-396	PASS	7/7/2016	PVC	603	595	168	157	-11	-6.5%
7P-173	PASS	7/7/2016	PVC	523	515	168	160	-8	-4.8%
7I-354	PASS	7/11/2016	PVC	522	510	168	160	-8	-4.8%
7I-355	PASS	7/11/2016	PVC	525	515	168	162	-6	-3.6%
7P-172	PASS	7/11/2016	PVC	521	510	168	159	-9	-5.4%
7P-171	PASS	7/12/2016	PVC	522	510	168	158	-10	-6.0%
7I-357	PASS	7/12/2016	PVC	528	520	168	157	-11	-6.5%
7I-356	PASS	7/12/2016	PVC	324	315	168	162	-6	-3.6%
7I-353	PASS	7/12/2016	PVC	519	163	168	163	-5	-3.0%
7I-348	PASS	7/13/2016	PVC	528	520	168	156	-12	-7.1%
7P-170	PASS	7/13/2016	PVC	526	515	168	159	-9	-5.4%
7I-351	PASS	7/13/2016	PVC	527	515	168	152	-16	-9.5%
7P-169B	PASS	7/13/2016	PVC	530	520	168	155	-13	-7.7%
7P-166	PASS	7/14/2016	PVC	522	510	168	156	-12	-7.1%
7I-349	PASS	7/14/2016	PVC	530	520	168	158	-10	-6.0%
7I-345	PASS	7/14/2016	PVC	520	510	168	162	-6	-3.6%
7P-168	PASS	7/14/2016	PVC	522	510	168	153	-15	-8.9%
7P-165	PASS	7/18/2016	PVC	532	520	168	157	-11	-6.5%
7P-167	PASS	7/18/2016	PVC	530	520	168	155	-13	-7.7%
7I-347	PASS	7/18/2016	PVC	535	525	168	164	-4	-2.4%
7I-346	PASS	7/18/2016	PVC	528	520	168	159	-9	-5.4%
7I-344	PASS	7/19/2016	PVC	542	530	168	158	-10	-6.0%
7I-343	PASS	7/19/2016	PVC	535	525	168	162	-6	-3.6%
7I-342	PASS	7/19/2016	PVC	520	510	168	154	-14	-8.3%
7P-164	PASS	7/19/2016	PVC	527	515	168	156	-12	-7.1%
8SM-11	PASS	7/20/2016	PVC	176	147	168	163	-5	-3.0%
8V143-1	PASS	7/20/2016	PVC	205	275	168	165	-3	-1.8%

8X138-1	PASS	7/20/2016	PVC	272	260	168	161	-7	-4.2%
8W137-1	PASS	7/20/2016	PVC	273	265	168	162	-6	-3.6%

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
8W139-1	PASS	7/20/2016	PVC	274	265	168	158	-10	-6.0%
8X140-1	PASS	7/20/2016	PVC	280	270	168	163	-5	-3.0%
7I-338	PASS	7/25/2016	PVC	535	525	168	158	-10	-6.0%
7I-340	PASS	7/25/2016	PVC	527	515	168	160	-8	-4.8%
7I-341	PASS	7/27/2016	PVC	532	524	168	161	-7	-4.2%
7P-163	PASS	7/27/2016	PVC	527	515	168	156	-12	-7.1%
7I-339	PASS	7/28/2016	PVC	547	535	168	153	-15	-8.9%
7P-162	PASS	7/28/2016	PVC	532	520	168	157	-11	-6.5%
7I-336	PASS	8/1/2016	PVC	540	530	168	156	-12	-7.1%
7P-161	PASS	8/1/2016	PVC	541	530	168	155	-13	-7.7%
7I-337	PASS	8/1/2016	PVC	548	540	168	162	-6	-3.6%
7P-160	PASS	8/1/2016	PVC	548	540	168	159	-9	-5.4%
7I-334	PASS	8/1/2016	PVC	542	530	168	154	-14	-8.3%
7P-158	PASS	8/2/2016	PVC	557	545	168	160	-8	-4.8%
7I-332	PASS	8/2/2016	PVC	556	545	168	160	-8	-4.8%
7I-331	PASS	8/2/2016	PVC	556	545	168	158	-10	-6.0%
7P-159	PASS	8/2/2016	PVC	552	540	168	161	-7	-4.2%
7I-333	PASS	8/2/2016	PVC	555	545	168	164	-4	-2.4%
7P-189A	PASS	8/3/2016	PVC	550	540	168	162	-6	-3.6%
7P-146A	PASS	8/3/2016	PVC	526	515	168	160	-8	-4.8%
7I-279	PASS	8/3/2016	PVC	660	650	168	159	-9	-5.4%
7P-190A	PASS	8/4/2016	PVC	536	525	168	162	-6	-3.6%
7P-131	PASS	8/4/2016	PVC	640	630	168	158	-10	-6.0%
7I-320	PASS	8/4/2016	PVC	540	535	168	153	-15	-8.9%
5AN78-1	PASS	8/9/2016	PVC	397	390	168	164	-4	-2.4%
5AO78-1	PASS	8/9/2016	PVC	386	375	168	157	-11	-6.5%
5AO79-1	PASS	8/9/2016	PVC	397	390	168	155	-13	-7.7%
5AO74-1	PASS	8/9/2016	PVC	383	370	168	163	-5	-3.0%
5AP71-1	PASS	8/9/2016	PVC	387	380	168	159	-9	-5.4%
5AO71-3	PASS	8/10/2016	PVC	387	380	168	155	-13	-7.7%
5AO72-1	PASS	8/10/2016	PVC	384	370	168	156	-12	-7.1%



5AN69-1	PASS	8/10/2016	PVC	393	380	168	160	-8	-4.8%
5AM70-1	PASS	8/10/2016	PVC	360	350	168	157	-11	-6.5%
5AI-03	PASS	8/11/2016	PVC	390	380	168	166	-2	-1.2%
5AO56-1	PASS	8/15/2016	PVC	409	390	168	155	-13	-7.7%
5AQ59-1	PASS	8/15/2016	PVC	430	420	168	159	-9	-5.4%

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
5AP59-1	PASS	8/15/2016	PVC	405	400	168	163	-5	-3.0%
5AP58-2	PASS	8/15/2016	PVC	432	420	168	160	-8	-4.8%
5AQ58-1	PASS	8/16/2016	PVC	407	400	168	158	-10	-6.0%
5AR57-1	PASS	8/16/2016	PVC	401	390	168	161	-7	-4.2%
5AP57-1	PASS	8/16/2016	PVC	401	390	168	164	-4	-2.4%
5AP56-2	PASS	8/17/2016	PVC	440	430	168	153	-15	-8.9%
5AQ56-1	PASS	8/17/2016	PVC	404	390	168	156	-12	-7.1%
5AP55-1	PASS	8/18/2016	PVC	414	410	168	165	-3	-1.8%
5AR55-1	PASS	8/18/2016	PVC	407	400	168	161	-7	-4.2%
5AP52-1	PASS	8/18/2016	PVC	411	390	168	154	-14	-8.3%
5AP54-1	PASS	8/18/2016	PVC	446	440	168	158	-10	-6.0%
5AS55-1	PASS	8/18/2016	PVC	418	410	168	160	-8	-4.8%
5AQ53-1	PASS	8/23/2016	PVC	435	430	168	155	-13	-7.7%
5AQ54-1	PASS	8/23/2016	PVC	410	400	168	156	-12	-7.1%
5AQ52-1	PASS	8/23/2016	PVC	420	410	168	152	-16	-9.5%
5AR52-1	PASS	8/23/2016	PVC	421	410	168	163	-5	-3.0%
5AS53-2	PASS	8/23/2016	PVC	415	410	168	161	-7	-4.2%
5AR53-2	PASS	8/23/2016	PVC	417	410	168	159	-9	-5.4%
5AR50-1	PASS	8/25/2016	PVC	420	410	168	158	-10	-6.0%
5AS51-1	PASS	8/25/2016	PVC	419	410	168	161	-7	-4.2%
5AS49-1	PASS	8/25/2016	PVC	440	430	168	157	-11	-6.5%
5AQ40-1	PASS	8/31/2016	PVC	471	460	168	164	-4	-2.4%
5AQ47-1	PASS	8/31/2016	PVC	428	420	168	162	-6	-3.6%
5AR47-2	PASS	8/31/2016	PVC	435	430	168	160	-8	-4.8%
5AR36-1	PASS	9/1/2016	PVC	470	460	168	157	-11	-6.5%
5AQ41-2	PASS	9/1/2016	PVC	467	460	168	161	-7	-4.2%
5AR40-2	PASS	9/1/2016	PVC	460	450	168	165	-3	-1.8%
5AR38-1	PASS	9/6/2016	PVC	455	440	168	157	-11	-6.5%



5AS37-1	PASS	9/6/2016	PVC	458	450	168	158	-10	-6.0%
8AL190-2	PASS	9/6/2016	PVC	293	285	168	165	-3	-1.8%
8AK191-3	PASS	9/6/2016	PVC	292	285	168	160	-8	-4.8%
8AI186-1	PASS	9/7/2016	PVC	285	275	168	161	-7	-4.2%
8AK187-2	PASS	9/7/2016	PVC	307	295	168	162	-6	-3.6%
8AK176-1	PASS	9/7/2016	PVC	280	270	168	163	-5	-3.0%
8AI193-2	PASS	9/7/2016	PVC	310	300	168	162	-6	-3.6%
8AK179-1	PASS	9/13/2016	PVC	276	265	168	160	-8	-4.8%

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
8AH181-1	PASS	9/13/2016	PVC	294	285	168	162	-6	-3.6%
8AI180-1	PASS	9/13/2016	PVC	276	265	168	163	-5	-3.0%
8AI178-2	PASS	9/14/2016	PVC	284	275	168	158	-10	-6.0%
8AJ178-1	PASS	9/14/2016	PVC	262	250	168	164	-4	-2.4%
8AL178-2	PASS	9/14/2016	PVC	313	300	168	161	-7	-4.2%
8AJ195-1A	PASS	9/20/2016	PVC	330	320	168	158	-10	-6.0%
8AJ194-1	PASS	9/20/2016	PVC	333	320	168	161	-7	-4.2%
8AI192-2	PASS	9/20/2016	PVC	326	315	168	166	-2	-1.2%
8AL194-2	PASS	9/20/2016	PVC	309	300	168	163	-5	-3.0%
8AK194-2	PASS	9/20/2016	PVC	310	300	168	159	-9	-5.4%
8AK190-2	PASS	9/20/2016	PVC	292	280	168	160	-8	-4.8%
8AJ192-1	PASS	9/20/2016	PVC	304	295	168	162	-6	-3.6%
8AJ189-2	PASS	9/20/2016	PVC	296	285	168	165	-3	-1.8%
8AK196-2	PASS	9/22/2016	PVC	317	305	168	162	-6	-3.6%
8AI199-1	PASS	9/22/2016	PVC	343	330	168	157	-11	-6.5%
8AK196-1	PASS	9/22/2016	PVC	335	325	168	155	-13	-7.7%
8AI298-1	PASS	9/22/2016	PVC	331	320	168	165	-3	-1.8%
8AL198-1	PASS	9/27/2016	PVC	332	320	168	162	-6	-3.6%
8AL201-1	PASS	9/27/2016	PVC	364	356	168	157	-11	-6.5%
8AL200-1	PASS	9/27/2016	PVC	340	330	168	160	-8	-4.8%
8AK199-2	PASS	9/27/2016	PVC	336	325	168	155	-13	-7.7%
8AJ199-1	PASS	9/27/2016	PVC	341	330	168	161	-7	-4.2%
8AK201-3	PASS	9/27/2016	PVC	373	365	168	165	-3	-1.8%
8AL198-2	PASS	9/27/2016	PVC	328	320	168	166	-2	-1.2%
8AK201-2	PASS	9/27/2016	PVC	350	350	168	162	-6	-3.6%

8AJ200-1	PASS	9/27/2016	PVC	352	340	168	160	-8	-4.8%
8AK202-1	PASS	9/27/2016	PVC	375	365	168	161	-7	-4.2%
8AJ202-1	PASS	9/27/2016	PVC	378	370	168	159	-9	-5.4%
8AM199-2	PASS	9/28/2016	PVC	331	320	168	158	-10	-6.0%
8AM200-2	PASS	9/28/2016	PVC	335	325	168	161	-7	-4.2%
8AL200-2	PASS	9/28/2016	PVC	345	335	168	158	-10	-6.0%
8AL201-2	PASS	9/28/2016	PVC	348	340	168	162	-6	-3.6%

Failed M.I.T.					COMMENTS:
7I-363	FAILED	7/5/2016	PVC	535	Failed below water level.
7I-395	FAILED	7/6/2016	PVC	600	Failed below water level.
7I-358	FAILED	7/7/2016	PVC	519	Failed below water level.
7I-330B	FAILED	8/2/2016	PVC	565	Failed below water level.
7P-130	FAILED	8/3/2016	PVC	653	Failed below water level.
7I-307	FAILED	8/8/2016	PVC	550	Failed below water level.
5AO76-1	FAILED	8/9/2016	PVC	391	Failed below water level.
5AP69-1	FAILED	8/10/2016	PVC	387	Failed below water level.
5AO60-1	FAILED	8/11/2016	PVC	405	Water level is 155'. Failed between 20' and 150'. Above water level.
5AP62-1	FAILED	8/11/2016	PVC	431	Water level is 153'. Failed between 20' and 150'. Above water level.
5AR58-1	FAILED	8/16/2016	PVC	406	Failed below water level.
5AR59-1	FAILED	8/16/2016	PVC	405	Failed below water level.
5AQ55-1	FAILED	8/17/2016	PVC	440	Water level is 163'. Failed between 20' and 150'. Above water level.
5AR54-1	FAILED	8/23/2016	PVC	417	Failed below water level.
5AR49-1	FAILED	8/25/2016	PVC	421	Failed below water level.
5AP49-1	FAILED	8/25/2016	PVC	450	Water level is 185'. Failed between 190' and 430'.
5AR37-1	FAILED	9/1/2016	PVC	477	Top 20' of casing blew apart while pressuring up top packer.
5AR41-2	FAILED	9/1/2016	PVC	440	Water level is 184'. Failed between 10' and 180'.
5AP60-1	FAILED	9/21/2016	PVC	439	Failed below water level.
5AP51-1	FAILED	9/28/2016	PVC	425	Failed below water level.