

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
8AM201-1	PASS	10/12/2016	PVC	318	310	168	160	-8	-4.8%
8AM199-1	PASS	10/12/2016	PVC	310	302	168	163	-5	-3.0%
8AM198-1	PASS	10/12/2016	PVC	323	315	168	162	-6	-3.6%
8AM202-1	PASS	10/12/2016	PVC	320	310	168	159	-9	-5.4%
8AM200-1	PASS	10/12/2016	PVC	322	310	168	165	-3	-1.8%
8AM196-1	PASS	10/13/2016	PVC	305	295	168	164	-4	-2.4%
8AM197-2	PASS	10/13/2016	PVC	310	300	168	165	-3	-1.8%
8AM197-1	PASS	10/13/2016	PVC	314	305	168	165	-3	-1.8%
8AL196-1	PASS	10/13/2016	PVC	311	300	168	161	-7	-4.2%
8AL195-2	PASS	10/13/2016	PVC	297	285	168	160	-8	-4.8%
8AL194-1	PASS	10/13/2016	PVC	313	305	168	165	-3	-1.8%
8AM194-1	PASS	10/13/2016	PVC	318	310	168	159	-9	-5.4%
8AN195-2	PASS	10/17/2016	PVC	333	325	168	162	-6	-3.6%
8AN194-1	PASS	10/17/2016	PVC	332	320	168	165	-3	-1.8%
8AO194-1	PASS	10/17/2016	PVC	330	320	168	161	-7	-4.2%
8AO194-2	PASS	10/17/2016	PVC	325	315	168	166	-2	-1.2%
8AM192-1	PASS	10/18/2016	PVC	293	285	168	163	-5	-3.0%
8AM190-1	PASS	10/18/2016	PVC	278	270	168	165	-3	-1.8%
8AM192-2	PASS	10/18/2016	PVC	262	260	168	166	-2	-1.2%
8AQ192-3	PASS	10/18/2016	PVC	280	270	168	161	-7	-4.2%
8AP195-2	PASS	10/18/2016	PVC	321	310	168	160	-8	-4.8%
8AP194-2	PASS	10/18/2016	PVC	314	310	168	160	-8	-4.8%
8AQ194-1	PASS	10/18/2016	PVC	293	285	168	159	-9	-5.4%
5AP60-1	PASS	10/26/2016	PVC	439	430	168	162	-6	-3.6%
8AO196-1	PASS	10/31/2016	PVC	298	290	168	163	-5	-3.0%
8AN199-1	PASS	10/31/2016	PVC	325	315	168	160	-8	-4.8%
8AN197-1	PASS	10/31/2016	PVC	300	290	168	164	-4	-2.4%
8AO197-1	PASS	10/31/2016	PVC	300	290	168	164	-4	-2.4%
8AO196-2	PASS	10/31/2016	PVC	307	295	168	165	-3	-1.8%
8AN198-1A	PASS	10/31/2016	PVC	362	350	168	161	-7	-4.2%
8AO198-1	PASS	11/2/2016	PVC	325	315	168	154	-14	-8.3%
8AK199-1	PASS	11/2/2016	PVC	342	330	168	159	-9	-5.4%
8AM195-1	PASS	11/2/2016	PVC	301	290	168	153	-15	-8.9%
8AN196-1	PASS	11/2/2016	PVC	300	290	168	160	-8	-4.8%

8AP196-1	PASS	11/4/2016	PVC	325	315	168	165	-3	-1.8%
8AN196-2	PASS	11/4/2016	PVC	322	154	168	154	-14	-8.3%

Well ID	Integrity	Date	Casing Type	Bottom Casing Depth	Lower Packer Depth	Initial Pressure	Final Pressure	Pressure Loss	Percent Loss
8AO195-1	PASS	11/4/2016	PVC	323	315	168	160	-8	-4.8%
8AO193-1	PASS	11/4/2016	PVC	313	300	168	156	-12	-7.1%
8AO192-2	PASS	11/4/2016	PVC	309	300	168	165	-3	-1.8%
8AN192-2	PASS	11/4/2016	PVC	296	285	168	159	-9	-5.4%
8AM193-1	PASS	11/4/2016	PVC	297	285	168	157	-11	-6.5%
8AO193-2	PASS	11/4/2016	PVC	312	300	168	159	-9	-5.4%
8Z182-1	PASS	12/14/2016	PVC	326	310	168	155	-13	-7.7%
8AN192-1A	PASS	12/14/2016	PVC	275	265	168	158	-10	-6.0%
8AM193-2	PASS	12/14/2016	PVC	313	300	168	159	-9	-5.4%
8AQ192-2	PASS	12/14/2016	PVC	284	275	168	162	-6	-3.6%
8AM194-3A	PASS	12/14/2016	PVC	322	310	168	160	-8	-4.8%
8Z184-2	PASS	12/15/2016	PVC	332	320	168	156	-12	-7.1%
8AA183-2	PASS	12/15/2016	PVC	340	330	168	156	-12	-7.1%
8Z183-1	PASS	12/15/2016	PVC	331	320	168	154	-14	-8.3%
8AA184-1	PASS	12/15/2016	PVC	335	325	168	165	-3	-1.8%
8Z185-1	PASS	12/15/2016	PVC	338	325	168	162	-6	-3.6%
8Z184-1	PASS	12/15/2016	PVC	333	325	168	155	-13	-7.7%
8Z186-1	PASS	12/15/2016	PVC	328	315	168	160	-8	-4.8%
8AA183-1	PASS	12/15/2016	PVC	331	320	168	155	-13	-7.7%
8X187-1	PASS	12/19/2016	PVC	355	345	168	156	-12	-7.1%
8Y187-2	PASS	12/19/2016	PVC	335	325	168	155	-13	-7.7%
8Y187-1	PASS	12/19/2016	PVC	345	335	168	153	-15	-8.9%
8Y186-1	PASS	12/19/2016	PVC	335	325	168	161	-7	-4.2%
8Z187-1	PASS	12/19/2016	PVC	335	325	168	158	-10	-6.0%
8AA187-3	PASS	12/20/2016	PVC	340	330	168	163	-5	-3.0%
8AA185-1	PASS	12/20/2016	PVC	340	330	168	160	-8	-4.8%
8AA185-2	PASS	12/20/2016	PVC	337	330	168	159	-9	-5.4%
8Y195-1	PASS	12/20/2016	PVC	348	340	168	156	-12	-7.1%
8Y189-1	PASS	12/20/2016	PVC	352	345	168	157	-11	-6.5%
8Y188-2	PASS	12/20/2016	PVC	345	335	168	165	-3	-1.8%
8Y188-1	PASS	12/20/2016	PVC	354	335	168	160	-8	-4.8%



Failed M.I.T.					COMMENTS:
8AN191-1	FAILED	10/18/2016	PVC	270	Plugged
8DM4	FAILED	11/1/2016	PVC	270	Plugged