## REGULATOR MINFORMATION DISTRIBUTION STEM (RIDS

ACCESSION NBR:8312280377 DOC.DATE: 83/12/20 NOTARIZED: NO DOCKET # FACIL:50=244 Robent Emmet: Ginna Nuclear Plant, Unit 1, Rochester G 05000244 AUTHOR AFFILIATION

AUTH.NAME AUTHOR AFFILIATION
MÄIER,J.E. Rochester Gas & Electric Corp.

RECIPINAME: RECIPIENT AFFILIATION

CRUTCHFIELD, D. Operating Reactors Branch 5

\*SUBJECT: Forwards Revs 7 & 0 to inservice insp program for 1980 = 1989. Rev provides clarification to previously nevised

TITLE: OR Submittal: Inservice Inspection/Testing

NOTES:NRR/DL/SEP 1cy.

05000244

	RECIPIENT. ID CODE/NAM .NRR ORB5 BC	E, 01.	COPIE LTTR 7		RECIPIENT COPI ID CODE/NAME LTTR		IES ENCL	
INTERNAL:	ELD/HDS4 'NRR/DE/MTEB RGN1	14	1 1 1	·0 1 ≤	NRR/DE/MEB REG FILE	15 04	1	1
EXTERNAL:	ACRS NRC PDR NTIS	16 02:	10	10 1 1	LPDR NSIC	03 05	1	1 = 1 s
NOTES:			1	1				

Control of the contro

offerd.t. Pachester Gas × fleetric term.

PETIPONA E FEBRUARI APPILIATION CREWIN DE CRESTON DE CONTROL MESEGNA DE CRESTON MONOTORS MESEGNA DE

\* with the meands keys 7 × 0 to inservice then process for 1980 = 1000 keys keysdes clarification to previously revised strength start dates for equility around a commonents.

intalpulies Guut Ausza utaita te CFIVE : Un \_\_ tot \_\_ offer\_\_\_\_\_\_
Illi: te oughttiel: inservice Insection/lesting

1 11 5:13.10.701 /86 1 1cy.

It a Gagart ayeth.

	F AIMIDAM F VA VA OD I		COLIES LIBERCE		T HALLOW T Color A		CCPTES LITHER CC	
	Att Garage and Mar		1	7				
2 Jul Des All CI	1	<b>.</b> . t	<b>Х</b> Х	n 14 R R	HAZINA GERN	A P	,	<b>I</b>
\$ NA 1 ≈ 31 ×	#\$#(기교 59 왕석 - 교기하고 라보기	15 06	u k 1 1	e i	9व <b>ं</b> ते^ <b>त्र }</b> 28 <b>४</b> ± (	\$ 0 \$ 2.5	ţ.	1
: ! [				,				





ROCHESTER GAS AND ELECTRIC CORPORATION • 89 EAST AVENUE, ROCHESTER, N.Y. 14649

JOHN E. MAIER Vice President TELEPHONE
AREA CODE 716 546-2700

December 20, 1983

Director of Nuclear Reactor Regulation
Attention: Mr. Dennis M. Crutchfield, Chief
Operating Reactor Branch Number 5
U. S. Nuclear Regulatory Commission
Washington, D.C. 20555

Subject: Inservice Inspection Program For the 1980-1989 Interval R. E. Ginna Nuclear Power Plant Docket No. 50-244

Dear Mr. Crutchfield:

11

Enclosed is Revision 7 to Appendix B to the Ginna Station Quality Assurance Manual which describes the Inservice Inspection for the 1980-1989 Interval. This revision provides clarification to the previously revised interval start dates for Quality Group B and C components and for High Energy Piping Outside of Containment inspection. Enclosed Revision 7 also provides clarification for scope and extent of examinations associated with Quality Group B and C pressure testing which are consistent with our program commitments.

The Interval 1 start date for Groups B and C was 40 months later than for Group A. Prior to the start of Interval 2, it was determined that eliminating the 40-month offset would be beneficial by having the Interval 2 dates for the three groups coincide. However, the previous revisions did not clearly depict the transition-induced 40-month overlap for Group B and C Interval 1 completion of May 1983 and Interval 2 start of January 1980. Early in the second interval, it was also determined that our 10-year program for High Energy Piping Outside of Containment, which also formally commenced in 1973 should be adjusted to coincide with the interval start dates for Groups A, B and C. As with Groups B and C, the transition was completed earlier this year, and all piping groups are embarking on the second 40-month period of the second interval.

A related proposed change to Ginna Technical Specifications is being submitted to identify the second and subsequent interval dates. Its accompanying safety evaluation indicates that the change in interval dates will not affect the health and safety of the public, since the date shift was in a conservative direction, resulting in an increase in component surveillance during the recently completed 40-month transition period.

8312280377 831220 PDR ADOCK 05000244 Q PDR A047

Co. . .

the state of the s

Asia Sparrage

Mr. Dennis M. Crutchield December 20, 1983

Revision 7 has been implemented since it is conservative with respect to the current Technical Specifications.

Very truly yours,

John E. Maier

Enclosure

TERS NOT TRESCUE