



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

September 20, 2017

TCT STAINLESS STEEL
ATTN: BERNARD CIPA
6300 NINETEEN MILE ROAD
STERLING HEIGHTS, MI 48314

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-705012-21)

Dear BERNARD CIPA,

This letter is to confirm that we have received your response to the registration package for GL-705012-21.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

Also, effective October 30, 2017, please note that the NRC will no longer be sending acknowledgment letters as part of the general license registration process. General licensees will be contacted by the NRC if further action is required regarding their general license registration(s).

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6202 or visit www.nrc.gov/materials/medical.html.

Sincerely,
/RA/
Katie Wagner
Office of Nuclear Material Safety
and Safeguards
Division of Material Safety, State, Tribal
and Rulemaking Programs
Materials Safety Licensing Branch

TCT STAINLESS STEEL
ATTN: BERNARD CIPA
6300 NINETEEN MILE ROAD
STERLING HEIGHTS, MI 48314

SUBJECT: ACKNOWLEDGMENT LETTER (REFERENCE NO.: GL-705012-21)

Dear BERNARD CIPA,

This letter is to confirm that we have received your response to the registration package for GL-705012-21.

We have completed processing your annual registration of certain general licensed devices. Please note that no further action is required from you at this time. If you transfer any general licensed device, change address and/or ownership you must notify the NRC in writing within 30 days of any transfer of general licensed device transfer, change in address and/or ownership.

Also, effective October 30, 2017, please note that the NRC will no longer be sending acknowledgment letters as part of the general license registration process. General licensees will be contacted by the NRC if further action is required regarding their general license registration(s).

You may refer to the Code of Federal Regulations (CFR), 10 CFR 31.5 or 31.7 as applicable, for additional regulatory requirements that you must meet as a General Licensee. If you have any questions regarding your registration or your responsibilities as a General Licensee please call (301) 415-6202 or visit www.nrc.gov/materials/medical.html.

Sincerely,
/RA/
Katie Wagner
Office of Nuclear Material Safety
and Safeguards
Division of Material Safety, State, Tribal
and Rulemaking Programs
Material Safety Licensing Branch

Distribution:
MSTR r/f

ML17263A662

Office	NMSS
Name	KWagner
Date	09/18/2017

OFFICIAL RECORD ONLY