



GINNA STATION

TRM
Revision 6

TECHNICAL REQUIREMENTS MANUAL (TRM)

Responsible Manager

12-18-98

Effective Date

9812290136 981218
PDR ADOCK 05000244
PDR

Controlled Copy No. 1217

List of Effective Pages
(TRM)

Page	Rev.	Page	Rev.	Page	Rev.	Page	Rev.
TOC		Section 3.3 (con'd)		Section 3.7 (con'd)			
i	4						
ii	4	TRM 3.3-13	4	TRM 3.7-10	6		
		TRM 3.3-14	4	TRM 3.7-11	1		
Section 1.0		TRM 3.3-15	4	TRM 3.7-12	4		
		TRM 3.3-16	4	TRM 3.7-13	1		
TRM 1.0-1	0			TRM 3.7-14	1		
		Section 3.4		TRM 3.7-15	4		
Section 2.0				TRM 3.7-16	1		
		TRM 3.4-1	1	TRM 3.7-17	6		
TRM 2.0-1	6	TRM 3.4-2	1	TRM 3.7-18	1		
		TRM 3.4-3	0	TRM 3.7-19	1		
Section 3.0		TRM 3.4-4	0	TRM 3.7-20	6		
		TRM 3.4-5	0	TRM 3.7-21	6		
TRM 3.0-1	1	TRM 3.4-6	0	TRM 3.7-22	6		
		TRM 3.4-7	0	TRM 3.7-23	1		
Section 3.1		TRM 3.4-8	3	TRM 3.7-24	1		
		TRM 3.4-9	3				
TRM 3.1-1	0	TRM 3.4-10	3	Section 3.8			
TRM 3.1-2	1	TRM 3.4-11	3				
TRM 3.1-3	2	TRM 3.4-12	3	TRM 3.8-1	0		
TRM 3.1-4	0	TRM 3.4-13	3	TRM 3.8-2	3		
TRM 3.1-5	5	TRM 3.4-14	3	TRM 3.8-3	6		
TRM 3.1-6	1						
TRM 3.1-7	2	Section 3.5		Section 3.9			
		TRM 3.5-1	0	TRM 3.9-1	0		
Section 3.2				TRM 3.9-2	0		
		Section 3.6		TRM 3.9-3	0		
TRM 3.2-1	0	TRM 3.6-1	0	TRM 3.9-4	1		
				Section 4.0			
Section 3.3		Section 3.7					
		TRM 3.7-1	1	TRM 4.0-1	3		
TRM 3.3-1	1	TRM 3.7-2	1	Section 5.0			
TRM 3.3-2	0	TRM 3.7-3	6				
TRM 3.3-3	1	TRM 3.7-4	4	TRM 5.0-1	3		
TRM 3.3-4	0	TRM 3.7-5	1	TRM 5.0-2	6		
TRM 3.3-5	0	TRM 3.7-6	1				
TRM 3.3-6	0	TRM 3.7-7	3				
TRM 3.3-7	1	TRM 3.7-8	4				
TRM 3.3-8	1	TRM 3.7-9	1				
TRM 3.3-9	6						
TRM 3.3-10	4						
TRM 3.3-11	4						
TRM 3.3-12	4						

Table TR 5.1-1 (page 1 of 1)
Temporary LCO Requirements

Item	Action Report #	Temporary LCO Requirement	Required Actions If Not Met	Effective Dates
5.1.1	97-0783	a. Verify key switches for MOVs 852A and 852B are in "off position" every 31 days.	a. Declare associated ECCS train inoperable per LCO 3.5.2.	6/19/97 until LCO 3.5.2 is changed
5.1.2	97-0894	a. Verify NaOH System tank NaOH solution concentration is \leq 35% by weight every 184 days.	a. Declare NaOH system inoperable per LCO 3.6.6.	6/19/97 until LCO 3.6.6 is changed.
5.1.3	N/A	a. R-11 required to be operable in MOES 1,2,3, and 4.	a. Perform either an RCS water inventory balance (SR 3.4.13.1) or analysis of containment atmosphere grab samples once within 12 hours and every 12 hours thereafter.	12/18/98 until LCO 3.4.15 is changed.

