## U.S. NUCLEAR REGULATORY COMMISSION

## **MATERIALS LICENSE**

Corrected Copy

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

	Licensee				- 4	l. Expir	ation Date: May 31, 2027
1. CSG Testing			EAR	REGU,			
		, C)	AND STATE OF THE PARTY OF THE P	· 4	5		et No.: 030-39026
2. 51108 Pontiac Hancock, MI 49		A)C	3. License n	umber: 21-35407-0	00	Refe	rence No.:
		89		and the same of th	Au		
Byproduct, source and/or special nuc material		Chemical and/or physical for		Maximum amount to may possess at any under this license	AP	e 9.	Authorized use
A. Cesium-137	Α.	Sealed Sources (AEA Technology/QSA, Inc., M CDCW556; sotope Prodi Laboratories, Model HEC	odel Jot	A. 9 millicuries per s and 9 millicuries t		A.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.
B. Americium-241/ Beryllium	В.	Sealed Sources (AEA Technology/QSA, Inc., M AMNV.997; Isotope Prod Laboratories, Model Am 3021, 3027)	odel "U uct	millicuries per and 44 millicuries		В.	For use in Troxler Electronic Laboratories Model 3400 Series portable gauging devices for measuring physical properties of materials.
C. Cesium-137	C.	Sealed Sources (AEA Technology QSA, Inc., M CDC.805; Isotope Produc Laboratories., Model HEC	odel cts	2. 11 millicuries per and 11 millicuries		C.	For use in InstroTek, Inc. Model 3500 portable gauging devices for measuring physical properties of materials.
D. Americium-241/ Beryllium	D.	Sealed Sources (AEA Technology QSA, Inc., M AMN.V997; Isotope Prod Laboratories, Model AM1	odel ucts	<ol> <li>44 millicuries per and 44 millicuries</li> </ol>		D.	For use in InstroTek, Inc. Model 3500 portable gauging devices for measuring physical properties of materials.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COM	MISSION	PAGE 2 OF 4 PAGES
MATERIALS LICENSE	License Number 21-35407-01	Docket or Reference Number 030-39026	
SUPPLEMENTARY SHEET	(Corrected Copy)		

10. Licensed material may be used or stored at the licensee's facilities located at: 61108 Pontiac Road, Hancock, Michigan, 49930.

Licensed material may be used at temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States. If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

- 11. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in the letter dated March 27, 2017. The licensee shall maintain records of individuals designated as users for 3 years following the last use of licensed material by the individual.
- 12. The Radiation Safety Officer (RSO) for this license is Douglas Cooper.
- 13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State. In the absence of a registration certificate, sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months, or at such other intervals as specified.
  - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

NRC I	FORM 374A	U.S. NUCLEAR REGULATORY COMM	MISSION	PAGE 3 OF 4 PAGES		
	MATERIALS LICENSE	License Number 21-35407-01	Docket or Reference Number 030-39026			
SUPPLEMENTARY SHEET		(Corrected Copy)				
	transfer. No sealed source shall be source.  D. The leak test shall be capable of determined to the sealed source.	d have not been tested within the require stored for a period of more than 10 years tecting the presence of 185 becquerels (	ed leak test interval, they shall be without being tested for leakage 0.005 microcuries) of radioactive	tested before use or and/or contamination. material on the test		
	filed with the U.S. Nuclear Regulato	nce of 485 becquerels (0.005 microcurie ry Commission in accordance with 10 CF	R 30.50(c)(2), and the source sh	all be removed		
	immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.					
	the analysis.	o perform such services. The licensee	s authorized to collect leak test s	amples but not perform		
-	F. Records of leak test results shall be	kept in units of becquerels (microcuries)	and shall be maintained for 3 year	ars.		
14.	Sealed sources or source rods containing source rods by the licensee, except as s		or sources removed from source	holders or detached from		
15.	The licensee shall conduct a physical into account for all sealed sources and/or years from the date of each inventory, a date of the inventory.	devices received and possessed under	the license. Records of inventorie	s shall be maintained for 3		
16.	_	any changes in the sealed source, devic d in the respective certificate of registrati	e, or source-device combination t	hat would alter the		

NRC FORM 374A		U.S. NUCLEAR REGULATORY COMM	ISSION	PAGE 4 OF 4 PAGES
	MATERIALS LICENSE	License Number 21-35407-01	Docket or Reference Number 030-39026	
	SUPPLEMENTARY SHEET	(Corrected Copy)		
17.	Each portable nuclear gauge shall have a sealed source from its shielded position. direct surveillance of an authorized user.	The gauge or its container must be locked	- · · · · · · · · · · · · · · · · · · ·	
18.	Any cleaning, maintenance, or repair of to only by the manufacturer or by other persperform such services.			
19.	Except as specifically provided otherwise representations, and procedures contains those procedures that are required to be regulations shall govern unless the state restrictive than the regulations.  A. Application dated January 25, 2017 (B. Letter dated March 27, 2017 (ML170)	ed in the documents, including any enclosubmitted in accordance with the regulaments, representations, and procedures (ML17045A440)	osures, listed below. This license tions. The U.S. Nuclear Regulate	condition applies only to ory Commission's
		70 公公公公 公公公公	7	

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: September 22, 2017

Frank P. D. Tran

Region 3