ACCESSION NBR:8110190519 DOC.DATE: 81/10/12 NOTARIZED: NO DOCKET #
FACIL: 50=397 WPPSS Nuclear Project, Unit 2; Washington Public Powel 05000397

"AUTH, NAME! AUTHOR! AFFILIATION

BOUCHEY, G. D. Washington Public Power Supply System: RECIP.NAME! RECIPIENT AFFILIATION

SCHWENCER, A. Licensing, Branch 2

SUBJECT: Provides info rea HPCS dieselatesting, incresponsed to NRC 810925 questions. Actual testa procedure has not been written. Utili intends to comply w/dieselatesting, requirements of Reg. Guide 1.108.

DISTRIBUTION CODE: BOOIS COPIES RECENVED: LITE LE ENCL. SIZE: 2001 SIZE: 1001 SIZE: 1001

NOTES:2' copies' all matl:PM.

05000397

ACTION::	RECIPIENT' 10' CODE/NAME A/O' LICENSNG LICI BR #2! LA	l	COPIES LTTR E		RECIPIENT ID CODE/NAME LIC BR #2 BC AULUCK,R.	04	COPIE LITTRI E 1 1.	
	HYDYGEOI BR I&EI IEYEPLBI LICI QUAL BR MECH ENG BR OP LIC BRI PROCYTST REV RADI ASSESS BR	11. 10. 28. 30. 36. 36. 32. 18. 20. 22. 01.	1. 1. 1. 1. 1. 1.		I&C SYS BR IEVEPDB	13° 40 16° 35° 33°	1 1 3 1 1 1 1 1 1 1 1	TANTATATATO
EXTERNAL	FEMA-REP DIV	41, 39, 02!	16 1 1 · 1	15 1 1 1	BNL(AMDTS ONL LPDR NSIC	.¥) 03∈ 05∈	1 1 1	i.

OCT 2 3 1981

CP.

65 ENCLI 56

F F





**Washington Public Power Supply System** 

P.O. Box 968 3000 George Washington Way Richland, Washington 99352 (509) 372-5000

Docket No. 50-397

G02-81-327 October 2, 1981

Mr. A. Schwencer, Chief Licensing Branch No. 2 Division of Licensing U. S. Nuclear Regulatory Commission Washington, D. C. 20555

Dear Mr. Schwencer:

Subject: SUPPLY SYSTEM NUCLEAR PROJECT NO. 2

HPCS DIESEL TESTING

The following is in response to Mr. Sang Rhow's concern about HPCS diesel testing expressed during the Power Systems Branch, Supply System Meeting September 25, 1981.

Previous switchgear logic prevented the parallel of the HPCS diesel and station service power. That logic has been modified and the HPCS diesel now can be paralleled to station service.

Regulatory Guide 1.108 dictates diesel testing requirements, one of which is full rated load testing. The total load of SM-4, including the HPCS pump is not enough to fulfill the full rated load test. Thus the capability to synchronize and parallel with the station service was necessary.

Periodically during plant operation the HPCS diesel will be manually started and loaded. It will be separately synchronized to the 230KV startup offsite power source and loaded. Functional testing of the automatic control circuitry is conducted on a periodic basis to demonstrate proper operation.

The actual test procedure has not been written at this time. It is our intent to comply with Regulatory Guide 1.108, concerning diesel testing requirements. Synchronizing and paralleling with station service is necessary to comply with these requirements.

T

Mr. A. Schwencer Page 2 G02-81-327 October 2, 1981

Administrative procedures will be used to prevent concurrent testing of more than one diesel.

Please contact us if further information is necessary.

Very truly yours,

G. D. Bouchey Deputy Director Safety & Security

## GDB/TLM/1dm

cc: WS Chin - BPA AD Toth - NRC Resident

NS Reynolds - Debevoise & Liberman JC Plunkett - NUS Corporation

R Auluck - NRC DC S Rhow - NRC DC

OK Earle - B&R RO

EF Beckett - NPI

WNP-2 Files

.

grania d† ± .

•

•

e e · · · · · ·

**∵** .~

k

• ,

• g t