REGULATORY ORMATION DISTRIBUTION SYSCA (RIDS) ACCESSION NBR:8306010249 DUC.DATE: 83/05/16 NOTARIZED: NO DOCKET # FACIL:50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397 AUTH.NAME AUTHOR AFFILIATION BOUCHEY,G.D. Washington Public Power Supply System RECIP.NAME RECIPIENT AFFILIATION SCHWENCER,A. Licensing Branch 2

SUBJECT: Advises that Tech Spec 3/4.10.1, "Primary Containment Integrity," will be limiting condition for operation during primary containment integrated leak rate preoperational & startup testing program.

DISTRIBUTION CODE: BOOIS COPIES RECEIVED:LTR / ENCL O SIZE: 2

NOTES:

RECIPIENT ID CODE/NAME NRR/DL/ADL NRR LB2 LA	COPIES LTTR ENCL 1 0 1 0	RECIPIENT ID CODE/NAME NRR LB2 BC AULUCK,R. 01	COPIES LTTR ENCL 1 0 1
INTERNAL: ELD/HDS2	1 b	IE FILE	1 h
IE/DEPER/EPB 36	3 ß	IE/DEPER/IRB 35	i l
IE/DEQA/QAB 21	īh	NRR/DE/AEAB	ī b
NRR/DE/CEB 11	i li	NRR/DE/EHEB	ī
NRR/DE/EQB 13	2 2	NRR/DE/GB 28	2 ł
NRR/DE/MEB 18	ī	NRR/DE/MTEB 17	1 1
NRR/DE/SAB 24	i li	NRR/DE/SGEB 25	2 a
NRR/DE/SGEB 30	īī	NRR/DHFS/HFEB40	īĪ
NRR/DHFS/LOB 32	i li	NRR/DHFS/PSRB	īł
NRR/DL/SSPB	ĩb	NRR/DSI/AEB 26	īI
NRR/DSI/ASB	īĹ	NRR/DSI/CPB 10	īl
NRR/DSI/CSB 09	i l	NRR/DSI/ICSB 16	1 1
NRR/DSI/METB 12	ī	NRR/DSI/PSB 19	1
WHRTTEDELBAU 22	īĪ	NRR/DSI/RSB 23	1 1
REG STINE 04	ī	RGN5	3 3
RM7DDAM1/MIB	î d	6	
EXTERNAL: ACRS 41	6	BNL(AMDTS ONLY)	1 1
DMB/DSS (AMDTS)	1 1	FEMÁ-REP DIV 39	1 1
LPDR 03	īĺ	NRC PDR 02	1 1
NSIC 05	ī ſ	NTIS	1 \$

48

,

Р. 2 **\$** ж.е.

	*	\$.	×	N.	•1.	•1	· . +	۱	ul L
ι.	1 - 1	Ч Т и и	8	' R 3	8 · · · · · ·	ha nh € B			ير ا اس کو ⊨ ۲
					Et a a	н			🔶 🕺 EL

- . . . P + 8
 - the Robert Construction of the Robert Construction of the Robert Construction of the Robert Construction of the , t v , s i t de
 - िक ्रिक्टन से तुर्मी केंच्या कि कि कि

लस २२, ४६ ३२७७१७९२ स.२.६ ४२,६ १२,९२२ अळ ७६ ७४ ७१ २.६ स.२.४ मेर्नेहे हे स. ५.४.४ मेर्नेने ४.५.४.४ ४. मेर्नेन्द्र अ.स.७.४^३ र ४३४४ - स.स.४१.४२२ **६**८५६ ४४.३४७ - हेर्नेहे नेर्नेह ने ४९४४ - तेर्नेहे ने ४४४४ - ग - - BITO ARACE OF THE FOR THE FOR THE CONTRACT AND A · THE REAL PLAN IN A MARK HIT

فالانداق فالله المالية المالية المالية فالمالية فالمالية فالمالية المراجع المراحة المحافة المحافة المحافة المح فاقالا و 11 مراجع فالمالية والمراجع المالية والمراجع المالية والمراحة المالية والمراحة المالية المالية الم

						ы. () і
કે. કે.	H ¥ ↓ K	й Т. К.Н.Г. Е Х. И К. Р. И Х. В.	1.		рана (1997) Спорти и Полого (1997) Спорти и Полого (1997) Спорти и Полого (1997)	1.
: k	ў н	ty) (t s, x, s, t t s, y, t t s, y, t t		-	jer ⁿ ing tig prot	,
۲. ۲.	с))	n finn ar an sa Tr S ain Sa Shan a B [®] Sain an sa t Pigtan Sain an sa t	1. 4.	, A		Α.
5 1	к. 17 4	en en la Social en la Social de	R.). K K N	y in the second se	∧ \
N,		n feine statistik River son son Statistik River son Statistik River son	, 7 1	j A A A	λ. τ ³ λικ _μ ι, τι 81 δα τ	N N
13	r t	Хъч» ∦ ".წг		<u>k</u>	'y 'z x .	N. a. 1. 34×4
, T	w F	к/ улць Гонева, "Сол. К.В.	Ж	ز	 ↓ ↓ ↓ ↓<td></td>	

Washington Public Power Supply System

P.O. Box 968 3000 George Washington Way Richland, Washington 99352 (509) 372-5000

May 16, 1983 GO2-83-433 NS-L-O2-PLP-83-025

Docket No. 50-397

Director of Nuclear Reactor Regulation Attention: Mr. A. Schwencer, Chief Licensing Branch No. 2 Division of Licensing U.S. Nuclear Regulatory Commission Washington, D. C. 20555

Dear Mr. Schwencer:

8306010249 830516 PDR ADDCK 05000397

Subject: NUCLEAR PROJECT NO. 2 PRIMARY CONTAINMENT INTEGRATED LEAK RATE (PCILRT), PRE-OPERATIONAL TEST SCHEDULE

10CFR50, Appendix J - Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors, requires the PCILRT to be conducted "upon completion of construction" and "prior to any reactor operating period." Other than these statements, Appendix J does not specify the timing of the PCILRT with respect to other plant evolutions. The intent of 10CFR50, Appendix J, with respect to the condition of containment for the test, is expressed in Section III A.1(a) as "no repairs or adjustments shall be made so that containment can be tested in as close to the 'as is' condition as practical." To meet this intent, the Supply System intends to complete the PCILRT after fuel load prior to exceeding 1.0% rated thermal power and a reactor coolant temperature of 200°F. This will ensure that the containment is as close to the 'as is' condition as practical. It also allows the Supply System to conduct an orderly, phased pre-operational and startup testing program that fulfills the 10CFR50 Appendix J requirements and minimizes the impact of the test on the plant pre-operational and startup testing schedule. Henter Without - Down Straught

A. Schwencer, Chief Page Two April G02-83-

Accordingly, Technical Specification 3/4.10.1, Primary Containment Integrity, will be the limiting condition for operation during this phase of the pre-operational and startup testing program. The Supply System recognizes this position, with respect to the PCILRT, to be the same as that applicable in the LaSalle-Unit 1 operating license (NPF-11, Attachment 1, item 1.e).

Should you have any questions, please contact Roger M. Nelson, Manager, WNP-2 Licensing.

Very truly yours,

SD suc

G. D. Bouchey, Manager, Nuclear Safety and Regulatory Programs

PLP/mt

cc: R Auluck - NRC WS Chin - BPA A Toth - NRC Site · ·

.

-

.

م وم ^{ورو} م الم الم الم الم الم الم