


~~Amandine et de son M. et de son F.~~



780197.1
"Kw"
File


CONTROLLED-COPY

202

2.5.8

Amendment No. 45

Maximum Average Planar
Linear Heat Generation Rate (Kw/FT)



Bundle Average Exposure (MWD/MT)
ANF 8x8 Reload Fuel
Maximum Average Planar Linear Heat
Generation Rate (MAPLHGR) Versus
Bundle Average Exposure


Figure 3.2.1-3

ADD

CONTROLLED COPY

88 0147.4

MCPR Operating Limit



Reduced Flow MCPR Operating Limit


Figure 3.2.3-1

860599.1A

580197.3

CONTROLLED COPY


ADD




Operating Region
 Thermal Power Limits of Specification ~~3.2.6-1~~ ^{3.2.6}
 Figure ~~3.2.6-1~~ ^{3.2.6-1}

CONTROLLED COPY

880197.2



Operating Region Limits of Specification 3.2.6
Figure 3.2.6-1



Reduced Flow MCPR Operating Limit
Figure 3.2.3-1



10-10-10

2

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1





Figure 3.2.1-3



Operating Region Limits of Specification 3.2.7
Figure 3.2.7-1

