

UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

May 26, 1995

Washington Public Power Supply System
ATTN: J. V. Parrish, Vice President
Nuclear Operations
3000 George Washington Way
P.O. Box 968, MD 1023
Richland, Washington 99352

SUBJECT: FEDERAL EMERGENCY MANAGEMENT AGENCY'S REPORT

Enclosed is a copy of the Federal Emergency Management Agency's (FEMA) final report of the June 25, 1994, Emergency Worker Assistance Center Drill for the State of Washington. The drill was specific to the WNP-2 Nuclear Power Plant.

The report indicates that FEMA observed no deficiencies during the exercise; however, there were three Areas Requiring Corrective Action (ARCAs) and three Plan Issues identified during the exercise.

This letter transmits to you the results of the FEMA evaluation of the Emergency Worker Assistance Center drill and requests that you follow up with offsite officials on the Areas Requiring Corrective Action and Plan Issues. No response to the NRC is required.

If you have any questions about this letter, please contact Mr. Arthur D. McQueen at (510) 975-0241.

Sincerely,


Samuel J. Collins, Director
Division of Radiation Safety
and Safeguards

Enclosure:
As stated

Docket: 50-397
License: NPF-21

cc w/o enclosure:
Washington Public Power Supply System
ATTN: J. H. Swailes, WNP-2 Plant Manager
P.O. Box 968, MD 927M
Richland, Washington 99352-0968

9506010070 950526
PDR ADOCK 05000397
F PDR



Washington Public Power
Supply System

-2-

Washington Public Power Supply System
ATTN: G. E. C. Doupe, Esq.
3000 George Washington Way
P.O. Box 968, MD 396
Richland, Washington 99352-0968

Energy Facility Site Evaluation Council
ATTN: Frederick S. Adair, Chairman
P.O. Box 43172
Olympia, Washington 98504-3172

Washington Public Power Supply System
ATTN: D. A. Swank, WNP-2 Licensing Manager
P.O. Box 968 (Mail Drop PE20)
Richland, Washington 99352-0968

Washington Public Power Supply System
ATTN: P. R. Bemis, Director
Regulatory and Industry Affairs
P.O. Box 968 (Mail Drop PE20)
Richland, Washington 99352-0968

Benton County Board of Commissioners
ATTN: Chairman
P.O. Box 190
Prosser, Washington 99350-0190

Winston & Strawn
ATTN: M. H. Philips, Esq.
1400 L Street, N.W.
Washington, D.C. 20005-3502

Larry E. Moore, RAC Chairman
FEMA Region X
PT Division (PT-TE-REP)
130 228th Street, S.W.
Bothell, Washington 98021-9796

Washington Public Power
Supply System

-3-

DISTRIBUTION:

With copy of FEMA report:

DMB (A045)

WNP-2 Resident Inspector

A. D. McQueen, WCFO (DRSS/RIB)

J. Clifford, NRR Project Manager (MS 13 E18)

RITS Coordinator (Copy of Action Item and Letter Closing only.)

Without FEMA report:

L. J. Callan, RA

Branch Chief (DRP/E, WCFO)

Senior Project Inspector (DRP/E, WCFO)

Branch Chief (DRP/TSS)

Leah Tremper (OC/LFDCB, MS: TWFN 9E10)

B. Henderson (PAO, WCFO)

MIS System

C. A. Hackney, SLO

T. Essig, NRR/DOTS (MS 9 H15)

DOCUMENT NAME: G:\HODGES\DOCUMENT\WN2FEMA3.ADM

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:RIB	C	C:RIB	N	DD:DRSS	D:DRSS		
ADMcQueen:nh		BMurray		RAScarano	SJCollins		
05/24/95		05/24/95		05/25/95	05/21/95		

OFFICIAL RECORD COPY

Washington Public Power
Supply System

DISTRIBUTION:

With copy of FEMA report:

- DMB (A045) *IFB5*
 WNP-2 Resident Inspector
 A. D. McQueen, WCFO (DRSS/RIB)
 J. Clifford, NRR Project Manager (MS 13 E18)
 RITS Coordinator (Copy of Action Item and Letter Closing only).

Without FEMA report:

- L. J. Callan, RA
 Branch Chief (DRP/E, WCFO)
 Senior Project Inspector (DRP/E, WCFO)
 Branch Chief (DRP/TSS)
 Leah Tremper (OC/LFDCB, MS: TWFN 9E10)
 B. Henderson (PAO, WCFO)
 MIS System
 C. A. Hackney, SLO
 T. Essig, NRR/DOTS (MS 9 H15)

DOCUMENT NAME: G:\HODGES\DOCUMENT\WN2FEMA3.ADM

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:RIB	C	C:RIB	N	DD:DRSS	D:DRSS		
ADMQueen:nh		BMurray		RAScarano	SJCoYins		
05/21/95		05/21/95		05/21/95	05/21/95		

OFFICIAL RECORD COPY

310010