## **MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a licensee is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1.	Licens Leo Journagan Construct		4. Expiration Date: August 31, 2019
2.	3003 E. Chestnut Express Suite 1200 Springfiled, MO 65802	C	5. Docket No.: 030-34953 Reference No.:
6.	Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form  8. Maximum amount that licer may possess at any one ting under this license	
A.	Cesium-137	A. Sealed Sources (AEA Technology/QSA, Inc. Model CDCW556; Sotope Product Laboratories, Model HEG-137)	A. For use in Troxler Electronic Laboratories Models 3411-B and 3430 portable gauging devices for measuring physical properties of materials.
B.	Americium-241	B. Sealed Sources (AEA Technology/QSA, Inc. Model AMNV.997; Isotope Product Laboratories, Model 3021; 3027; Am1.NO2)	B. For use in Troxler Electronic Laboratories Models 3411-B and 3430 portable gauging devices for measuring physical properties of materials.
C.	Americium-241	C. Sealed Sources (Amersham Corporation, Model AMNV.340)  C. 100 millicuries per source and 300 millicuries total	e C. For use in Troxler Electronic Laboratories Model 3241-C portable gauging devices for measuring physical properties of materials.
D.	Radium-226	D. Sealed Sources (Nuclear Sources and Services, Model AN-HPG; GT-GHP)  D. 4.5 millicuries per source and 4.5 millicuries total	D. For use in Seaman Nuclear Corporation Model C-200 portable gauging devices for measuring physical properties of materials.

NRC FC	NRC FORM 374A U.S. NUCLEAR REGULATORY COMMISSION		Y COMMISSION	PAGE 2 OF 4 PAGES
	MATERIALS LICENSE	License Number 24-32157-01	Docket or Reference Number 030-34953	
	SUPPLEMENTARY SHEET	Amendment No. 6		
	•	· .		
40		E A ROMPEIGN	s U	
ł	Licensed material may be used or store	A Branch	at. Z	
1	A. 512 E.County Line Road, Ozark, Mis		0	•
	B. 355 Brookfield Dr., Ozark, Missouri,	03/20	7	
11.	Licensed material may be used at temporal maintains jurisdiction for regulating the the jurisdiction status of a Federal facilithe job site in question to determine who radioactive materials at job sites in Agrice regulatory agency.  The Radiation Safety Officer (RSO) for Licensed material shall only be used by	use of licensed material including the within an Agreement State is unlether the proposed job site is an areement States not underexclusive this license is John A. View III.	areas of exclusive Federal jurisdiction from the licensee should contact the area of exclusive Federal jurisdiction.  Federal jurisdiction shall be obtained	n within Agreement States. If ne Federal agency controlling Authorization for use of I from the appropriate state
il.	described in the application dated Marc following the last use of licensed mater	ch 16, 2009. The licensee shall main	ntain records of individuals designate	
13.		I by the U.S. Nuclear Regulatory Co e, sealed sources shall be tested for	ontamination at intervals not to exce immission under 10 CFR 32.210 or b leakage and/or contamination at inte	by an Agreement State. In the

B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a

sealed source received from another person shall not be put into use until tested and the test results received.

RC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE 3 OF 4 PAGES	
MATERIALS LICENSE	License Number 24-32157-01	Docket or Reference Number 030-34953		
SUPPLEMENTARY SHEET	Amendment No. 6			
		<del></del>		
			·	

- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 14. Sealed sources or source rods containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. Except for maintaining labeling as required by 10 CFR Part 20, or Part 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective certificate of registration issued either by the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or by an Agreement State.
- 16. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.

NRC FORM 374A		U.S. NUCLEAR REGULATORY COMMISSION		PAGE 4 OF 4 PAGES
	MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 24-32157-01	Docket or Reference Number 030-34953	
·		Amendment No. 6		
17.	Each portable nuclear gauge shall have	a look or outer looked container desir	and to provent unauthorized or acc	idental removal of the
. 17.	sealed source from its shielded position direct surveillance of an authorized use	. The gauge or its container must be I	· •	
	Any cleaning, maintenance, or repair of only by the manufacturer or by other perform such services.	rsons specifically licensed by the U.S.	Nuclear Regulatory Commission or	an Agreement State to
19.	Except as specifically provided otherwise representations, and procedures contain those procedures that are required to be regulations shall govern unless the statement of the restrictive than the regulations.  A. Application dated March 16, 2009 (	ned in the documents, including any e e submitted in accordance with the re- ements, representations, and procedu	nclosures, listed below. This license julations. The S. Nuclear Regulat	e condition applies only to tory Commission's
	B. Letter received August 11, 2017 (M	L17228A489)	108	
		\$ \$ \$ \$ \$ \$		
		· F	OR THE U.S. NUCLEAR REGULAT	ORY COMMISSION
Dat	oct <b>31</b> 2017	В	Frank P.D. Tran	
			Region III	