	CATE	GORY 2		
REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)				
A the second sec				
ACCESSION NBR:9908240041 FACIL:STN-50-528 Palo Verd	de Nuclear St	tation, Unit 1,	Arizona Publi	
STN-50-529 Palo Verd				
• AUTH.NAME AUTHOR A	AFFILIATION		4	
. KRANINIK,A. Arizona Public Service Co. (formerly Arizona Nuclear Power RECIP.NAME RECIPIENT AFFILIATION				
	Directives	Review Branch (	Post 920323)	С
SUBJECT: Comment on draft			I,II & III	-
Protective Coatin	ngs Applied (	to NPPS."	$\sim$	2 · A
DISTRIBUTION CODE: DS09D TITLE: SECY/DSB Dist: Pub]			(DP) Miss Not	
	rie conment o	on Proposed Rute	(PR)-MISC NOL	E
NOTES:STANDARDIZED PLANT Standardized plant.		•		05000528 05000529 <b>G</b>
Standardized plant.	<b>*</b>	•		05000530
		,		0
RECIPIENT ID. CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	Ŕ
	,		,	Y
INTERNAL FILE CENTER 01 OGC/DR 15-B-18		NMSS/IMOB T8F RES DIR	5 1 1 1	
RES/BERANEK,A. RES/PMDAS/AMT		RES/DST	1 <b>i</b>	2
	- 1			
EXTERNAL: NRC PDR	1 1			D
				O
•			•	_
				C
		e		. <b>v</b>
		۲.		, M
$\cap$				E
•		1		N
				•
			·	T
• • •				


NOTE TO ALL "RIDS" RECIPIENTS: PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL DESK (DCD) ON EXTENSION 415-2083

TOTAL NUMBER OF COPIES REQUIRED: LTTR 8 ENCL

•

.

Erry



DS 09 A. Senhīr



Commitment, Innovation, Energy

Palo Verde Nuclear Generating Station

9908240041 990730

ADOCK 05000528

PDR

230042

PDR

Angela K. Krainik Director, Regulatory Affairs

Tel. 623-393-5421 Fax 623-393-5442 Mail Station 7636 PO Box 52034 Phoenix, Arizona 85072-2034

64FR 13832 Stanch 22, 1999

102-04320-AKK/SAB/JAP July 30, 1999

Rules and Directives Branch Office of Administration U. S. Nuclear Regulatory Commission Washington, DC 20555-0001

Dear Sirs:

Subject: Palo Verde Nuclear Generating Station (PVNGS) Units 1, 2, and 3 Docket Nos. STN 50-528/529/530 Comments on Draft Regulatory Guide DG-1076, "Service Level I, II, and III Protective Coatings Applied to Nuclear Power Plants."

Arizona Public Service Company (APS) submits the following comments in response to the Nuclear Regulatory Commission's (NRC) request for comments on Draft Regulatory Guide DG-1076, "Service Level I, II, and III Protective Coatings Applied to Nuclear Power Plants." (Federal Register: March 22, 1999, Volume 64, Number 54).

Arizona Public Service has participated in an industry effort with NEI to develop industry comments. Additionally, APS submits the following comments on this proposed draft regulatory guide.

Section C. Regulatory Position, item #2, of this proposed change lists definitions. There are no definitions related to Immersion Service where the coating failure could adversely affect the operation of the plant. Additionally, there should be a "Service Level IV" definition for Balance of Plant Coatings which are not covered in other service level definitions, will not affect plant operation, and can be applied as commercial coating work (painting). The following are the recommended changes to the Service Level I, II, and III coating definitions:

## 

-

| |

.

۲. . .

- g - g

4 V 5

Rules and Directives Branch Office of Administration U. S. Nuclear Regulatory Commission Comments on Draft Regulatory Guide DG-1076, "Service Level I, II, and III Protective Coatings Applied to Nuclear Power Plants" Page 2

(2) Service Level I, II, III, and IV coating applications are defined as:

- Service Level I coating applications are used in areas where the coating failure could impair safe shutdown, or could adversely affect the operation of post-accident fluid systems. and thereby impair safe shutdown. With few exceptions, Service Level 1 applies to coatings inside primary containment.
- Service Level II coating applications are used in areas where coatings failure could impair, but not prevent, normal operating performance. The functions of Service Level 2 coatings are to provide corrosion protection and to improve the ability to decontaminate those areas outside primary containment that are subject to radiation exposure and radionuclide contamination.
- Service Level III coating applications are used on any exposed immersion surface area located-outside-containment-whose failure could adversely affect normal plant operation or orderly and safe plant shutdown.
- Service Level IV or balance of plant coating applications are used for areas not covered in other Service Levels. These areas do not affect plant operations and coatings can be applied as commercial coating work (painting).

No commitments are being made to the NRC by this letter.

If you have any questions, please contact Scott A. Bauer at (623) 393-5978.

Sincerely,

Jengele Khainik

AKK/SAB/JAP/rlh

cc: E. W. Merschoff N. Kalyanam J. H. Moorman

## RECEIVED

## 1999 AUG IO AM 9: 24 RULES & DIR. BRANCH US NRC

• • • • • • • • •

· · · · ·

-

, **•** 

r E

3

;

•

· ·

• • •