


DISTRIBUTION

Docket File ✓
 NRC PDR
 Local PDR
 ORB 1 File
 D. Eisenhower
 OELD
 OI&E (1)
 R. Cilimberg
 C. Parrish
 D. Kers
 NSIC
 ACRS (10)
 J. Heltemes

APR 12 1982

Docket Nos. 50-315
 and 50-316

Mr. John Dolan, Vice President
 Indiana and Michigan Electric Company
 P. O. Box 18
 Bowling Green Station
 New York, New York 10004



Dear Mr. Dolan:

This is to acknowledge receipt of your letter dated November 30, 1981 which transmitted revised pages to the "Donald C. Cook Nuclear Plant Training and Qualification Plan" in response to our comments of October 9, 1981.

We have reviewed the changes and have determined that, with two exceptions, the changes are acceptable. Our concerns regarding the exceptions are enclosed. It is requested that you submit your response to these concerns within 30 days from receipt of this letter.

Should you have any questions concerning this matter, please contact the reviewer, Dale A. Kers at (301) 427-4010.

Sincerely,

157

Steven A. Varga, Chief
 Operating Reactors Branch No. 1
 Division of Licensing

Enclosure:
 As stated

cc w/enclosure:
 See next page

8204260030

OFFICE	ORB 1	ORB 1					
SURNAME	RCilimberg/rs	SVarga					
DATE	4/6/82	4/12/82					



Handwritten marks and scribbles in the top right corner.

1
A
E
B
C
D
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Handwritten marks and scribbles in the top right area.

Handwritten marks and scribbles in the middle right area.

Handwritten marks and scribbles in the middle left area.

Handwritten marks and scribbles in the middle right area.

Handwritten marks and scribbles in the lower middle left area.

Handwritten marks and scribbles in the lower middle right area.

Handwritten marks and scribbles in the lower middle area.

Handwritten marks and scribbles in the lower left area.

Handwritten marks and scribbles in the lower right area.

Handwritten marks and scribbles in the bottom right area.

Mr. John Dolan
Indiana and Michigan Electric Company

cc: Mr. Robert W. Jurgensen
Chief Nuclear Engineer
American Electric Power
Service Corporation
2 Broadway
New York, New York 10004

Gerald Charnoff, Esquire
Shaw, Pittman, Potts and Trowbridge
1800 M Street, N.W.
Washington, D. C. 20036

Maude Preston Palenske Memorial
Library
500 Market Street
St. Joseph, Michigan 49085

W. G. Smith, Jr., Plant Manager
Donald C. Cook Nuclear Plant
P. O. Box 458
Bridgman, Michigan 49106

U. S. Nuclear Regulatory Commission
Resident Inspectors Office
770 Red Arrow Highway
Stevensville, Michigan 49127

William J. Scanlon, Esquire
2034 Pauline Boulevard
Ann Arbor, Michigan 48103

The Honorable Tom Corcoran
United States House of Representatives
Washington, D. C. 20515

James G. Keppler
Regional Administrator - Region III
U. S. Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, Illinois 60137

Docket No. 50-315/316

COMMENTS ON THE D.C. COOK SECURITY PERSONNEL
TRAINING AND QUALIFICATION (T&Q) PLAN

<u>Section</u>	<u>Page</u>	<u>Comment</u>
1.6, 2.2.5, 2.4 & 4.4	11 15 16 19	The requirement to provide for the retention of training and qualification documentation for a period of two years is defined in NUREG-0674, "Security Personnel Training and Qualification Criteria". This requirement is based on the Office of the Executive Director for Operations' guidance to regional offices requiring an inspection of a facility's physical protection program at least once each year. Therefore, to allow for changes in inspection schedules, which may not correspond to your annual record destruction schedule, your plan must be changed to commit to retaining training and qualification documentation for a period of two years.
4.0	18	10 CFR Part 73, Appendix B. IV states "...each individual shall perform night firing for familiarization with assigned weapons." Unless Indiana and Michigan Electric Company wants to request an exemption from this requirement of Appendix B this section of the plan must be revised to include night familiarization firing for shotguns and semi-automatic weapons. It should be noted that there are no requirements for the use of special ammunition or firing ranges to meet this requirement. Standard ammunition and firing ranges under night time lighting conditions are sufficient to meet the requirement.

