a dina di a	REGUL,	ATURY	NFORM	ATION	DISTRIBUTI	ION SYST	EM (RID	S)	I		
	M.P. Ind NAME RE	C. Co THOR iana CIPIE	ok Nucl AFFILIA & Michi NT AFFI	ear Po TION gan El LIATIO	ectric Co.	, Unit 2	?, India		DOCKET # 05000316		
SUBJECT: Forwards Suppl 2 to Rev 2 to XN-NF-84-21, "DC Cook,Unit 2 Cycle 5 5% Steam Generator Tube Plugging Limiting Break LOCA-ECCS Analysis:K(Z) Curve." Curve will be used for heat flux channel factor surveillance. SEE SOBJECT FLES FOR REF. DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR LENCL SIZE: 2443 TITLE: OR Submittal: General Distribution											
	:12/23/72					、			05000316		
x	RECIPIENT ID CODE/NAM NRR ORB1 BC	E 01	COPIES LTTR E 7		RECIPIE ID CODE/		COPI LTTR				
INTERNAL:	ACRS ELD/HDS3 NRR/DL DIR NRR/DL/TSRG NRR/DSI/RAB RGN3	09	6 1 1 1 1	6 0 1 1 1 1	ADM/LFMB NRR/DE/MI NRR/DL/OF NRR/DSI/M REG_FILE	RAB METB	1 - 1 1 1 1	0 1 0 1 1			
EXTERNAL:	EG&G BRUSKE, NRC PDR	5 02 [.]	1	1 1	LPDR NSIC	03 05	1 1	1			

TOTAL NUMBER OF COPIES REQUIRED: LTTR

1

27 ENCL 29 in a constant y a non a constant y a non a constant y a non a constant y

				1	
, 4. с. м.	N X	•	4.		
, P		. 4			
		ι η			
*£					
4					
#	۶.		N		

•

a

• • • •

INDIANA & MICHIGAN ELECTRIC COMPANY

P.O. BOX 16631 COLUMBUS, OHIO 43216

> April 26, 1985 AEP:NRC:0860AB

Donald C. Cook Nuclear Plant Unit No. 2 Docket No. 50-316 License No. DPR-74 Unit 2, Cycle 5 LOCA Analysis

Mr. Harold R. Denton, Director Office of Nuclear Reactor Regulation U. S. Nuclear Regulatory Commission Washington, D. C. 20555

Dear Mr. Denton:

As mentioned in our letter AEP:NRC:0860Y dated April 4, 1985, Exxon Nuclear Company (ENC) has completed LOCA/ECCS analyses for D. C. Cook Unit 2, Cycle 5. This analysis, using the FLECHT data given in ENC report "Modifications of the FLECHT Based Reflood Quench and Heat Transfer Correlations for D. C. Cook Unit 2" {XN-NF-85-20(P)} justifies the use of the K(Z) curve given in the Unit 2 Technical Specifications.

We are enclosing five (5) copies of the ENC report "Donald C. Cook Unit 2, Cycle 5 5% Steam Generator Tube Plugging Limiting Break LOCA-ECCS Analysis: K(Z) Curve" (XN-NF-84-21, Revision 2, Supplement 2). Based on review of the above documents and discussions with ENC, we believe that operation utilizing the K(Z) curve given in the current Technical Specifications will assure compliance with 10CFR50.46. As discussed with your staff, we plan to use this K(Z) curve for Heat Flux Channel Factor surveillance, once the NRC staff approves the LOCA-ECCS analysis performed for Cycle 5.

This document has been prepared following Corporate procedures which incorporate a reasonable set of controls to insure its accuracy and completeness prior to signature by the undersigned.

Very truly yours,

M. P. Alexich Vice President

8505030204 850426 ADDCK 05000316 PDR PDR

GJ:wj

Attachment

1997 - 1999 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 1997 - 1997 - 1997 1997 - 1997 - 1997 1997 - 1997 - 1997 1997 - 1997 - 1997 - 1997 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 1997 -1997 - 199

φα ή τα τ





•

- 2 -

cc: John E. Dolan
W. G. Smith, Jr. - Bridgman
R. C. Callen
G. Bruchmann
G. Charnoff
NRC Resident Inspector - Bridgman



۰,



. .