

LICENSEE EVENT REPORT

CONTROL BLOCK: (PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION)

0 1 | M | I | D | C | C | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 1 | 1 | 1 | 1 | 4 | | 5
7 8 9 14 15 25 26 30 57 58
 LICENSEE CODE LICENSE NUMBER LICENSE TYPE CAT 58

CON'T
 0 1 | R | P | O | R | T | S | O | U | R | C | E | L | 0 | 5 | 0 | 0 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 0 | 9 | 7 | 9 | 8 | 1 | 0 | 0 | 9 | 7 | 9 | 9 | 9
7 8 60 61 68 69 74 75 80
 REPORT SOURCE DOCKET NUMBER EVENT DATE REPORT DATE

EVENT DESCRIPTION AND PROBABLE CONSEQUENCES (10)

0 2 | AFTER COMPLETION OF INCORE/EXCORE CROSS CALIBRATION TEST AT 70% POWER, THE UNIT
 0 3 | POWER WAS BEING ESCALATED TO 100%. ON REACHING 81% POWER THE DELTA FLUX INDICA-
 0 4 | TION WAS OUT OF THE TARGET BAND FOR AN ESTIMATED 21-22 MINUTES. THIS IS BELOW THE
 0 5 | TECHNICAL SPECIFICATION LIMIT OF 84% BUT VIOLATES A MORE RESTRICTIVE ADMINISTRATIVE
 0 6 | LIMIT OF 81% IMPOSED PENDING REVISION OF TECHNICAL SPECIFICATIONS.
 0 7 |
 0 8 |

0 9 | SYSTEM CODE: X X (11) CAUSE CODE: D (12) CAUSE SUBCODE: Z (13) COMPONENT CODE: Z Z Z Z Z Z Z (14) COMP. SUBCODE: Z (15) VALVE SUBCODE: Z (16)
7 8 9 10 11 12 13 18 19 20

17 | LER/RO REPORT NUMBER: 7 9 (21) EVENT YEAR: 7 9 (22) SHUTDOWN METHOD: (23) SEQUENTIAL REPORT NO.: 0 3 0 (24) OCCURRENCE CODE: (25) REPORT TYPE: (26) REVISION NO.: 0 (32)

ACTION TAKEN: G (18) FUTURE ACTION: Z (19) EFFECT ON PLANT: Z (20) SHUTDOWN METHOD: Z (21) HOURS: 0 0 0 0 (22) ATTACHMENT SUBMITTED: Y (23) NPRD-4 FORM SUB.: N (24) PRIME COMP. SUPPLIER: Z (25) COMPONENT MANUFACTURER: Z 9 9 9 (26)
33 34 35 36 37 40 41 42 43 44 47

CAUSE DESCRIPTION AND CORRECTIVE ACTIONS (27)

1 0 | THE OPERATOR, WHILE PERFORMING THE POWER ESCALATION ON THE UNIT, WAS USING THE
 1 1 | AXIAL FLUX LIMITS DIFFERENCE AS SHOWN IN TECH SPECS. RATHER THAN THE ADMINISTRA-
 1 2 | TIVE LIMITS IMPOSED PENDING REVISION OF TECHNICAL SPECIFICATIONS. THIS RESULTED IN
 1 3 | THE DELTA FLUX GOING SLIGHTLY OUT OF THE TARGET BAND BETWEEN 81-82% POWER. THE
 1 4 | CONTROL ROOM COPY OF THE TECH. SPEC. GRAPH HAS BEEN UPDATED WITH THE (CONTINUED)
7 8 9 80

1 5 | FACILITY STATUS: F (28) % POWER: 0 8 1 (29) OTHER STATUS: NA (30) METHOD OF DISCOVERY: A (31) DISCOVERY DESCRIPTION: NUCLEAR SECTION (32)
7 8 9 10 12 13 44 45 46 80

1 6 | ACTIVITY CONTENT: Z (33) AMOUNT OF ACTIVITY: NA (35) LOCATION OF RELEASE: NA (36)
7 8 9 10 11 44 45 80

1 7 | PERSONNEL EXPOSURES NUMBER: 0 0 0 (37) TYPE: Z (38) DESCRIPTION: NA (39)
7 8 9 11 12 13 80


1 8 | PERSONNEL INJURIES NUMBER: 0 0 0 (40) DESCRIPTION: NA (41)
7 8 9 11 12 80

1 9 | LOSS OF OR DAMAGE TO FACILITY TYPE: Z (42) DESCRIPTION: NA (43)
7 8 9 11 12 80

2 0 | PUBLICITY ISSUED: N (44) DESCRIPTION: NA (45)
7 8 9 10 80

7910160507

NAME OF PREPARER: C. E. MURPHY PHONE: (616) 465-5901 X-316



CAUSE DESCRIPTION AND CORRECTIVE ACTIONS:

ADMINISTRATIVE LIMITS AND THE INCORE/EXCORE TEST PROCEDURE HAS BEEN CHANGED TO REQUIRE OPERATOR SIGNOFF THAT THE AXIAL FLUX DIFFERENCE IS WITHIN THE TARGET BAND PRIOR TO POWER ESCALATION.



11-11-11

11-11-11

11-11-11

11-11-11

.

11-11-11

.

11-11-11

.

11-11-11

.

.

.

.

.

.

.

.

.

.

.