



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

NOV 20 2017

Dennis J. Aurand, M.S., DABR
Diagnostic Medical Physicist and
Radiation Safety Officer
1105 6th St.
Traverse City, MI 49684

Dear Mr. Aurand:

Enclosed is Amendment No. 59 to your NRC Material License No. 21-08317-01 in accordance with your September 12, 2017 (ML17255A882) and September 18, 2017 (ML17262B126) requests to add Authorized User (AU) Neil Forster, M.D. to your license and to remove one of the areas of use at the 1200 6th Street location of use from your license.

In your September 18, 2017 letter, as well in an additional information letter dated October 24, 2017 (ML17318A038), you confirmed that all residual licensed material located previously at the 1200 6th Street area of use listed in Subitem No. 10.E. to the most recent amendment to your license had been removed – such that any remaining residual radioactivity in that areas of use is within the limits of Title 10 of the *Code of Federal Regulations* Part 20, Subpart E, and is ALARA.

Based on its review, the staff has concluded that all licensable radioactive material has been removed from the area of use referenced in your letter, and residual radioactive material attributable to licensed activities in that area of use does not exceed current NRC criteria. Based on these conclusions no further remediation or actions with respect to NRC regulated material in the area of use referenced in your letter are required. The area authorized previously on your license, under Subitem 10.E. is suitable for unrestricted use.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we may provide appropriate corrections and answers.

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system.

Pursuant to NRC's RIS 2005-31 and in accordance with 10 CFR 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability.

The enclosed document contains sensitive security-related information.
When separated from this cover letter this letter is uncontrolled.


D. Aurand

- 2 -

The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,



Sara A. Forster, M.S.
Materials Licensing Branch

License No. 21-08317-01
Docket No. 030-02074

Enclosure: Amendment No. 59