

Docket Nos. 50-315
and 50-316

August 28, 1991

MEMORANDUM FOR: Ledyard B. Marsh, Project Director
Project Directorate III-1
Division of Reactor Projects III/IV/V
Office of Reactor Regulation

FROM: William O. Long, Project Manager
Project Directorate III-1
Division of Reactor Projects III/IV/V
Office of Reactor Regulation

SUBJECT: FORTHCOMING MEETING WITH INDIANA MICHIGAN POWER COMPANY (IMPC) -
DONALD C. COOK NUCLEAR PLANT UNITS 1 AND 2 (TAC NOS. 80119 AND
80120)

DATE & TIME: September 5, 1991
9:00 a.m. - 1:00 p.m.

LOCATION: One White Flint North
11555 Rockville Pike
Rockville, MD
10/B/13

PURPOSE: To discuss RPS instrument replacement concerns with licensee
and vendors.

*PARTICIPANTS: NRC IMPC

T. Colburn	B. Green	S. Farlow
C. Carpenter	S. Brewer	D. Schmader
S. Newberry	V. Vandenberg	CE Personnel
G. Garten	P. Helms	Westinghouse Personnel

Original signed by

William O. Long, Project Manager
Project Directorate III-1
Division of Reactor Projects III/IV/V
Office of Reactor Regulation

cc: See next page

*Meetings between NRC technical staff and applicants or licensees are open for
interested members of the public, petitioners, intervenors, or other parties
to attend as observers pursuant to "Open Meeting Statement of NRC Staff Policy,"
43 Federal Register 28058, 6/28/78.

*MEETING NOTICE COOK

LA:PDIII-1
MShuttleworth
08/ /91

PM:PDIII-1
WLong:jkd
08/28/91

D:PDIII-1
LMarsh
08/28/91

NRC FILE CENTER COPY

9109060208 910828
PDR ADDCK 05000315
PDR

DF01 1/0

[illegible]

Figure 1 consists of three schematic diagrams labeled (a), (b), and (c), illustrating the experimental setups.
 (a) **Pretest:** A participant is seated in a car seat with a steering wheel. A speedometer is visible, showing a reading of 100 km/h. A display above the steering wheel shows '100 km/h'.
 (b) **Experiment 1:** A participant is seated in a car seat with a steering wheel. A speedometer is visible, showing a reading of 100 km/h. A display above the steering wheel shows '100 km/h'.
 (c) **Experiment 2:** A participant is seated in a car seat with a steering wheel. A speedometer is visible, showing a reading of 100 km/h. A display above the steering wheel shows '100 km/h'.

Indiana Michigan Power Company

Donald C. Cook Nuclear Plant

cc:

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, Illinois 60137

Attorney General
Department of Attorney General
525 West Ottawa Street
Lansing, Michigan 48913

Township Supervisor
Lake Township Hall
Post Office Box 818
Bridgman, Michigan 49106

Al Blind, Plant Manager
Donald C. Cook Nuclear Plant
Post Office Box 458
Bridgman, Michigan 49106

U.S. Nuclear Regulatory Commission
Resident Inspectors Office
7700 Red Arrow Highway
Stevensville, Michigan 49127

Gerald Charnoff, Esquire
Shaw, Pittman, Potts and Trowbridge
2300 N Street, N.W.
Washington, DC 20037

Mayor, City of Bridgman
Post Office Box 366
Bridgman, Michigan 49106

Special Assistant to the Governor
Room 1 - State Capitol
Lansing, Michigan 48909

Nuclear Facilities and Environmental
Monitoring Section Office
Division of Radiological Health
Department of Public Health
3500 N. Logan Street
Post Office Box 30035
Lansing, Michigan 48909

Mr. S. Brewer
American Electric Power
Service Corporation
1 Riverside Plaza
Columbus, Ohio 43216

Mr. Gene Fitzpatrick, Vice President
Indiana Michigan Power Company
c/o American Electric Power Service
Corporation
1 Riverside Plaza
Columbus, Ohio 43216

DISTRIBUTION

Docket File

NRC & Local PDRs

PD31 Reading

PD31 P/File

T. Murley/F. Miraglia 12/G/18

J. Partlow 12/G/18

B. Boger

J. Zwolinski

W. Long

A. Chaffee, EAB 11A1

OGC

E. Jordan MNBB-3701

B. Grimes 9/A/2

Receptionist (WF)

S. Newberry 8/H/3

J. Mauck 8/H/3

C. Carpenter

T. Colburn

G. Garten 8/H/3

ACRS (10)

GPA/PA

E. Tana 12/G/18

P. O'Dell 12/E/4

L. Plisco 10/A/9

R. Lobel, 17/G/21

J. Strasma, RIII

M. Shuttleworth

B. Clayton RIII

W. Pegg

cc: Licensee/Applicant & Service List

