

ACCELERATED DOCUMENT DISTRIBUTION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9304150162 DOC. DATE: 93/04/12 NOTARIZED: NO DOCKET #
FACIL: 50-316 Donald C. Cook Nuclear Power Plant, Unit 2, Indiana M 05000316
AUTH. NAME AUTHOR AFFILIATION
FITZPATRICK, E. Indiana Michigan Power Co. (formerly Indiana & Michigan Ele
RECIP. NAME RECIPIENT AFFILIATION
MURLEY, T. E. Document Control Branch (Document Control Desk)

SUBJECT: Forwards WCAP-13517, "Evaluation of PTS for DC Cook Unit 2."
Analysis revised to consider results of surveillance
Capsule U analysis contained in WCAP-13515.

DISTRIBUTION CODE: A049D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 2+18
TITLE: OR Submittal: Thermal Shock to Reactor Vessel

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PD3-1 PD	1 1	DEAN, W	2 2
INTERNAL:	AEOD/DOA	1 1	NRR/DE	1 0
	NRR/DSSA/SRXB	1 1	OC/EFMB	1 0
	OGC/HDS2	1 0	<u>REG. FILE</u> 01	1 1
	RES DE	1 1	RES/DE/MEB/MES	1 1
	RES/DSIR/EIB	1 1	RES/DSIR/RPSIB	1 1
	RES/DSR/RPSB	1 1	RGN1 ADMSTR	1 1
EXTERNAL:	NRC PDR	1 1	NSIC	1 1

may

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,
ROOM P1-37 (EXT. 504-2065) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTR 17 ENCL 14



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1954

Indiana Michigan
Power Company
P.O. Box 16631
Columbus, OH 43216



AEP:NRC:0561F
10 CFR 50.61

Donald C. Cook Nuclear Plant Unit 2
Docket No. 50-316
License No. DPR-74
UPDATED REFERENCE TEMPERATURE AND
PRESSURIZED THERMAL SHOCK ANALYSES

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Attn: T. E. Murley

April 12, 1993

Dear Dr. Murley:

This submittal is made pursuant to the requirements of 10 CFR 50.61, "Fracture Toughness Requirements for Protection Against Pressurized Thermal Shock Events." The attachment to this letter is Westinghouse WCAP-13157, "Evaluation of Pressurized Thermal Shock for D. C. Cook Unit 2". The analysis was revised to consider the results of the surveillance Capsule U analysis contained in the WCAP-13515 report (see our submittal letter AEP:NRC:0894T dated March 12, 1993). The WCAP-13515 report concludes that for Cook Nuclear Plant, Unit 2, all the RT_{PTS} values for the reactor vessel material remain below the NRC screening values for the present time and up to 32 effective full power years (EFPY) of operation.

Sincerely,

E. E. Fitzpatrick
Vice President

dgr

Attachment

cc: A. A. Blind - Bridgman
G. Charnoff
NFEM Section Chief
J. R. Padgett
A. B. Davis - Region III
NRC Resident Inspector - Bridgman

150006

9304150162 930412
PDR ADOCK 05000316
P PDR

Dr. T. E. Murley

-2-

AEP:NRC:0561F

bc: S. J. Brewer
J. D. Benes\J. R. Jensen\B. Mickatavage
J. B. Kingseed\T. Satyan Sharma
V. D. VanderBurg
D. H. Malin
M. L. Horvath - Bridgman
J. B. Shinnock
W. G. Smith, Jr.
W. M. Dean, NRC - Washington, DC
AEP:NRC:0561F
DC-N-6015.1