

## **NRR-DMPSPEm Resource**

---

**From:** Klos, John  
**Sent:** Tuesday, November 28, 2017 10:59 AM  
**To:** Williams, Lisa L.  
**Cc:** Klos, John  
**Subject:** Acceptance review for 000976/05000397/L-2017-LLA-0361 Columbia LAR to adopt TSTF-542 "Reactor Pressure Vessel Water Inventory Control"

Lisa,

By letter dated October 23, 2017, Energy Northwest (the licensee), submitted a license amendment for Columbia Generating Station (Agencywide Documents Access and Management System (ADAMS) Accession No. ML17296B380, as supplemented by letter dated November 15, 2017 ADAMS Accession No. ML17320A314. The purpose of this e-mail is to provide the results of the U.S. Nuclear Regulatory Commission (NRC) staff's acceptance review of this license amendment. The acceptance review was performed to determine if there is sufficient technical information in scope and depth to allow the NRC staff to complete its detailed technical review. The acceptance review is also intended to identify whether the application has any readily apparent information insufficiencies in its characterization of the regulatory requirements or the licensing basis of the plant.

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

Based on the information provided in your submittal, the NRC staff has estimated that this licensing request will take approximately 310 hours to complete. The NRC staff expects to complete this review one year from the date of acceptance review, November 28, 2018. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities.

If you have any questions, please contact me at the contact information below.

Thank you,

**John Klos**  
**DORL Callaway, Columbia Project Manager**  
**U.S. NRC, Office of Nuclear Reactor Regulation,**

Division of Operating Reactor Licensing, O9D09  
NRC/NRR/DORL/LPL4, MS O9E3  
Washington, DC 20555-0001  
301.415.5136, 301.415.2102 (fax)  
[John.Klos@NRC.gov](mailto:John.Klos@NRC.gov)

**Hearing Identifier:** NRR\_DMPS  
**Email Number:** 7

**Mail Envelope Properties** (BN3PR09MB04035159D8984369E07B0026E33A0)

**Subject:** Acceptance review for 000976/05000397/L-2017-LLA-0361 Columbia LAR to adopt TSTF-542 "Reactor Pressure Vessel Water Inventory Control"  
**Sent Date:** 11/28/2017 10:58:51 AM  
**Received Date:** 11/28/2017 10:58:52 AM  
**From:** Klos, John

**Created By:** John.Klos@nrc.gov

**Recipients:**  
"Klos, John" <John.Klos@nrc.gov>  
Tracking Status: None  
"Williams, Lisa L." <llwilliams@energy-northwest.com>  
Tracking Status: None

**Post Office:** BN3PR09MB0403.namprd09.prod.outlook.com

<b>Files</b>	<b>Size</b>	<b>Date &amp; Time</b>
MESSAGE	2981	11/28/2017 10:58:52 AM

**Options**  
**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**