### ATTACHMENT 3

# PROPOSED TECHNICAL SPECIFICATIONS

Marked-up Technical Specifications Pages

6-3 6-5

9302180006 930211 PDR ADDCK 05000250 P PDR

¢

X

۰ ۰ ۰

• •

# ADMINISTRATIVE CONTROLS

### PLANT STAFF (Continued)


- 1. An individual should not be permitted to work more than 16 hours straight, excluding shift turnover time.
- 2. An individual should not be permitted to work more than 16 hours in any 24-hour period, nor more than 24 hours in any 48-hour period, nor more than 72 hours in any 7-day period, all excluding shift turnover time.
- 3. A break of at least 8 hours should be allowed between work periods, including shift turnover time.
- Except during extended shutdown periods, the use of overtime should be considered on an individual basis and not for the entire staff on a shift.

Any deviation from the above guidelines shall be authorized by the applicable department manager or higher levels of management, in accordance with established procedures and with documentation of the basis for granting the deviation. Controls shall be included in the procedures such that individual overtime shall be reviewed monthly by the Plant General Manager or his designee to assure that excessive hours have not been assigned. Routine deviation from the above guidelines is not authorized.

h. The Operations Supervisor shall hold a Senior Reactor Operator License.

YANAPER or Operations

1





4

,

ji, 

## 6.2.3 SHIFT TECHNICAL ADVISOR

6.2.3.1 The Shift Technical Advisor shall provide advisory technical support to the Nuclear Plant Supervisor in the areas of thermal hydraulics, reactor engineering, and plant analysis with regard to the safe operation of the unit and the opposite unit. The Shift Technical Advisor shall have a bachelor's degree or equivalent in a scientific or engineering discipline and shall have received specific training in the response and analysis of the unit for transients and accidents, and in unit design and layout, including the capabilities of instrumentation and controls in the control room.

#### 6.3 FACILITY STAFF QUALIFICATIONS

6.3.1 Each member of the facility staff shall meet or exceed the minimum qualifications of ANSI N18.1-1971 for comparable positions, except for the Health Physics Supervisor who shall meet or exceed the qualifications of Regulatory Guide 1.8, September 1975, and the Operations Manager whose requirement for a Senior Reactor Operator License is as stated in Specification 6.2.2.X. The licensed Operators and Senior Operators shall also meet or exceed the minimum qualifications of the supplemental requirements specified in 10 CFR Part 55 and ANSI 3.1, 1981.

6.3.2 When the Health Physics Supervisor does not meet the above requirements, compensatory action shall be taken which the Plant Nuclear Safety Committee determines and the NRC office of Nuclear Reactor Regulation concurs that the action meets the intent of Specification 6.3.1.

#### 6.4 TRAINING

6.4.1 A retraining and replacement training program for the facility staff shall be maintained under the direction of the Training Manager and shall meet or exceed the requirements and recommendations of Section 5.5 of ANSI N18.1-1971, 10 CFR Part 55 and ANSI 3.1, 1981 and shall include familiarization with relevant industry operational experience.

6.4.2 A training program for the fire brigade shall be maintained under the direction of the Fire Protection Supervisor and shall meet or exceed the requirements of 10 CFR 50.48 and 10 CFR 50 Appendix R.

#### 6.5 REVIEW AND AUDIT

#### 6.5.1 PLANT NUCLEAR SAFETY COMMITTEE (PNSC)

#### FUNCTION

6.5.1.1 The PNSC shall function to advise the Plant General Manager on all matters related to nuclear safety.

TURKEY POINT - UNITS 3 & 4

6-5

For Operations y Supervisor

· · ·

,

i i

· •

•

1

`

**,** 

· · · ·

.