APPENDIX 2.3-D
Detailed Analytes Table

Table 2.3-D (Sheet 1 of 25)
Detailed Analytes

																	ANIONS				GENERAL CHEMISTRY			
Well ID	Sample Date	Lab Report ID	Formation	Quarter	Depth	Sample_ depth (m)	Temperature, Celsius (degrees C)	Oxidation reduction potential (mV)	Specific Conductance, Field (umhos/cm)	Oxygen, dissolved (mg/L)	pH, Field (pH)	GW Elevation (m above s/l) (m)	Sample Depth (m)	Well Depth (m)	Water Level Depth (m)	Turbidity, Field (NTU)	Bromide (mg/L)	Chloride, total (mg/L)	Sulfate, total (mg/L)	Fluoride, total (mg/L)	Color (Pt-Co units)	Chlorine, Total Residual (mg/L)	Biological Oxygen Demand (mg/L)	COD, Low Level (mg/L)
Values from 2016 EPA RSLs MCL Ref.																	NA	NA	NA	4	NA	NA	NA	NA
CRS-OW401D	1/10/2014	490-44246-1	Newala	1	D	70	24.1	331	801	13	5.6	241.39	70	76.28	8.98	12	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	Newala	1	D	70.03	-	-	-	-	-	-	-	-	-	-	<0.1	1.89	34.1	0.732	<5	<0.1	5.45	<20
CRS-OW401D	4/22/2014	490-51531-1	Newala	2	D	70	22.37	294	824.8	8.1	6.1	239.53	70	76.28	10.84	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	Newala	2	D	70.03	-	-	-	-	-	-	-	-	-	-	<0.1	1.77	25.1	0.696	<5	<0.1	<2	<20
CRS-OW401D	8/25/2014	490-60159-1	Newala	3	D	70	20.74	255	701	0	6.4	239.24	70	76.28	11.13	87.1	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	Newala	3	D	70.03	-	-	-	-	-	-	-	-	-	-	<0.1	1.43	37.9	0.589	5	<0.1	<2	<20
CRS-OW401D	11/5/2014	490-65588-1	Newala	4	D	70	-	-	-	-	-	-	-	-	-	-	<0.1	2.44	<1	0.745	5	<0.1	7.79	58.5
CRS-OW401D	11/5/2014	490-65588-1	Newala	4	D	70	14.53	391	657.8	4.5	6.3	239.24	20.2	76.28	11.13	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	Newala	1	L	45.3	8.36	471	406.9	6.6	6.4	243.22	45.3	48.5	6.84	69.7	<0.1	<1	6.03	0.281	15	0.307	<2	<20
CRS-OW401L	4/21/2014	490-51372-1	Newala	2	L	42.29	-	-	-	-	-	-	-	-	-	-	<0.1	1.07	7.37	0.142	<5	<0.1	<2	<20
CRS-OW401L	4/21/2014	490-51372-1	Newala	2	L	42.3	17.27	334	440.5	7.9	7.2	239.88	42.3	48.5	10.18	114	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	Newala	3	L	45.29	-	-	-	-	-	-	-	-	-	-	<0.1	<1	8.4	0.213	5	<0.1	-	<20
CRS-OW401L	8/27/2014	490-60308-1	Newala	3	L	45.3	17.48	239	426	7.4	7	239.01	45.3	48.5	11.05	56.2	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	Newala	4	L	45.29	-	-	-	-	-	-	-	-	-	-	<0.1	1.29	5.28	0.158	5	<0.1	<2	<20
CRS-OW401L	11/10/2014	490-65956-1	Newala	4	L	45.3	14.64	166	437	5.6	7.1	237.65	45.3	48.5	12.41	35.8	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	Newala	1	U	8.76	9.8	384	500.7	5.5	7.2	247.85	8.8	11.83	2.27	8.3	<0.1	1.06	10	0.23	15	<0.1	19.9	53.7
CRS-OW401U	4/18/2014	490-51285-1	Newala	2	U	8.76	-	-	-	-	-	-	-	-	-	-	<0.1	<1	9.44	0.172	5	<0.1	<2	<20
CRS-OW401U	4/18/2014	490-51285-1	Newala	2	U	8.8	13.31	311	478	7.3	7	247.21	8.8	11.83	2.91	21.2	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	Newala	3	U	8.76	-	-	-	-	-	-	-	-	-	-	<0.1	<1	4.07	0.195	5	<0.1	<2	<20
CRS-OW401U	8/27/2014	490-60310-1	Newala	3	U	8.8	16.4	469	503	5.4	7.1	246.9	8.8	11.83	3.22	13.6	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	Newala	4	U	11.8	11.7	380	356	6	7.1	246.97	11.8	11.83	3.15	30.5	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	Newala	4	U	11.83	-	-	-	-	-	-	-	-	-	-	<0.1	<1	9.69	0.163	5	<0.1	<2	<20
CRS-OW415L	1/9/2014	490-44141-1	Benbolt	1	L	50.3	11.5	357	4425	1.1	8	223.81	50.3	54.41	15.98	5.8	2.21	202	1090	14.2	5	<0.1	2.91	<20
CRS-OW415L	4/23/2014	490-51557-1	Benbolt	2	L	50.3	15.5	144	4338	0.8	8	233.67	50.3	54.41	6.12	13.3	1.63	213	1230	12.4	-	<0.1	2.9	<20
CRS-OW415L	8/20/2014	490-59827-1	Benbolt	3	L	50.3	21.6	67	4723.2	1.1	7.3	235.34	50.3	54.41	4.45	8.3	1.72	233	1310	14.2	5	<0.1	<2	<20
CRS-OW415L	11/11/2014	490-66031-1	Benbolt	4	L	50.3	16.41	36	4651	1.5	7	233.53	50.3	54.41	6.26	17.6	1.9	201	1540	13.4	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	Bowen/ Benbolt	1	U	12.5	16.23	328	555.3	3.8	7	233.69	12.5	15.75	6.22	4.7	<0.1	4.33	41.8	0.249	10	<0.1	<2	<20
CRS-OW415U	4/21/2014	490-51380-1	Bowen/ Benbolt	2	U	12.5	17	401	600	1.3	6.4	231.41	12.5	5.75	8.5	6.6	<0.1	1.95	27.8	<0.1	5	<0.1	<60	<20
CRS-OW415U	8/19/2014	490-59741-1	Bowen/ Benbolt	3	U	12.5	17.5	340	485.1	2.1	6.9	232.11	12.5	15.75	7.8	2.2	<0.1	1.95	18.8	0.189	5	<0.1	<2	<20
CRS-OW415U	11/11/2014	490-66017-1	Bowen/ Benbolt	4	U	12.5	17.52	303	592.9	0.1	6.8	230.29	12.5	15.75	9.62	5.8	<0.1	2.04	31.1	0.147	5	<0.1	27	24.5
CRS-OW416L	12/19/2013	490-43206-1	Rockdell	1	L	37.7	13.7	-19	72.36	1.2	6.7	225.3	37.7	40.96	22.35	8.4	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	Rockdell	1	L	37.73	-	-	-	-	-	-	-	-	-	-	<0.1	11.7	58.2	0.568	10	<0.1	<2	<20
CRS-OW416L	12/19/2013	490-43206-2	Rockdell	1	L	37.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	Rockdell	2	L	37.7	13.7	47	750	0.1	5.3	225.19	37.7	40.96	22.46	17.4	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	Rockdell	2	L	37.74	-	-	-	-	-	-	-	-	-	-	0.166	13.1	63.3	0.937	<5	<0.1	<2	<20
CRS-OW416L	8/18/2014	490-59654-1	Rockdell	3	L	37.7	19.46	84	710.3	0.9	6.8	225.76	37.7	40.96	21.89	8.6	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	Rockdell	3	L	37.74	-	-	-	-	-	-	-	-	-	-	0.136	8.52	66.8	0.425	5	<0.1	<2	<20
CRS-OW416L	11/6/2014	490-65718-1	Rockdell	4	L	37.7	18.3	130	718	2.1	5.9	225.37	37.7	40.96	22.28	8.4	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	Rockdell	4	L	37.74	-	-	-	-	-	-	-	-	-	-	<0.1	7.09	69.1	0.407	10	<0.1	2.02	<20
CRS-OW416U	12/18/2013	490-43060-1	Rockdell	1	U	27	12.42	401	619.5	1.6	6.7	225.55	27	30.24	22.1	46.2	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	Rockdell	1	U	27.01	-	-	-	-	-	-	-	-	-	-	<0.1	3.75	47.9	0.295	10	<0.1	<2	<20
CRS-OW416U	4/15/2014	490-51008-1	Rockdell	2	U	27	13	414	581	1.2	6.9	225.16	27	30.24	22.49	68.6	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	Rockdell	2	U	27.01	-	-	-	-	-	-	-	-	-	-	<0.1	3.43	44.6	0.246	10	<0.1	<2	<20

Table 2.3-D (Sheet 2 of 25)
Detailed Analytes

																	ANIONS				GENERAL CHEMISTRY			
Well ID	Sample Date	Lab Report ID	Formation	Quarter	Depth	Sample_ depth (m)	Temperature, Celsius (degrees C)	Oxidation reduction potential (mV)	Specific Conductance, Field (umhos/cm)	Oxygen, dissolved (mg/L)	pH, Field (pH)	GW Elevation (m above s/l) (m)	Sample Depth (m)	Well Depth (m)	Water Level Depth (m)	Turbidity, Field (NTU)	Bromide (mg/L)	Chloride, total (mg/L)	Sulfate, total (mg/L)	Fluoride, total (mg/L)	Color (Pt-Co units)	Chlorine, Total Residual (mg/L)	Biological Oxygen Demand (mg/L)	COD, Low Level (mg/L)
CRS-OW416U	8/22/2014	490-60044-1	Rockdell	3	U	22.3	18.3	420	609	1.1	6.8	226.14	70.8	30.24	21.51	36	<0.1	2.12	60.1	0.269	5	<0.1	2.37	<20
CRS-OW416U	11/5/2014	490-65583-1	Rockdell	4	U	22.3	16.3	349	640	1.2	6.7	225.46	22.3	30.24	22.19	43.3	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	Rockdell	4	U	22.32	-	-	-	-	-	-	-	-	-	-	<0.1	3.72	<1	0.152	<5	<0.1	<2	<20
CRS-OW416U	11/5/2014	490-65592-1	Rockdell	4	U	22.3	-	-	-	-	-	-	-	-	-	-	<0.1	3.69	<1	0.19	5	<0.1	<2	29.2
CRS-OW418L	12/19/2013	490-43197-1	Blackford	1	L	45.78	-	-	-	-	-	-	-	-	-	-	<0.1	<1	8.39	0.446	10	<0.1	-	<20
CRS-OW418L	12/19/2013	490-43197-1	Blackford	1	L	45.8	11.19	449	505.9	5.3	6.9	229.51	45.8	48.86	18.78	7.9	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	Blackford	1	L	45.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<2	-
CRS-OW418L	4/16/2014	490-51124-1	Blackford	2	L	45.78	-	-	-	-	-	-	-	-	-	-	<0.1	0.811	8.48	0.414	<5	<0.1	3.25	<20
CRS-OW418L	4/16/2014	490-51124-1	Blackford	2	L	45.8	13.19	237	530.3	5.3	6.9	229.07	45.8	48.86	19.22	13	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	Blackford	3	L	45.78	-	-	-	-	-	-	-	-	-	-	<0.1	<1	7.49	0.367	5	<0.1	<2	<20
CRS-OW418L	8/18/2014	490-59650-1	Blackford	3	L	45.8	24.44	276	491.1	5.9	7	228.74	45.8	48.86	19.55	16	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	Blackford	4	L	45.78	-	-	-	-	-	-	-	-	-	-	<0.1	1.48	7.44	0.363	<5	<0.1	<2	<20
CRS-OW418L	11/12/2014	490-66157-1	Blackford	4	L	45.8	15.2	176	484.2	5.2	7	226.82	45.8	48.8	21.47	18.8	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	Blackford	1	U	31.49	-	-	-	-	-	-	-	-	-	-	<0.1	1.76	18.8	0.353	10	<0.1	<2	<20
CRS-OW418U	12/18/2013	490-43053-1	Eidson	1	U	31.5	14.26	420	545.8	5.1	7.2	229.32	31.5	33.06	18.45	3.7	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	Eidson	2	U	31.5	12.03	341	520	2.1	7.3	230.17	103.3	33.06	17.6	2.7	<0.1	1.59	17.6	0.316	5	<0.1	<2	<20
CRS-OW418U	8/19/2014	490-59748-1	Eidson	3	U	31.49	-	-	-	-	-	-	-	-	-	-	<0.1	1.23	16.8	0.325	<5	<0.1	<2	<20
CRS-OW418U	8/19/2014	490-59748-1	Eidson	3	U	31.5	20.43	158	494.3	1.6	6.6	228.84	31.5	33.06	18.93	8.3	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	Eidson	4	U	31.49	-	-	-	-	-	-	-	-	-	-	<0.1	1.72	16.6	0.34	5	<0.1	<2	<20
CRS-OW418U	11/7/2014	490-65801-1	Eidson	4	U	31.5	15.95	138	545.7	1.3	6.3	228.5	31.5	33.06	19.27	1.9	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	Newala	1	L	36	9.78	351	482.7	2.8	6.6	231.5	36	39.01	13.16	20.3	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	Newala	1	L	35.97	-	-	-	-	-	-	-	-	-	-	0.157	1.11	17.6	0.165	5	<0.1	<2	<20
CRS-OW419L	4/24/2014	490-51664-1	Newala	2	L	35.98	-	-	-	-	-	-	-	-	-	-	<0.1	<1	13.7	0.247	5	<0.1	<2	<20
CRS-OW419L	4/24/2014	490-51664-1	Newala	2	L	36	18.2	332	456	2.8	7.3	229.16	36	39.01	15.5	15.7	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	Newala	3	L	35.97	-	-	-	-	-	-	-	-	-	-	<0.1	<1	14.6	0.251	5	<0.1	2	<20
CRS-OW419L	8/26/2014	490-60223-1	Newala	3	L	36	18.36	424	466	2.3	7.2	230.73	36	39.01	13.93	6.6	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	Newala	4	L	36	14.31	336	421.5	3.1	7.2	227.99	36	39.01	16.67	38.1	<0.1	10.3	11.8	0.206	5	<0.1	20.6	28.1
CRS-OW419U	12/20/2013	490-43281-1	Newala	1	U	21.58	-	-	-	-	-	-	-	-	-	-	<0.1	<1	16.3	0.212	10	<0.1	<2	<20
CRS-OW419U	12/20/2013	490-43281-1	Newala	1	U	21.6	14.92	398	507.9	0.4	6.8	231.5	21.6	24.65	13.26	4.1	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	Newala	2	U	21.58	-	-	-	-	-	-	-	-	-	-	<0.1	<1	20.6	0.199	<5	<0.1	<2	<20
CRS-OW419U	4/23/2014	490-51552-1	Newala	2	U	21.6	15.36	359	537.8	1.5	6.7	229.18	21.6	24.65	15.58	1.6	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	Newala	3	U	21.6	24.1	366	508	1	6.6	230.38	21.6	24.65	14.38	9	<0.1	<1	12.3	0.171	10	<0.1	<2	<20
CRS-OW419U	11/4/2014	490-65428-1	Newala	4	U	21.6	16.34	411	571.3	0.3	5.4	227.39	70.8	24.65	17.37	19.7	<0.1	<1	23.7	0.182	5	<0.1	291	<20
CRS-OW420L	12/10/2013	490-42325-1	Newala	1	L	43.89	-	-	-	-	-	-	-	-	-	-	<0.1	1.24	11.5	0.283	15	<0.1	17.8	<20
CRS-OW420L	12/10/2013	490-42325-1	Newala	1	L	43.9	13.42	354	464	8	7.3	227.32	43.9	47.09	18.44	9.3	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	Newala	2	L	43.89	-	-	-	-	-	-	-	-	-	-	<0.1	1.12	12.3	0.237	<5	<0.1	<2	<20
CRS-OW420L	4/17/2014	490-51210-1	Newala	2	L	43.9	15.11	312	484.2	7.2	7	225.9	43.9	47.09	19.86	10.1	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	Newala	3	L	43.89	-	-	-	-	-	-	-	-	-	-	<0.1	<1	12.5	0.346	5	<0.1	<2	<20
CRS-OW420L	8/26/2014	490-60209-1	Newala	3	L	43.9	19.9	441	489.2	8.1	7	226.51	43.9	47.09	19.25	16.2	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	Newala	4	L	43.89	-	-	-	-	-	-	-	-	-	-	<0.1	1.06	11.6	0.286	5	<0.1	3.88	<20
CRS-OW420L	11/6/2014	490-65714-1	Newala	4	L	43.9	17.79	379	442	6.6	7.1	224.32	43.9	47.09	21.44	18.6	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	Newala	1	U	14.4	-	-	-	-	-	-	-	-	-	-	0.468	<1	14.5	<0.1	20	0.201	<2	<20
CRS-OW420U	4/16/2014	490-51107-1	Newala	2	U	14.4	-	-	-	-	-	-	-	-	-	-	0.079	<1	15.5	0.152	-	<0.1	-	<20
CRS-OW420U	8/26/2014	490-60217-1	Newala	3	U	14.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.87	-
CRS-OW421D	1/9/2014	490-44157-1	Newala	1	D	57.3	11.34	55	414.1	0.4	7.3	228.82	57.3	60.65	16.61	7.8	<0.1	2.41	25.2	1.1	10	<0.1	9.31	<20
CRS-OW421D	4/21/2014	490-51368-1	Newala	2	D	57.3	17.89	11	408	2	7.4	227.3	57.3	60.65	18.13	11.9	<0.1	2.24	19.9	1.09	25	<0.1	<2	<20
CRS-OW421D	8/21/2014	490-59912-1	Newala	3	D	57.32	-	-	-	-	-	-	-	-	-	-	<0.1	1.73	18.6	1.21	5	<0.1	6.49	<20

Table 2.3-D (Sheet 3 of 25)
Detailed Analytes

																ANIONS				GENERAL CHEMISTRY			
Well ID	Sample Date	Lab Report ID	Formation	Quarter	Depth	Sample_ depth (m)	Temperature, Celsius (degrees C)	Oxidation reduction potential (mV)	Specific Conductance, Field (umhos/cm)	Oxygen, dissolved (mg/L)	pH, Field (pH)	GW Elevation (m above s/l) (m)	Sample Depth (m)	Well Depth (m)	Water Level Depth (m)	Turbidity, Field (NTU)	Bromide (mg/L)	Chloride, total (mg/L)	Sulfate, total (mg/L)	Fluoride, total (mg/L)	Color (Pt-Co units)	Chlorine, Total Residual (mg/L)	Biological Oxygen Demand (mg/L)	COD, Low Level (mg/L)
CRS-OW421D	8/27/2014	490-59912-1	Newala	3	D	57.3	21	120	446	1.4	6.6	227.73	57.3	60.5	17.7	34	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	Newala	4	D	57.3	12.64	9	405	1.3	7.3	227.53	57.3	60.65	17.9	18.2	<0.1	2.06	16.5	1.13	5	<0.1	2.84	<20
CRS-OW421L	1/13/2014	490-44348-1	Blackford/ Newala	1	L	35.97	-	-	-	-	-	-	-	-	-	-	<0.1	2.24	8.43	0.647	10	<0.1	4.56	<20
CRS-OW421L	1/13/2014	490-44348-1	Blackford/ Newala	1	L	36	9.2	280	398	8.4	6.7	229.9	36	39.12	17.02	18.4	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	Blackford/ Newala	2	L	35.97	-	-	-	-	-	-	-	-	-	-	<0.1	2.21	10.6	0.619	5	<0.1	11.2	24.1
CRS-OW421L	4/17/2014	490-51196-1	Blackford/ Newala	2	L	36	15.61	364	406.1	7.4	7.4	230.06	36	39.12	16.86	9.9	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	Blackford/ Newala	3	L	36	20.89	333	109.3	1.5	7.3	230.2	36	39.12	16.72	9	<0.1	2.32	9.63	0.722	5	<0.1	<2	<20
CRS-OW421L	11/12/2014	490-66149-1	Blackford/ Newala	4	L	36	14	433	392	2.4	7.3	229.65	36	39.12	17.27	10	<0.1	2.22	9.19	0.665	<5	<0.1	3.72	33
CRS-OW421U	12/17/2013	490-42941-1	Blackford	1	U	20.7	11.17	389	528.9	8.6	7	230.48	20.7	23.92	16.53	12.5	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	Blackford	1	U	20.72	-	-	-	-	-	-	-	-	-	-	<0.1	1.07	5.83	0.624	10	<0.1	3.74	<20
CRS-OW421U	4/18/2014	490-51291-1	Blackford	2	U	20.7	14.19	387	566.4	7.4	6.8	230.65	20.7	23.92	16.36	44.1	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	Blackford	2	U	20.72	-	-	-	-	-	-	-	-	-	-	<0.1	1.23	6.64	0.446	<5	<0.1	<2	<20
CRS-OW421U	8/27/2014	490-60305-1	Blackford	3	U	20.7	19.65	462	554	6.3	6.9	230.77	20.7	23.92	16.24	46.4	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	Blackford	3	U	20.72	-	-	-	-	-	-	-	-	-	-	<0.1	<1	6.8	0.562	5	<0.1	4.72	<20
CRS-OW421U	11/7/2014	490-65803-1	Blackford	4	U	21.56	-	-	-	-	-	-	-	-	-	-	<0.1	1.62	4.92	0.639	5	<0.1	3.62	<20
CRS-OW421U	11/7/2014	490-65803-1	Blackford	4	U	21.6	14.6	418	533	6.1	6.9	230.15	21.6	23.92	16.86	71	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	2	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	-	1	D	80	-	-	-	-	-	-	-	-	-	-	0.373	19.2	62.4	6.97	5	<0.1	2.83	25.7
CRS-OW428D	12/17/2013	490-42947-1	Rockdell	1	D	62.05	-	-	-	-	-	-	-	-	-	-	0.12	6.69	63.4	0.503	10	<0.1	2.6	<20
CRS-OW428D	12/17/2013	490-42947-1	Rockdell	1	D	62.1	11.5	300	808.3	3.1	6.5	243.09	62.1	65.26	2.86	55.9	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	Rockdell	2	D	62.05	-	-	-	-	-	-	-	-	-	-	<0.1	<1	<1	<0.1	<5	<0.1	<2	<20
CRS-OW428D	4/22/2014	490-51441-1	Rockdell	2	D	62.1	15.16	43	866.2	1.7	7.3	242.02	62.1	65.26	3.93	20.3	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	Rockdell	3	D	61.89	-	-	-	-	-	-	-	-	-	-	<0.1	5.9	48.2	0.523	5	<0.1	7.64	<20
CRS-OW428D	8/20/2014	490-59832-1	Rockdell	3	D	61.9	22	105	830	1.4	6.9	244.77	61.9	65.26	1.18	64	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	Rockdell	4	D	61.9	16.45	157	731.6	3.3	6	240.28	61.9	65.26	5.67	8.6	<0.1	4.56	40.7	0.483	5	<0.1	<2	<20
CRS-OW428L	12/16/2013	490-42801-1	Rockdell	1	L	39.56	-	-	-	-	-	-	-	-	-	-	<0.1	2.99	16.7	1.87	15	<0.1	<2	<20
CRS-OW428L	12/16/2013	490-42801-1	Rockdell	1	L	39.6	12.93	236	532.6	4.6	8.8	239.22	39.6	42.35	6.79	23	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	Rockdell	2	L	39.56	-	-	-	-	-	-	-	-	-	-	<0.1	2.74	15.2	1.64	15	<0.1	<2	<20
CRS-OW428L	4/18/2014	490-51286-1	Rockdell	2	L	39.6	13.3	189	569	1.6	9.6	241.06	39.6	42.35	4.95	24.1	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	Rockdell	3	L	39.56	-	-	-	-	-	-	-	-	-	-	<0.1	2.61	14.9	2.2	15	<0.1	3.86	<20
CRS-OW428L	8/22/2014	490-60048-1	Rockdell	3	L	39.6	19.52	272	543	1.2	9.7	242.06	39.6	42.35	3.95	11.2	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	Rockdell	4	L	39.56	-	-	-	-	-	-	-	-	-	-	<0.1	2.66	13.6	2.17	10	<0.1	4.85	<20
CRS-OW428L	11/5/2014	490-65575-1	Rockdell	4	L	39.6	15.08	55	544.1	1.9	7.2	241.11	39.6	42.35	4.9	8.5	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	Rockdell	1	U	15.2	9.08	307	341.9	4	6.5	240.5	15.2	19.61	5.63	8.2	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	Rockdell	1	U	15.24	-	-	-	-	-	-	-	-	-	-	<0.1	0.861	4.75	0.139	15	<0.1	<2	<20
CRS-OW428U	4/17/2014	490-51204-1	Rockdell	2	U	15.2	13.5	375	363	2.8	6.8	239.63	15.2	19.61	6.5	16.8	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	Rockdell	2	U	15.24	-	-	-	-	-	-	-	-	-	-	<0.1	1.05	4.59	0.085	5	<0.1	<2	<20
CRS-OW428U	8/21/2014	490-59917-1	Rockdell	3	U	15.2	21.43	439	369	2.7	6.5	239.93	15.2	19.61	6.2	13.5	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	Rockdell	3	U	15.24	-	-	-	-	-	-	-	-	-	-	<0.1	<1	3.33	0.115	20	<0.1	<2	<20
CRS-OW428U	11/6/2014	490-65716-1	Rockdell	4	U	15.2	16	347	421	2.1	6.6	235.68	15.2	19.61	10.45	7.4	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	Rockdell	4	U	15.24	-	-	-	-	-	-	-	-	-	-	<0.1	1.24	5.01	0.103	50	<0.1	<2	38.2
CRS-OW429L	4/24/2014	490-51678-1	Benbolt	2	L	46.2	-	-	-	-	-	-	-	-	-	-	6.46	614	2240	3.84	15	<0.1	7.34	<20
CRS-OW429U	12/18/2013	490-43067-1	Benbolt	1	U	15.16	-	-	-	-	-	-	-	-	-	-	<0.1	2.23	44.1	0.138	-	<0.1	-	<20

Table 2.3-D (Sheet 4 of 25)
Detailed Analytes

																ANIONS				GENERAL CHEMISTRY			
Well ID	Sample Date	Lab Report ID	Formation	Quarter	Depth	Sample_ depth (m)	Temperature, Celsius (degrees C)	Oxidation reduction potential (mV)	Specific Conductance, Field (umhos/cm)	Oxygen, dissolved (mg/L)	pH, Field (pH)	GW Elevation (m above s/l) (m)	Sample Depth (m)	Well Depth (m)	Water Level Depth (m)	Turbidity, Field (NTU)	Bromide (mg/L)	Chloride, total (mg/L)	Sulfate, total (mg/L)	Fluoride, total (mg/L)	Color (Pt-Co units)	Chlorine, Total Residual (mg/L)	Biological Oxygen Demand (mg/L)	COD, Low Level (mg/L)
CRS-OW429U	12/18/2013	490-43067-1	Benbolt	1	U	15.2	8.79	478	938.1	5.3	6.5	234.78	15.2	18.36	9.49	5.4	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	Benbolt	1	U	15.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	Benbolt	1	U	15.2	12.04	166	912.6	3.9	6.1	234.82	15.2	18.36	9.45	1.1	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	Benbolt	1	U	15.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	<2	-
CRS-OW429U	12/20/2013	490-43274-1	Benbolt	1	U	15.2	10.32	380	871.2	3	6.4	234.82	15.2	18.36	9.45	0.9	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	Benbolt	2	U	15.16	-	-	-	-	-	-	-	-	-	-	0.327	2.75	42.9	0.162	<5	<0.1	2.52	<20
CRS-OW429U	4/22/2014	490-51453-1	Benbolt	2	U	15.2	14.6	75	890	0.1	6.5	234	15.2	18.36	10.27	6.6	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	Benbolt	3	U	15.16	-	-	-	-	-	-	-	-	-	-	<0.1	1.66	39.5	0.111	5	<0.1	<2	<20
CRS-OW429U	8/25/2014	490-60164-1	Benbolt	3	U	15.2	20.6	366	897.7	0.5	6.5	233.65	15.2	18.36	10.62	5	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	Benbolt	4	U	15.16	-	-	-	-	-	-	-	-	-	-	<0.1	2.27	42.4	<0.1	<5	<0.1	2.93	<20
CRS-OW429U	11/11/2014	490-66027-1	Benbolt	4	U	15.2	15.93	288	870.9	1.4	6.3	232.94	15.2	18.36	11.33	7.8	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 5 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	GENERAL CHEMISTRY												METALS (total)												
			pH, Lab (pH)	Phenols, total (ug/L)	Alka-linity, Lab (mg/L)	TSS (mg/L)	Oil & Grease (mg/L)	Nitrogen, Ammonia (mg/L)	Nitrite + Nitrate (mg/L)	Phos-phorus, total (mg/L)	Carbon, total organic (mg/L)	Cyanide, total (mg/L)	Sulfide, total (mg/L)	Methy-lene Blue Active Sub	Aluminum (mg/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (mg/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (ug/L)	Iron (ug/L)	Lead (ug/L)	Magnesium (mg/L)
Values from 2016 EPA RSLs MCL Ref.			NA	NA	NA	NA	NA	NA	NA	NA	NA	0.2	NA	NA	NA	6	10	2000	4	NA	5	NA	100	NA	130	NA	15	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	6.48	<50	311	4.9	<4.47	0.146	0.689	<0.1	<1	<0.01	<0.1	0.087	<0.1	<10	<10	352	<4	53.8	<1	62.6	<5	<10	<10	<100	<5	25.5
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	6.76	<50	302	11.2	<4.47	0.138	0.409	<0.1	1.24	<0.01	<0.1	0.153	<0.1	<10	<10	324	<4	53.5	<1	54.6	<5	<10	<10	<100	<5	23.9
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	6.8	<50	349	56.8	<4.31	0.227	0.585	<0.1	1.97	<0.01	<0.1	<0.05	0.653	<10	<10	296	<4	111	<1	57.4	<5	<10	<10	531	<5	24.3
CRS-OW401D	11/5/2014	490-65588-1	7.13	<50	239	2.2	<4.41	0.651	0.599	<0.1	6.78	<0.01	<0.1	0.071	<0.1	<10	<10	267	<4	71	<1	49.5	<5	<10	<10	<100	<5	23.8
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	6.85	<50	181	14.1	<4.63	0.728	0.162	<0.1	<1	<0.01	<0.1	<0.05	0.698	<10	<10	380	<4	<50	<1	59.1	10.5	<10	<10	543	<5	29.4
CRS-OW401L	4/21/2014	490-51372-1	7.83	<50	247	29.6	<4.13	0.155	0.22	1.68	<1	<0.01	<0.1	0.032	0.887	<10	<10	386	<4	<50	<1	68	8.2	<10	<10	708	<5	31.9
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	6.91	<50	209	-	-	0.134	0.183	<0.1	<1	<0.01	<0.1	0	0.137	<10	<10	430	<4	<50	<1	50.6	6.6	<10	<10	124	<5	28
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	7.41	<50	204	23.4	<4.36	<0.1	0.129	<0.1	<1	<0.01	<0.1	<0.05	0.381	<10	<10	424	<4	<50	<1	52.4	5.4	<10	<10	196	<5	29.2
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	7.38	<50	271	5.9	<4.86	<0.1	0.534	<0.1	<1	<0.01	<0.1	<0.05	0.22	<10	<10	309	<4	<50	<1	59.8	<5	<10	<10	181	<5	32.9
CRS-OW401U	4/18/2014	490-51285-1	7.47	<50	264	3.9	<4.74	<0.1	0.214	<0.1	1.04	<0.01	<0.1	<0.05	0.2	<10	<10	312	<4	<50	<1	54.2	<5	<10	<10	158	<5	30.4
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	7.32	<50	247	13.2	<4.22	0.603	0.328	<0.1	1.95	0.115	<0.1	<0.05	<0.1	<10	<10	363	<4	<50	<1	62.7	<5	<10	<10	<100	<5	35.2
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	8.1	<50	253	28.2	<4.52	<0.1	0.217	0.259	1.45	0.021	<0.1	<0.05	0.118	<10	<10	398	<4	<50	<1	66	<5	<10	<10	<100	<5	37.9
CRS-OW415L	1/9/2014	490-44141-1	8.17	<50	649	5.23	<4.52	0.659	<0.1	<0.1	<1	<0.01	<0.1	<0.05	0.227	<10	<10	<10	<4	1910	<1	7.5	<5	<10	<10	164	<5	4.2
CRS-OW415L	4/23/2014	490-51557-1	-	<50	653	9.3	-	0.745	<0.1	<0.1	1.42	<0.01	<0.1	<0.05	<0.5	<50	<50	<50	<20	2070	<5	8.41	<25	<50	<50	<500	<25	<5
CRS-OW415L	8/20/2014	490-59827-1	7.62	<50	596	4.7	<4.22	0.744	<0.1	<0.1	1.1	<0.01	<0.1	<0.05	<0.5	<50	<50	<50	<20	2170	<5	8.48	<25	<50	<50	<500	<25	5.29
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	7.2	<50	235	3.2	<4	<0.1	0.897	<0.1	<1	<0.01	<0.1	<0.05	<0.1	<10	<10	20.8	<4	<50	<1	118	<5	<10	<10	<100	<5	3.57
CRS-OW415U	4/21/2014	490-51380-1	7.14	74	297	2.5	<4.41	0.184	1.08	<0.1	<1	<0.01	<0.1	0.021	<0.1	<10	<10	29.7	<4	<50	<1	114	<5	<10	<10	<100	<5	7.74
CRS-OW415U	8/19/2014	490-59741-1	7.21	<50	220	3.1	<4.31	<0.1	0.852	<0.1	1.51	<0.01	<0.1	<0.05	<0.1	<10	<10	18.5	<4	<50	<1	104	<5	<10	<10	<100	<5	3.46
CRS-OW415U	11/11/2014	490-66017-1	6.92	<50	265	<1.05	<4.47	<0.1	0.746	0.184	1.37	<0.01	<0.1	<0.05	<0.1	<10	<10	40.6	<4	<50	<1	105	<5	<10	<10	<100	<5	14.7
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	7.61	<50	279	2	<4.74	0.142	<0.1	0.425	<1	<0.01	<0.1	<0.05	<0.1	<10	<10	51.9	<4	199	<1	97.1	<5	<10	<10	194	<5	15.5
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	5.87	<50	329	7.5	<4.57	<0.1	0.075	0.577	1.07	<0.01	<0.1	0.027	0.347	<10	<10	56.3	<4	205	0.3	101	<5	<10	<10	448	<5	14.6
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	7.37	<50	280	6.8	<4.57	0.109	<0.1	<0.1	1.45	<0.01	<0.1	<0.05	0.425	<10	<10	52.9	<4	170	<1	103	<5	<10	<10	379	<5	15.1
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	6.22	<50	279	4.5	<4.31	0.624	<0.1	<0.1	1.48	<0.01	<0.1	<0.05	<0.1	<10	<10	48.5	<4	181	<1	120	<5	<10	<10	131	<5	16
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	7.53	<50	255	8.49	<4.74	0.192	0.207	<0.1	1.34	<0.01	<0.1	<0.05	0.396	<10	<10	32.2	<4	<50	<1	101	<5	<10	<10	327	<5	17.4
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	7.17	<50	274	47.2	<4.63	0.125	0.249	<0.1	1.38	<0.01	<0.1	0.025	0.365	<10	<10	32	<4	25.9	<1	105	<5	<10	<10	327	<5	16.3
CRS-OW416U	8/22/2014	490-60044-1	7.37	<50	251	8.9	<4.68	0.746	0.206	0.144	4.97	<0.01	<0.1	<0.05	0.54	<10	<10	34.7	<4	<50	<1	105	<5	<10	<10	566	<5	16.7
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	7.14	<50	268	12.4	<4.41	2.18	<0.1	<0.1	1.55	<0.01	<0.1	<0.05	<0.1	<10	<10	36.7	<4	62	<1	131	<5	<10	<10	<100	<5	18.1
CRS-OW416U	11/5/2014	490-65592-1	7.15	<50	272	12.8	<4.41	0.778	<0.1	<0.1	1.61	<0.01	<0.1	<0.05	<0.1	<10	<10	36.3	<4	69.7	<1	130	<5	<10	<10	<100	<5	18.2
CRS-OW418L	12/19/2013	490-43197-1	7.75	<50	238	-	<4.52	0.125	1.18	0.239	<1	<0.01	<0.1	<0.05	<0.1	<10	<10	353	<4	<50	<1	57	<5	<10	<10	<100	<5	36.4

Table 2.3-D (Sheet 6 of 25)
Detailed Analytes

			GENERAL CHEMISTRY												METALS (total)												
Well ID	Sample Date	Lab Report ID	pH, Lab (pH)	Phenols, total (ug/L)	Alka-linity, Lab (mg/L)	TSS (mg/L)	Oil & Grease (mg/L)	Nitrogen, Ammonia (mg/L)	Nitrite + Nitrate (mg/L)	Phos-phorus, total (mg/L)	Carbon, total organic (mg/L)	Cyanide, total (mg/L)	Sulfide, total (mg/L)	Methy-lene Blue Active Sub	Aluminum (mg/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (mg/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (ug/L)	Iron (ug/L)	Lead (ug/L)	Magnesium (mg/L)
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	<1.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	4/16/2014	490-51124-1	7.52	<50	276	15.3	<4.47	<0.1	1.32	<0.1	1.28	<0.01	<0.1	0.028	<0.1	<10	<10	343	<4	<50	<1	55.9	<5	<10	<10	33.5	<5	35.3
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	7.4	<50	254	19	10.7	<0.1	1.14	<0.1	1.76	0.01	<0.1	<0.05	0.14	<10	<10	334	<4	<50	<1	54.7	<5	<10	<10	<100	<5	35.4
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	7.24	<50	238	9	<4.57	0.547	1.26	<0.1	<1	<0.01	<0.1	<0.05	0.269	<10	<10	324	<4	<50	<1	49.3	<5	<10	<10	132	<5	32.2
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	7.61	<50	241	<1	<4.47	0.169	0.659	<0.1	<1	<0.01	<0.1	<0.05	0.12	<10	<10	128	<4	193	<1	50.5	<5	<10	<10	<100	<5	17.9
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	7.64	<50	273	0.8	<4.74	0.076	0.722	<0.1	0.566	<0.01	<0.1	0.023	<0.1	<10	<10	134	<4	189	<1	53.9	<5	<10	<10	<100	<5	17.9
CRS-OW418U	8/19/2014	490-59748-1	6.37	<50	237	1.21	<4.57	<0.1	0.545	0.143	<1	0.012	<0.1	<0.05	<0.1	<10	<10	139	<4	202	<1	52.5	<5	<10	<10	<100	<5	18.6
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	6.68	<50	252	1.1	<4.52	<0.111	0.426	0.106	1.29	<0.01	<0.1	<0.05	<0.1	<10	<10	171	<4	213	<1	53.2	<5	<10	<10	<100	<5	20.2
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	7.18	<50	220	2.6	<4.17	0.221	0.344	0.169	<1	<0.01	<0.1	<0.05	0.166	<10	<10	130	<4	<50	<1	57.8	<5	<10	<10	128	<5	30.1
CRS-OW419L	4/24/2014	490-51664-1	7.67	<50	233	5.9	<4.47	0.154	0.284	<0.1	<1	<0.01	<0.1	0.027	0.43	<10	<10	193	<4	<50	<1	48	<5	<10	<10	285	<5	29.4
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	7.56	<50	211	2.8	<4.47	<0.1	0.318	<0.1	1.04	<0.01	<0.1	<0.05	<0.1	<10	<10	175	<4	<50	<1	53.5	<5	<10	<10	<100	<5	30.8
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	7.35	<50	203	24.4	<4.47	<0.1	0.34	<0.1	<1	<0.01	<0.1	<0.05	0.741	<10	<10	190	<4	<50	<1	43.8	<5	<10	<10	375	<5	27.3
CRS-OW419U	12/20/2013	490-43281-1	7.12	<50	239	1.7	<4.52	0.105	0.231	0.182	1.2	<0.01	<0.1	<0.05	<0.1	<10	<10	25.6	<4	<50	<1	73.1	<5	<10	<10	<100	<5	27
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	7.22	<50	290	2.2	<4.52	0.108	0.161	<0.1	1.18	<0.01	<0.1	<0.05	<0.1	<10	<10	27.4	<4	<50	<1	70.7	<5	<10	<10	<100	<5	29.4
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	6.96	<50	245	4.3	<4.52	0.18	0.229	<0.1	2.07	<0.01	<0.1	<0.05	0.136	<10	<10	26.1	<4	<50	<1	70.5	<5	<10	<10	<100	<5	29.7
CRS-OW419U	11/4/2014	490-65428-1	5.95	<50	268	5.1	<4.47	<0.1	0.129	<0.1	1.56	<0.01	<0.1	<0.05	0.36	<10	<10	35.1	<4	<50	<1	82.7	<5	<10	<10	234	120	34.9
CRS-OW420L	12/10/2013	490-42325-1	7.49	<50	242	2.5	<4.31	<0.1	0.617	0.896	<1	<0.01	<0.1	<0.05	0.114	<10	<10	582	<4	<50	<1	65.7	<5	<10	<10	<100	<5	28.4
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	7.55	<50	240	1.4	<4.68	<0.1	0.558	<0.1	1.22	<0.01	<0.1	0.028	<0.1	<10	<10	421	<4	<50	<1	60.9	<5	<10	<10	<100	<5	28.9
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	7.64	<50	199	1.2	<4.63	<0.1	0.502	<0.1	1.42	<0.01	<0.1	<0.05	<0.1	<10	<10	446	<4	<50	<1	58.7	<5	<10	<10	<100	<5	26
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	7.39	<50	215	3.9	<4.52	0.209	0.492	<0.1	1.66	<0.01	<0.1	<0.05	<0.1	<10	<10	544	<4	<50	<1	65.5	<5	<10	<10	<100	<5	27.1
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	7.42	<50	229	561	<4.47	0.246	<0.1	0.168	<1	<0.01	<0.1	<0.05	3.45	<10	<10	70	<4	<50	<1	95.6	<5	<10	<10	4660	5.5	37.2
CRS-OW420U	4/16/2014	490-51107-1	-	-	248	-	-	<0.1	0.094	<0.1	1.08	-	-	-	10.4	<10	7	138	1.4	<50	1.2	143	11.6	7.4	21.7	11900	10.6	65.1
CRS-OW420U	8/26/2014	490-60217-1	-	-	242	1570	-	-	-	-	-	-	-	<0.05	1.55	<10	<10	62.7	<4	<50	<1	109	<5	<10	14.8	2210	<5	47.5
CRS-OW421D	1/9/2014	490-44157-1	7.58	<50	188	16	<4.47	12	<0.1	0.126	2.81	<0.01	<0.1	<0.05	0.112	<10	<10	120	<4	258	<1	19.5	<5	<10	<10	<100	<5	15
CRS-OW421D	4/21/2014	490-51368-1	7.82	<50	200	9.57	<4.22	0.324	<0.1	1.6	1.7	<0.01	<0.1	<0.05	<0.1	<10	<10	124	<4	231	<1	17.8	<5	<10	<10	<100	<5	13.5
CRS-OW421D	8/21/2014	490-59912-1	7.43	<50	181	31.4	<4.63	0.22	<0.1	<0.1	1.66	<0.01	<0.1	<0.05	0.416	<10	<10	166	<4	237	<1	25.5	<5	<10	<10	287	<5	16.8
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	7.4	<50	186	48.7	<4.47	0.324	<0.1	<0.1	3.04	<0.01	<0.1	<0.05	0.168	<10	<10	152	<4	273	<1	19.5	<5	<10	<10	<100	<5	16.2
CRS-OW421L	1/13/2014	490-44348-1	7.57	<50	199	4.3	<4.57	0.116	1.62	0.13	<1	<0.01	<0.1	0.078	<0.1	<10	<10	113	<4	172	<1	32.2	<5	<10	<10	<100	<5	25.8
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	7.89	<50	183	3.8	<4.36	0.138	1.97	<0.1	5.99	<0.01	<0.1	<0.05	<0.1	<10	<10	91.6	<4	185	<1	32.3	<5	<10	<10	<100	<5	24.9

Table 2.3-D (Sheet 7 of 25)
Detailed Analytes

			GENERAL CHEMISTRY												METALS (total)												
Well ID	Sample Date	Lab Report ID	pH, Lab (pH)	Phenols, total (ug/L)	Alka-linity, Lab (mg/L)	TSS (mg/L)	Oil & Grease (mg/L)	Nitrogen, Ammonia (mg/L)	Nitrite + Nitrate (mg/L)	Phos-phorus, total (mg/L)	Carbon, total organic (mg/L)	Cyanide, total (mg/L)	Sulfide, total (mg/L)	Methy-lene Blue Active Sub	Aluminum (mg/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (mg/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (ug/L)	Iron (ug/L)	Lead (ug/L)	Magnesium (mg/L)
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	7.51	<50	183	13.5	<4.47	0.722	1.78	<0.1	<1	<0.01	<0.1	<0.05	<0.1	<10	<10	74.5	<4	191	<1	32.1	<5	<10	<10	<100	<5	24.6
CRS-OW421L	11/12/2014	490-66149-1	7.57	<50	183	9.15	<4.31	0.113	1.91	<0.1	1.74	0.013	<0.1	<0.05	<0.1	<10	<10	77.4	<4	179	<1	30.6	<5	<10	<10	<100	<5	23.1
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	7.71	<50	269	2.5	<4	0.173	2.62	<0.1	<1	<0.01	<0.1	<0.05	0.379	<10	<10	20.4	<4	<50	<1	76.5	<5	<10	<10	375	<5	28.4
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	7.33	<50	305	38.8	<4.52	<0.1	2.22	<0.1	<1	<0.01	<0.1	0.027	1.51	<10	<10	27.8	<4	<50	<1	78.1	<5	<10	<10	1620	<5	28.4
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	7.19	<50	266	26.3	<4.57	0.114	2.09	<0.1	1.79	<0.01	<0.1	<0.05	1.38	<10	<10	27.8	<4	<50	<1	85.2	<5	<10	<10	1430	<5	30.3
CRS-OW421U	11/7/2014	490-65803-1	7.27	<50	258	5.4	<4.22	<0.1	1.91	<0.1	1.25	<0.01	<0.1	<0.05	<0.1	<10	<10	14.5	<4	<50	<1	74.5	<5	<10	<10	128	<5	25.2
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	9.6	<50	462	7.1	<4.68	0.474	<0.1	0.146	1.36	<0.01	<0.1	0.205	0.242	<10	<10	<10	<4	1100	<1	1.2	<5	<10	<10	207	<5	<1
CRS-OW428D	12/17/2013	490-42947-1	6.87	<50	334	7.8	<4	0.277	<0.1	0.152	1.69	<0.01	<0.1	<0.05	0.48	<10	<10	104	<4	471	<1	22.9	<5	<10	<10	573	<5	12
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	7.43	<50	368	8.7	<4.41	0.456	<0.1	<0.1	1.27	<0.01	<0.1	0.024	0.125	<10	<10	207	<4	520	<1	26.4	<5	<10	<10	221	<5	20.1
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	6.97	<50	324	6	<4.74	0.282	<0.1	0.438	2.62	<0.01	<0.1	<0.05	0.377	<10	<10	137	<4	553	<1	26.1	<5	<10	<10	417	<5	14.8
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	6.05	<50	336	2.5	<4.63	0.386	<0.1	<0.1	1.8	<0.01	<0.1	<0.05	<0.1	<10	<10	228	<4	567	<1	36.9	<5	<10	<10	152	<5	21.5
CRS-OW428L	12/16/2013	490-42801-1	8.36	<50	242	5.51	<4.52	0.266	<0.1	<0.1	2.86	<0.01	<0.1	<0.05	0.388	<10	<10	12.7	<4	200	<1	4.96	<5	<10	<10	237	<5	1.72
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	9.57	<50	278	8.4	<4.36	0.254	<0.1	0.109	1.32	<0.01	<0.1	<0.05	0.646	<10	<10	<10	<4	186	<1	3.72	<5	<10	<10	364	<5	<1
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	9.94	<50	243	4.4	<4.27	0.435	<0.1	0.332	3.14	<0.01	<0.1	<0.05	0.687	<10	<10	<10	<4	235	<1	3.03	<5	<10	<10	360	<5	<1
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	8.02	<50	247	3.6	<4.57	4.88	<0.1	0.166	2.74	<0.01	<0.1	<0.05	0.5	<10	<10	<10	<4	252	<1	2.82	<5	<10	<10	243	<5	<1
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	7.13	<50	190	1.63	<4.8	<0.1	0.035	<0.1	1.97	0.004	<0.1	0.016	0.148	<10	<10	15.1	<4	<50	<1	71.8	<5	<10	<10	109	<5	4.35
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	7.36	<50	199	1.7	<4.52	<0.1	0.266	<0.1	1.17	<0.01	<0.1	<0.05	0.208	<10	<10	13.3	<4	<50	<1	77	<5	<10	<10	151	<5	4.65
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	6.75	<50	158	2.7	<4.36	0.259	1.47	<0.1	5.37	<0.01	<0.1	0.062	0.239	<10	<10	12	<4	<50	<1	69.5	<5	<10	<10	185	<5	3.9
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	7.16	<50	182	2.3	<4.27	0.511	0.916	<0.1	2.99	<0.01	<0.1	<0.05	0.362	<10	<10	14.7	<4	<50	<1	89	<5	<10	<10	264	<5	5.89
CRS-OW429L	4/24/2014	490-51678-1	8.28	<50	415	281	<4.52	0.822	2.36	<0.1	2.18	0.019	<0.1	0.047	<1	<100	<100	<100	<40	1380	<10	22.6	<50	<100	<100	<1000	<50	13.3
CRS-OW429U	12/18/2013	490-43067-1	-	-	428	-	-	0.108	<0.1	<0.1	1.59	-	-	-	0.416	<10	<10	37.9	<4	<50	<1	183	<5	<10	<10	<100	<5	10.5
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	<50	-	-	-	-	-	-	-	0.019	<0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	6.96	-	-	1.4	<4.8	-	-	-	-	-	-	<0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	6.88	<50	477	1.4	<4.57	0.149	<0.1	<0.1	1.76	<0.01	<0.1	0.029	<0.1	<10	<10	36.2	<4	52.7	<1	187	<5	<10	<10	106	<5	12.9
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	6.86	<50	420	1.4	<3.92	0.146	<0.1	<0.1	1.58	<0.01	<0.1	0.064	<0.1	<10	<10	28.9	<4	58.7	<1	181	<5	<10	<10	<100	<5	9.63
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	6.57	<50	410	2.84	<4.63	<0.1	<0.1	<0.1	1.55	<0.01	<0.1	<0.05	<0.1	<10	<10	29.2	<4	<50	<1	186	<5	<10	<10	<100	<5	9.71
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 8 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	METALS (total)											GROSS ALPHA AND GROSS BETA RADIOACTIVITY							SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)					
			Mang-anese (ug/L)	Moly-bdenum (ug/L)	Nickel (ug/L)	Pota-ssium (mg/L)	Sel-enium (ug/L)	Silver (ug/L)	Sodium (mg/L)	Tha-llium (ug/L)	Tin (ug/L)	Tita-nium (ug/L)	Zinc (ug/L)	Alpha, total (pCi/L)	Beta, total (pCi/L)	Tritium (pCi/L)	Radium 226, total (pCi/L)	Radium 228, total (pCi/L)	Sr-90, total (pCi/L)	Tec-99 (pCi/L)	1,2,4-Trichloro-benzene	1,2,5,6-Dibenzan-thracene	1,2-Dichloro-benzene	1,2-Diphenyl-hydrazine	1,3-Dichloro-benzene	1,4-Dichloro-benzene
Values from 2016 EPA RSLs MCL Ref.			NA	NA	100	NA	50	100	NA	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	70	NA	NA	NA	NA	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	125	<50	<10	13.2	<10	<5	29	<10	<50	<50	<50	7.02	13.9	<500	1.02	0.496	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	87.6	<50	<10	33.3	<10	<5	24.9	<10	<50	<50	<50	9.74	28.7	<500	0.876	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	118	<50	<10	29.8	<10	<5	73.4	<10	<50	<50	<50	10.8	27.2	<500	1.31	0.541	<3	8.16	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09
CRS-OW401D	11/5/2014	490-65588-1	40.1	<50	<10	10.8	<10	<5	39.2	<10	<50	<50	<50	8.62	9.66	<500	0.738	0.478	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	18.9	<50	<10	2.15	<10	<5	1.33	<10	<50	<50	<50	3.39	1.45	<500	0.416	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW401L	4/21/2014	490-51372-1	17.7	<50	<10	2.95	<10	<5	5.05	<10	<50	<50	72.9	<3	2.86	<500	0.44	0.413	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<15	<50	<10	1.97	<10	<5	1.2	<10	<50	<50	<50	<3	1.68	<500	0.385	0.509	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<15	<50	<10	2.07	<10	<5	1.04	<10	<50	<50	<50	2.93	2.42	<500	0.402	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<15	<50	<10	1.58	<10	<5	<1	<10	<50	<50	<50	<3	<4	<500	0.293	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW401U	4/18/2014	490-51285-1	<15	<50	<10	1.67	<10	<5	<1	<10	<50	<50	<50	8.09	<4	<500	0.436	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<15	<50	<10	1.71	<10	<5	<1	<10	<50	<50	<50	3.01	3.2	<500	0.287	<1	0.35	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<15	<50	<10	1.8	<10	<5	<1	<10	<50	<50	<50	5.56	1.71	<500	0.399	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW415L	1/9/2014	490-44141-1	<15	<50	<10	8.84	<10	<5	1080	<10	<50	<50	<50	<3	<4	<500	0.163	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW415L	4/23/2014	490-51557-1	<75	<250	<50	5.73	<50	<25	1070	<50	<250	<250	<250	<3	<4	<500	0.429	<1	0.359	<3	<10	<2	<10	<10	<10	<10
CRS-OW415L	8/20/2014	490-59827-1	<75	<250	<50	6.28	<50	<25	1150	<50	<250	<250	<250	<3	30.2	<500	<1	<1	<3	<3	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<15	<50	<10	1.75	<10	<5	5.38	<10	<50	<50	<50	5.2	<4	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW415U	4/21/2014	490-51380-1	<15	<50	<10	6.32	<10	<5	4.73	<10	<50	<50	<50	<3	<4	<500	0.132	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW415U	8/19/2014	490-59741-1	<15	<50	<10	1.11	<10	<5	3.74	<10	<50	<50	<50	<3	1.16	<500	<1	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW415U	11/11/2014	490-66017-1	<15	<50	<10	3.09	<10	<5	5.02	<10	<50	<50	<50	<3	1.13	<500	<1	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	38.1	<50	<10	<1	<10	<5	45.4	<10	<50	<50	<50	<3	<4	<500	0.17	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	30.7	<50	<10	0.873	<10	<5	50.2	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	23.9	<50	<10	<1	<10	<5	38.6	<10	<50	<50	<50	<3	8.62	<500	<1	<1	0.428	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	19.2	<50	<10	<1	<10	<5	34.3	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	20.8	<50	<10	1.81	<10	<5	4.27	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	7.5	<50	<10	1.54	<10	<5	4.1	<10	<50	<50	<50	<3	2.12	<500	<1	<1	<3	<3	<10.4	<2.08	<10.4	<10.4	<10.4	<10.4
CRS-OW416U	8/22/2014	490-60044-1	21.2	<50	<10	1.7	<10	<5	3.28	<10	<50	<50	<50	<3	2	<500	<1	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	41.9	<50	<10	1.6	<10	<5	4.1	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW416U	11/5/2014	490-65592-1	40.4	<50	<10	1.57	<10	<5	4.04	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW418L	12/19/2013	490-43197-1	<15	<50	<10	1.86	<10	<5	3.18	<10	<50	<50	<50	<3	<4	<500	0.163	<1	<3	<3	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 9 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	METALS (total)											GROSS ALPHA AND GROSS BETA RADIOACTIVITY							SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)					
			Mang-anese (ug/L)	Moly-bdenum (ug/L)	Nickel (ug/L)	Pota-ssium (mg/L)	Sel-enium (ug/L)	Silver (ug/L)	Sodium (mg/L)	Tha-llium (ug/L)	Tin (ug/L)	Tita-nium (ug/L)	Zinc (ug/L)	Alpha, total (pCi/L)	Beta, total (pCi/L)	Tritium (pCi/L)	Radium 226, total (pCi/L)	Radium 228, total (pCi/L)	Sr-90, total (pCi/L)	Tec-99 (pCi/L)	1,2,4-Trichloro-benzene	1,2,5,6-Dibenzan-thracene	1,2-Dichloro-benzene	1,2-Diphenyl-hydrazine	1,3-Dichloro-benzene	1,4-Dichloro-benzene
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	4/16/2014	490-51124-1	<15	<50	<10	1.75	<10	<5	2.92	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<15	<50	<10	1.71	<10	<5	3.16	<10	<50	<50	<50	3.76	3.95	<500	<1	<1	0.383	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<15	<50	<10	1.88	<10	<5	2.99	<10	<50	<50	<50	4.17	<4	<500	0.273	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<15	<50	<10	2.51	<10	<5	39.1	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<15	0.9	18.8	2.24	<10	<5	39.8	<10	<50	<50	<50	<3	<4	<500	0.168	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW418U	8/19/2014	490-59748-1	<15	<50	<10	2.17	<10	<5	36.4	<10	<50	<50	<50	<3	4.18	<500	0.122	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<15	<50	<10	2.36	<10	<5	32.5	<10	<50	<50	<50	<3	<4	284	0.208	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<15	<50	<10	2.56	<10	<5	5.08	<10	<50	<50	<50	<3	1.61	<500	0.16	<1	<3	<3	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77
CRS-OW419L	4/24/2014	490-51664-1	<15	<50	<10	2.46	<10	<5	2.39	<10	<50	<50	<50	5.78	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<15	<50	<10	2.32	<10	<5	2.65	<10	<50	<50	<50	<3	2.69	<500	0.21	0.372	<3	<3	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	20	<50	<10	2.46	<10	<5	2.15	<10	<50	<50	<50	4.56	2.08	<500	0.525	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW419U	12/20/2013	490-43281-1	<15	<50	<10	1.35	<10	<5	<1	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.33	<1.67	<8.33	<8.33	<8.33	<8.33
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<15	<50	<10	1.28	<10	<5	1.07	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<15	<50	<10	1.24	<10	<5	<1	<10	<50	<50	<50	<3	<4	<500	<1	<1	0.317	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW419U	11/4/2014	490-65428-1	<15	<50	<10	1.71	<10	<5	1.37	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW420L	12/10/2013	490-42325-1	<15	<50	<10	1.68	<10	<5	1.09	<10	<50	<50	<50	<3	1.73	<500	0.473	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<15	<50	<10	2.3	<10	<5	1.42	<10	<50	<50	<50	<3	1.82	<500	0.31	<1	<3	<3	<10	<2	<10	<10	<10	<10
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<15	<50	<10	2.23	<10	<5	1.44	<10	<50	<50	<50	<3	1.78	<500	0.256	0.295	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<15	<50	<10	1.23	<10	<5	<1	<10	<50	<50	<50	<3	<4	<500	0.248	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	319	<50	<10	1.81	<10	<5	<1	<10	<50	<50	<50	13	4.71	<500	0.551	0.915	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW420U	4/16/2014	490-51107-1	902	<50	4.9	2.19	<10	<5	0.812	<10	<50	36.9	33.8	-	-	-	-	<1	<3	-	<10	<2	<10	<10	<10	<10
CRS-OW420U	8/26/2014	490-60217-1	256	<50	<10	1.33	<10	<5	1.12	<10	<50	<50	<50	-	-	<500	1.2	1.06	<3	<3	-	-	-	-	-	-
CRS-OW421D	1/9/2014	490-44157-1	<15	<50	<10	27.4	<10	<5	35	<10	<50	<50	<50	4.56	23.5	<500	0.326	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW421D	4/21/2014	490-51368-1	18.6	<50	<10	23.7	<10	<5	31	<10	<50	<50	<50	6.71	20.2	<500	0.365	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW421D	8/21/2014	490-59912-1	31.4	<50	<10	25	<10	<5	37.5	<10	<50	<50	<50	4.12	26.4	<500	0.362	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	28.7	<50	<10	26.3	<10	<5	33.7	<10	<50	<50	<50	4.38	21.8	<500	<1	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW421L	1/13/2014	490-44348-1	<15	<50	<10	13.2	<10	<5	11.8	<10	<50	<50	<50	5.39	10.2	<500	0.11	<1	<3	2.89	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<15	<50	<10	13.6	<10	<5	18.3	<10	<50	<50	<50	3.59	10.4	<500	0.248	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<15	<50	<10	14.2	<10	<5	15.8	<10	<50	<50	<50	3.37	23	<500	0.223	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW421L	11/12/2014	490-66149-1	<15	<50	<10	14	<10	<5	14.3	<10	<50	<50	<50	<3	12.3	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 10 of 25)
Detailed Analytes

			METALS (total)											GROSS ALPHA AND GROSS BETA RADIOACTIVITY							SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)					
Well ID	Sample Date	Lab Report ID	Mang-anese (ug/L)	Moly-bdenum (ug/L)	Nickel (ug/L)	Pota-ssium (mg/L)	Sel-enium (ug/L)	Silver (ug/L)	Sodium (mg/L)	Tha-llium (ug/L)	Tin (ug/L)	Tita-nium (ug/L)	Zinc (ug/L)	Alpha, total (pCi/L)	Beta, total (pCi/L)	Tritium (pCi/L)	Radium 226, total (pCi/L)	Radium 228, total (pCi/L)	Sr-90, total (pCi/L)	Tec-99 (pCi/L)	1,2,4-Trichloro-benzene	1,2,5,6-Dibenzan-thracene	1,2-Dichloro-benzene	1,2-Diphenyl-hydrazine	1,3-Dichloro-benzene	1,4-Dichloro-benzene
CRS-OW421U	12/17/2013	490-42941-1	<15	<50	<10	<1	<10	<5	1.09	<10	<50	<50	<50	<3	1.48	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	<15	<50	<10	<1	<10	<5	<1	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<15	<50	<10	1.06	<10	<5	1.43	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW421U	11/7/2014	490-65803-1	<15	<50	<10	<1	<10	<5	1.29	<10	<50	<50	<50	<3	<4	<500	0.174	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	<3	8.19	-	-	-	<3	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<15	<50	<10	5.22	<10	<5	250	<10	<50	<50	<50	<3	3.35	405	0.108	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW428D	12/17/2013	490-42947-1	27.1	<50	<10	4.81	<10	<5	149	<10	<50	<50	<50	<3	4.7	847	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	24.4	<50	<10	5.01	<10	<5	120	<10	<50	<50	<50	<3	3.87	<500	<1	<1	<3	<3	<10	<2	<10	<10	<10	<10
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	31.2	<50	<10	6.43	<10	<5	162	<10	<50	<50	<50	<3	8.34	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	39.2	<50	<10	5.16	<10	<5	125	<10	<50	<50	<50	<3	4.14	329	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	12/16/2013	490-42801-1	<15	<50	<10	6.06	<10	<5	109	<10	<50	<50	<50	<3	4.24	<500	<1	<1	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<15	<50	<10	4.73	<10	<5	112	<10	<50	<50	<50	<3	3.55	<500	0.13	<1	<3	<3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<15	<50	<10	4.63	<10	<5	122	<10	<50	<50	<50	<3	3.4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<15	<50	<10	4.3	<10	<5	141	<10	<50	<50	<50	<3	3.15	<500	<1	0.427	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<15	<50	<10	<1	<10	<5	1.09	<10	<50	<50	<50	<3	<4	<500	<1	0.469	<3	<3	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<15	<50	<10	<1	<10	<5	1.15	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<15	<50	<10	<1	<10	<5	<1	<10	<50	<50	<50	<3	8.89	<500	<1	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<15	<50	<10	<1	<10	<5	1.77	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW429L	4/24/2014	490-51678-1	<150	<500	<100	16.5	<100	<50	1650	<100	<500	<500	<500	<3	<4	<500	0.271	<1	<3	<3	<10	<2	<10	<10	<10	<10
CRS-OW429U	12/18/2013	490-43067-1	535	<50	<10	1.16	<10	<5	5.06	<10	<50	<50	<50	<3	<4	<500	-	-	-	<3	-	-	-	-	-	-
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.119	<1	<3	-	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	790	<50	<10	1.47	<10	<5	7.13	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<10	<2	<10	<10	<10	<10
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	702	<50	<10	1	<10	<5	6.45	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	2.02	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	728	<50	<10	1.05	<10	<5	5.63	<10	<50	<50	<50	<3	<4	<500	<1	<1	<3	<3	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 11 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																					
			2,4,6-Tri-chloro-phenol	2,4-Di-chloro-phenol	2,4-Di-methylp henol	2,4-Di-nitro-phenol	2,4-Di-nitro-toluene	2,6-Dinitro-toluene	2-Chloro-naph-thalene	2-Chloro phenol	2-Nitro-phenol	3,3'-Dichloro-benzidine	4-Bromo-phenyl Phenyl Ether	4-Chloro-phenyl Phenyl Ether	4-Nitro-phenol	Acenph-thene	Acenaph-thylene	Anth-racene	Ben-zidine	Benzo(a) anthracene	Benzo(B) fluor anthene	Benzo (ghi) perylene	Benzo(K) fluor anthene	Benzo-a-pyrene	Bis (2-Chloro-ethoxy) Methylene
Values from 2016 EPA RSLs MCL Ref.			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.2	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	<9.09	<9.09	<9.09	<22.7	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<1.82	<45.5	<1.82	<1.82	<1.82	<1.82	<1.82	<9.09
CRS-OW401D	11/5/2014	490-65588-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW401L	4/21/2014	490-51372-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW401U	4/18/2014	490-51285-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW415L	1/9/2014	490-44141-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW415L	4/23/2014	490-51557-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW415L	8/20/2014	490-59827-1	<9.8	<9.8	<9.8	<24.5	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<24.5	<1.96	<1.96	<1.96	<49	<1.96	<1.96	<1.96	<1.96	<1.96	<9.8
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW415U	4/21/2014	490-51380-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW415U	8/19/2014	490-59741-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW415U	11/11/2014	490-66017-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	<9.09	<9.09	<9.09	<22.7	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<1.82	<45.5	<1.82	<1.82	<1.82	<1.82	<1.82	<9.09
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	<10.4	<10.4	<10.4	<26	<10.4	<10.4	<10.4	<10.4	<10.4	<10.4	<10.4	<10.4	<26	<2.08	<2.08	<2.08	<52.1	<2.08	<2.08	<2.08	<2.08	<2.08	<10.4
CRS-OW416U	8/22/2014	490-60044-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW416U	11/5/2014	490-65592-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW418L	12/19/2013	490-43197-1	<8.62	<8.62	<8.62	<21.6	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<21.6	<1.72	<1.72	<1.72	<43.1	<1.72	<1.72	<1.72	<1.72	<1.72	<8.62

Table 2.3-D (Sheet 12 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																					
			2,4,6-Tri-chloro-phenol	2,4-Di-chloro-phenol	2,4-Di-methylp henol	2,4-Di-nitro-phenol	2,4-Di-nitro-toluene	2,6-Dinitro-toluene	2-Chloro-naph-thalene	2-Chloro phenol	2-Nitro-phenol	3,3'-Dichloro-benzidine	4-Bromo-phenyl Phenyl Ether	4-Chloro-phenyl Phenyl Ether	4-Nitro-phenol	Acenph-thene	Acenaph-thylene	Anth-racene	Ben-zidine	Benzo(a) anthracene	Benzo(B) fluor anthene	Benzo (ghi) perylene	Benzo(K) fluor anthene	Benzo-a-pyrene	Bis (2-Chloro-ethoxy) Methylene
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	4/16/2014	490-51124-1	<8.77	<8.77	<8.77	<21.9	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<1.75	<43.9	<1.75	<1.75	<1.75	<1.75	<1.75	<8.77
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW418U	8/19/2014	490-59748-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<8.77	<8.77	<8.77	<21.9	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<1.75	<43.9	<1.75	<1.75	<1.75	<1.75	<1.75	<8.77
CRS-OW419L	4/24/2014	490-51664-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<9.09	<9.09	<9.09	<22.7	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<1.82	<45.5	<1.82	<1.82	<1.82	<1.82	<1.82	<9.09
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW419U	12/20/2013	490-43281-1	<8.33	<8.33	<8.33	<20.8	<8.33	<8.33	<8.33	<8.33	<8.33	<8.33	<8.33	<8.33	<20.8	<1.67	<1.67	<1.67	<41.7	<1.67	<1.67	<1.67	<1.67	<1.67	<8.33
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<8.77	<8.77	<8.77	<21.9	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<1.75	<43.9	<1.75	<1.75	<1.75	<1.75	<1.75	<8.77
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW419U	11/4/2014	490-65428-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW420L	12/10/2013	490-42325-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW420U	4/16/2014	490-51107-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW420U	8/26/2014	490-60217-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	1/9/2014	490-44157-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW421D	4/21/2014	490-51368-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW421D	8/21/2014	490-59912-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW421L	1/13/2014	490-44348-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26

Table 2.3-D (Sheet 13 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																					
			2,4,6-Tri-chloro-phenol	2,4-Di-chloro-phenol	2,4-Di-methylp henol	2,4-Di-nitro-phenol	2,4-Di-nitro-toluene	2,6-Dinitro-toluene	2-Chloro-naph-thalene	2-Chloro phenol	2-Nitro-phenol	3,3'-Dichloro-benzidine	4-Bromo-phenyl Phenyl Ether	4-Chloro-phenyl Phenyl Ether	4-Nitro-phenol	Acenph-thene	Acenaph-thylene	Anth-racene	Ben-zidine	Benzo(a) anthracene	Benzo(B) fluor anthene	Benzo (ghi) perylene	Benzo(K) fluor anthene	Benzo-a-pyrene	Bis (2-Chloro-ethoxy) Methylene
CRS-OW421L	11/12/2014	490-66149-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW421U	11/7/2014	490-65803-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW428D	12/17/2013	490-42947-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW428L	12/16/2013	490-42801-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<9.43	<9.43	<9.43	<23.6	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<1.89	<47.2	<1.89	<1.89	<1.89	<1.89	<1.89	<9.43
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<8.93	<8.93	<8.93	<22.3	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<1.79	<44.6	<1.79	<1.79	<1.79	<1.79	<1.79	<8.93
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<9.62	<9.62	<9.62	<24	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<1.92	<48.1	<1.92	<1.92	<1.92	<1.92	<1.92	<9.62
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW429L	4/24/2014	490-51678-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	<8.62	<8.62	<8.62	<21.6	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62	<21.6	<1.72	<1.72	<1.72	<43.1	<1.72	<1.72	<1.72	<1.72	<1.72	<8.62
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	<10	<10	<10	<25	<10	<10	<10	<10	<10	<10	<10	<10	<25	<2	<2	<2	<50	<2	<2	<2	<2	<2	<10
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	<9.26	<9.26	<9.26	<23.1	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<1.85	<46.3	<1.85	<1.85	<1.85	<1.85	<1.85	<9.26
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	<9.8	<9.8	<9.8	<24.5	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8	<24.5	<1.96	<1.96	<1.96	<49	<1.96	<1.96	<1.96	<1.96	<1.96	<9.8
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 14 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																						
			Bis (2-Chloro iso propyl) Ethylene	Bis(2-Ethyl hexyl) Phthalate	Bis (chloro methyl) ether	Chry sene	Di ethyl Phthalate	Di methyl Phthalate	Di-n-Butyl Phthalate	Di-n-Octyl Phthalate	DNOC (4,6-Dinitro-Ortho-Cresol)	Fluor anthene	Fluorene	Hexa chloro benzene	Hexa chloro butadiene	Hexa chloro cyclo penta diene	Hexa chloro ethane	Indeno (1,2,3-cd) Pyrene	Iso phorone	Naphthal ene	N-Butyl Benzyl Phthalate	Nitro benzene	Nitro sodi methyl amine, n-	N-nitro sodi-n-propy lamine	N-nitro sodi pheny lamine	Para-chlorom eta Cresol
Values from 2016 EPA RSLs MCL Ref.			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1	NA	50	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	<9.09	<9.09	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<9.09	<9.09	<9.09	<9.09	<1.82	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09
CRS-OW401D	11/5/2014	490-65588-1	<9.62	14	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	<8.93	20.7	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW401L	4/21/2014	490-51372-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	7	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<8.93	99	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW401U	4/18/2014	490-51285-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW415L	1/9/2014	490-44141-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW415L	4/23/2014	490-51557-1	<10	<10	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW415L	8/20/2014	490-59827-1	<9.8	<9.8	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8	<24.5	<1.96	<1.96	<9.8	<9.8	<9.8	<9.8	<1.96	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW415U	4/21/2014	490-51380-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW415U	8/19/2014	490-59741-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW415U	11/11/2014	490-66017-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	<9.62	12.2	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	41	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	<9.09	10.6	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<9.09	<9.09	<9.09	<9.09	<1.82	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	<10.4	6.27	<10.4	<2.08	<10.4	<10.4	<10.4	<10.4	<26	<2.08	<2.08	<10.4	<10.4	<10.4	<10.4	<2.08	<10.4	<2.08	<10.4	<10.4	<10.4	<10.4	<10.4	<10.4
CRS-OW416U	8/22/2014	490-60044-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW416U	11/5/2014	490-65592-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW418L	12/19/2013	490-43197-1	<8.62	<8.62	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62	<21.6	<1.72	<1.72	<8.62	<8.62	<8.62	<8.62	<1.72	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62

Table 2.3-D (Sheet 15 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																						
			Bis (2-Chloro iso propyl) Ethylene	Bis(2-Ethyl hexyl) Phthalate	Bis (chloro methyl) ether	Chry sene	Di ethyl Phthalate	Di methyl Phthalate	Di-n-Butyl Phthalate	Di-n-Octyl Phthalate	DNOC (4,6-Dinitro-Ortho-Cresol)	Fluor anthene	Fluorene	Hexa chloro benzene	Hexa chloro butadiene	Hexa chloro cyclo penta diene	Hexa chloro ethane	Indeno (1,2,3-cd) Pyrene	Iso phorone	Naphthal ene	N-Butyl Benzyl Phthalate	Nitro benzene	Nitro sodi methyl amine, n-	N-nitro sodi-n-propy lamine	N-nitro sodi pheny lamine	Para-chlorom eta Cresol
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	4/16/2014	490-51124-1	<8.77	11.2	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<8.77	<8.77	<8.77	<8.77	<1.75	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<9.43	9.47	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<9.26	7.6	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW418U	8/19/2014	490-59748-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<8.77	<8.77	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<8.77	<8.77	<8.77	<8.77	<1.75	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77
CRS-OW419L	4/24/2014	490-51664-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<9.09	<9.09	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<22.7	<1.82	<1.82	<9.09	<9.09	<9.09	<9.09	<1.82	<9.09	<1.82	<9.09	<9.09	<9.09	<9.09	<9.09	<9.09
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW419U	12/20/2013	490-43281-1	<8.33	<8.33	<8.33	<1.67	<8.33	<8.33	<8.33	<8.33	<20.8	<1.67	<1.67	<8.33	<8.33	<8.33	<8.33	<1.67	<8.33	<1.67	<8.33	<8.33	<8.33	<8.33	<8.33	<8.33
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<8.77	<8.77	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<21.9	<1.75	<1.75	<8.77	<8.77	<8.77	<8.77	<1.75	<8.77	<1.75	<8.77	<8.77	<8.77	<8.77	<8.77	<8.77
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW419U	11/4/2014	490-65428-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW420L	12/10/2013	490-42325-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<10	<10	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<9.43	10.3	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW420U	4/16/2014	490-51107-1	<10	17.7	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW420U	8/26/2014	490-60217-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	1/9/2014	490-44157-1	<8.93	17.5	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW421D	4/21/2014	490-51368-1	<9.26	14	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW421D	8/21/2014	490-59912-1	<9.43	36.2	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	<9.43	21.2	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW421L	1/13/2014	490-44348-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<9.43	10	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26

Table 2.3-D (Sheet 16 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	SEMIVOLATILE ORGANIC COMPOUNDS (ug/L)																						
			Bis (2-Chloro iso propyl) Ethylene	Bis(2-Ethyl hexyl) Phthalate	Bis (chloro methyl) ether	Chry sene	Di ethyl Phthalate	Di methyl Phthalate	Di-n-Butyl Phthalate	Di-n-Octyl Phthalate	DNOC (4,6-Dinitro-Ortho-Cresol)	Fluor anthene	Fluorene	Hexa chloro benzene	Hexa chloro butadiene	Hexa chloro cyclo penta diene	Hexa chloro ethane	Indeno (1,2,3-cd) Pyrene	Iso phorone	Naphthal ene	N-Butyl Benzyl Phthalate	Nitro benzene	Nitro sodi methyl amine, n-	N-nitro sodi-n-propy lamine	N-nitro sodi pheny lamine	Para-chlorom eta Cresol
CRS-OW421L	11/12/2014	490-66149-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	<8.93	10.7	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<9.43	<9.43	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	4	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW421U	11/7/2014	490-65803-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW428D	12/17/2013	490-42947-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	<10	57.9	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	10	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	<9.62	15.1	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	12/16/2013	490-42801-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<9.43	18.7	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<23.6	<1.89	<1.89	<9.43	<9.43	<9.43	<9.43	<1.89	<9.43	<1.89	<9.43	<9.43	<9.43	<9.43	<9.43	<9.43
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<9.62	10.3	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<8.93	<8.93	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<22.3	<1.79	<1.79	<8.93	<8.93	<8.93	<8.93	<1.79	<8.93	<1.79	<8.93	<8.93	<8.93	<8.93	<8.93	<8.93
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<9.62	<9.62	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<24	<1.92	<1.92	<9.62	<9.62	<9.62	<9.62	<1.92	<9.62	<1.92	<9.62	<9.62	<9.62	<9.62	<9.62	<9.62
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW429L	4/24/2014	490-51678-1	<10	<10	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	<8.62	<8.62	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62	<21.6	<1.72	<1.72	<8.62	<8.62	<8.62	<8.62	<1.72	<8.62	<1.72	<8.62	<8.62	<8.62	<8.62	<8.62	<8.62
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	<10	<10	<10	<2	<10	<10	<10	<10	<25	<2	<2	<10	<10	<10	<10	<2	<10	<2	<10	<10	<10	<10	<10	<10
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	<9.26	<9.26	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<23.1	<1.85	<1.85	<9.26	<9.26	<9.26	<9.26	<1.85	<9.26	<1.85	<9.26	<9.26	<9.26	<9.26	<9.26	<9.26
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	<9.8	<9.8	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8	<24.5	<1.96	<1.96	<9.8	<9.8	<9.8	<9.8	<1.96	<9.8	<1.96	<9.8	<9.8	<9.8	<9.8	<9.8	<9.8
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 17 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	VOLATILE ORGANIC COMPOUNDS (ug/L)																		
			1,1,1-Trichloro ethane	1,1,2,2-Tetrachloro Ethane	1,1,2-Trichloro Ethane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,2-Dichloro ethylene	1,2-Dichloro Propane	2-ChloroEthyl Vinyl Ether	Acrolein	Acrylonitrile	Benzene, total	Bromo form	Bromo methane	Carbon Tetra chloride	Chloro Benzene	Chloro dibromo methane	Chloro Ethane	Chloro form	Chloro methane
Values from 2016 EPA RSLs MCL Ref.			200	NA	5	NA	5	NA	5	NA	NA	NA	NA	NA	NA	5	100	NA	NA	80	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.87	<1
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.87	<1
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.13	<1
CRS-OW401D	11/5/2014	490-65588-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401L	4/21/2014	490-51372-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	0.349	<1
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401U	4/18/2014	490-51285-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415L	1/9/2014	490-44141-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415L	4/23/2014	490-51557-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415L	8/20/2014	490-59827-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415U	4/21/2014	490-51380-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	0.291	<1
CRS-OW415U	8/19/2014	490-59741-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW415U	11/11/2014	490-66017-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	0.131	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416U	8/22/2014	490-60044-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW416U	11/5/2014	490-65592-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418L	12/19/2013	490-43197-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 18 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	VOLATILE ORGANIC COMPOUNDS (ug/L)																		
			1,1,1-Trichloro ethane	1,1,2,2-Tetrachloro Ethane	1,1,2-Trichloro Ethane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,2-Dichloro ethylene	1,2-Dichloro Propane	2-ChloroEthyl Vinyl Ether	Acrolein	Acrylonitrile	Benzene, total	Bromo form	Bromo methane	Carbon Tetra chloride	Chloro Benzene	Chloro dibromo methane	Chloro Ethane	Chloro form	Chloro methane
CRS-OW418L	4/16/2014	490-51124-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.78	<1
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	0.985	<1
CRS-OW418U	8/19/2014	490-59748-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419L	4/24/2014	490-51664-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419U	12/20/2013	490-43281-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW419U	11/4/2014	490-65428-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW420L	12/10/2013	490-42325-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.03	<1
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	2	<1
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW420U	4/16/2014	490-51107-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW420U	8/26/2014	490-60217-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421D	1/9/2014	490-44157-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.87	<1
CRS-OW421D	4/21/2014	490-51368-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	0.134	<1	<1	<1	<1	<1	<1	1.47	<1
CRS-OW421D	8/21/2014	490-59912-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.28	<1
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421L	1/13/2014	490-44348-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.14	<1
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.06	<1
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421L	11/12/2014	490-66149-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 19 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	VOLATILE ORGANIC COMPOUNDS (ug/L)																		
			1,1,1-Trichloro ethane	1,1,2,2-Tetrachloro Ethane	1,1,2-Trichloro Ethane	1,1-Dichloro ethane	1,2-Dichloro ethane	1,2-Dichloro ethylene	1,2-Dichloro Propane	2-ChloroEthyl Vinyl Ether	Acrolein	Acrylonitrile	Benzene, total	Bromo form	Bromo methane	Carbon Tetra chloride	Chloro Benzene	Chloro dibromo methane	Chloro Ethane	Chloro form	Chloro methane
CRS-OW421U	4/18/2014	490-51291-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421U	11/7/2014	490-65803-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428D	12/17/2013	490-42947-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	1.26	<1	<1	<1	<1	<1	<1	3.29	<1
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	5.49	<1	<1	<1	<1	<1	<1	0.648	<1
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	4.67	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	2.82	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428L	12/16/2013	490-42801-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	4	<1
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	2.09	<1
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.7	<1
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	1.07	<1
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW429L	4/24/2014	490-51678-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	4.02	<1
CRS-OW429U	12/18/2013	490-43067-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	0.149	<1	<1	<1	<1	<1	<1	0.415	<1
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	<1	<1	<1	<1	<1	<1	<1	<5	<50	<10	<1	<1	<1	<1	<1	<1	<1	<1	<1
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 20 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	Hexane, n-	Methylene Chloride	Tetra chloro ethylene	Toluene	Trans-1,3-Dichloro Propene	Trichloro ethylene	PCB (ug/L)														
									PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260	4,4'-DDD	4,4'-DDE	Aldrin	alpha-BHC	alpha-Chlordane	beta-BHC	Chlordane, gamma	DDT
Values from 2016 EPA RSLs MCL Ref.			NA	NA	NA	NA	NA	5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	<1	<5	<1	<1	<1	<1	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	<1	<5	<1	1.01	<1	<1	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	0.0225	<0.0208	<0.0208
CRS-OW401D	11/5/2014	490-65588-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW401L	4/21/2014	490-51372-1	<1	<5	<1	0.166	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<1	<5	<1	<1	<1	<1	<0.463	<0.463	<0.463	3.88	<0.463	<0.463	<0.463	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW401U	4/18/2014	490-51285-1	<1	<5	<1	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	3.11	<0.446	<0.446	<0.446	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW415L	1/9/2014	490-44141-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW415L	4/23/2014	490-51557-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW415L	8/20/2014	490-59827-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW415U	4/21/2014	490-51380-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	0.591	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW415U	8/19/2014	490-59741-1	<1	<5	<1	<1	<1	<1	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW415U	11/11/2014	490-66017-1	<1	<5	<1	<1	<1	<1	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.403	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	<1	<5	<1	<1	<1	<1	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	<1	<5	<1	<1	<1	<1	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW416U	8/22/2014	490-60044-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW416U	11/5/2014	490-65592-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW418L	12/19/2013	490-43197-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 21 of 25)
Detailed Analytes

									PCB (ug/L)														
Well ID	Sample Date	Lab Report ID	Hexane, n-	Methylene Chloride	Tetra chloro ethylene	Toluene	Trans-1,3-Dichloro Propene	Trichloro ethylene	PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260	4,4'-DDD	4,4'-DDE	Aldrin	alpha-BHC	alpha-Chlordane	beta-BHC	Chlordane, gamma	DDT
CRS-OW418L	4/16/2014	490-51124-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<1	<5	<1	<1	<1	<1	<0.833	<0.833	<0.833	<0.833	<0.833	<0.833	<0.833	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<1	<5	<1	<1	<1	<1	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW418U	8/19/2014	490-59748-1	<1	<5	<1	<1	<1	<1	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.391	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW419L	4/24/2014	490-51664-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	<1	<5	<1	<1	<1	<1	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431
CRS-OW419U	12/20/2013	490-43281-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW419U	11/4/2014	490-65428-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW420L	12/10/2013	490-42325-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<1	<5	<1	<1	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156
CRS-OW420U	4/16/2014	490-51107-1	<1	<5	0.499	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	8/26/2014	490-60217-1	<1	<5	<1	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	1/9/2014	490-44157-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW421D	4/21/2014	490-51368-1	<1	<5	<1	0.902	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW421D	8/21/2014	490-59912-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	<1	<5	<1	<1	<1	<1	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431
CRS-OW421L	1/13/2014	490-44348-1	<1	<5	<1	<1	<1	<1	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<1	<5	<1	0.377	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421L	11/12/2014	490-66149-1	<1	<5	<1	<1	<1	<1	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.862	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 22 of 25)
Detailed Analytes

Well ID	Sample Date	Lab Report ID	Hexane, n-	Methylene Chloride	Tetra chloro ethylene	Toluene	Trans-1,3-Dichloro Propene	Trichloro ethylene	PCB (ug/L)														
									PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260	4,4'-DDD	4,4'-DDE	Aldrin	alpha-BHC	alpha-Chlordane	beta-BHC	Chlordane, gamma	DDT
CRS-OW421U	4/18/2014	490-51291-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	2.88	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421U	11/7/2014	490-65803-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<1	<5	<1	2.83	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW428D	12/17/2013	490-42947-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	14	0.484	<1	12.6	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	4.19	<5	<1	8.6	<1	<1	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.431	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	1.81	<5	<1	4.63	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428L	12/16/2013	490-42801-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<1	<5	<1	0.132	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<1	<5	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<1	<5	<1	<1	<1	<1	<0.463	<0.463	<0.463	<0.463	<0.463	<0.463	<0.463	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<1	<5	<1	<1	<1	<1	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.446	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223
CRS-OW429L	4/24/2014	490-51678-1	<1	<5	<1	<1	<1	<1	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW429U	12/18/2013	490-43067-1	<1	<5	<1	<1	<1	<1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	<1	<5	<1	0.224	<1	<1	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.481	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	<1	<5	<1	<1	<1	<1	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.417	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	<1	<5	<1	<1	<1	<1	<0.463	<0.463	<0.463	<0.463	<0.463	<0.463	<0.463	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 2.3-D (Sheet 23 of 25)
Detailed Analytes

			PCB (ug/L)												
Well ID	Sample Date	Lab Report ID	delta-BHC	Dieldrin	Endosulfan I	Endosulfan II	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Endrin Ketone	gamma-BHC (Lindane)	Heptachlor	Heptachlor Epoxide	Toxaphene	Mercury, total ug/L)
Values from 2016 EPA RSLs MCL Ref.			NA	2	NA	NA	NA	2	NA	NA	0.2	0.4	0.2	3	2
CRS-OW401D	1/10/2014	490-44246-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	1/10/2014	490-44246-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW401D	4/22/2014	490-51531-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	4/23/2014	490-51531-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW401D	8/25/2014	490-60159-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401D	8/25/2014	490-60159-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	0.058	<0.0208	<1.67	<0.2
CRS-OW401D	11/5/2014	490-65588-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW401D	11/5/2014	490-65588-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	12/12/2013	490-42566-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW401L	4/21/2014	490-51372-1	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<0.0329	<2.63	<0.2
CRS-OW401L	4/21/2014	490-51372-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	8/27/2014	490-60308-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW401L	8/27/2014	490-60308-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401L	11/10/2014	490-65956-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW401L	11/10/2014	490-65956-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	12/10/2013	490-42335-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	<0.2
CRS-OW401U	4/18/2014	490-51285-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	8/27/2014	490-60310-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW401U	8/27/2014	490-60310-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW401U	11/10/2014	490-65960-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW415L	1/9/2014	490-44141-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW415L	4/23/2014	490-51557-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW415L	8/20/2014	490-59827-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW415L	11/11/2014	490-66031-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW415U	12/17/2013	490-42946-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW415U	4/21/2014	490-51380-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW415U	8/19/2014	490-59741-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW415U	11/11/2014	490-66017-1	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<1.61	<0.2
CRS-OW416L	12/19/2013	490-43206-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	12/19/2013	490-43206-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW416L	12/19/2013	490-43206-2	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	4/16/2014	490-51116-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW416L	8/18/2014	490-59654-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	8/18/2014	490-59654-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW416L	11/6/2014	490-65718-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416L	11/6/2014	490-65718-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW416U	12/18/2013	490-43060-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	12/18/2013	490-43060-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW416U	4/15/2014	490-51008-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	4/15/2014	490-51008-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW416U	8/22/2014	490-60044-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW416U	11/5/2014	490-65583-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW416U	11/5/2014	490-65583-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW416U	11/5/2014	490-65592-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW418L	12/19/2013	490-43197-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW418L	12/19/2013	490-43197-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	12/19/2013	490-43197-2	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	4/16/2014	490-51124-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2

Table 2.3-D (Sheet 24 of 25)
Detailed Analytes

			PCB (ug/L)												
Well ID	Sample Date	Lab Report ID	delta-BHC	Dieldrin	Endosulfan I	Endosulfan II	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Endrin Ketone	gamma-BHC (Lindane)	Heptachlor	Heptachlor Epoxide	Toxaphene	Mercury, total ug/L)
CRS-OW418L	4/16/2014	490-51124-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	8/18/2014	490-59650-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW418L	8/18/2014	490-59650-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418L	11/12/2014	490-66157-1	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<0.0417	<3.33	<0.2
CRS-OW418L	11/12/2014	490-66157-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	12/18/2013	490-43053-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW418U	12/18/2013	490-43053-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	4/15/2014	490-50993-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW418U	8/19/2014	490-59748-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW418U	8/19/2014	490-59748-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW418U	11/7/2014	490-65801-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW418U	11/7/2014	490-65801-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/6/2014	490-44045-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	1/8/2014	490-44045-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW419L	4/24/2014	490-51664-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW419L	4/24/2014	490-51664-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	8/26/2014	490-60223-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW419L	8/26/2014	490-60223-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419L	11/12/2014	490-66161-1	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<3.45	<0.2
CRS-OW419U	12/20/2013	490-43281-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW419U	12/20/2013	490-43281-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	4/23/2014	490-51552-1	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<1.85	<0.2
CRS-OW419U	4/23/2014	490-51552-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW419U	8/18/2014	490-59664-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW419U	11/4/2014	490-65428-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW420L	12/10/2013	490-42325-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW420L	12/10/2013	490-42325-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	4/17/2014	490-51210-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW420L	4/17/2014	490-51210-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	8/26/2014	490-60209-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW420L	8/26/2014	490-60209-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420L	11/6/2014	490-65714-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW420L	11/6/2014	490-65714-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW420U	12/12/2013	490-42580-1	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<0.0156	<1.25	<0.2
CRS-OW420U	4/16/2014	490-51107-1	-	-	-	-	-	-	-	-	-	-	-	-	<0.2
CRS-OW420U	8/26/2014	490-60217-1	-	-	-	-	-	-	-	-	-	-	-	-	<0.2
CRS-OW421D	1/9/2014	490-44157-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW421D	4/21/2014	490-51368-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW421D	8/21/2014	490-59912-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW421D	8/27/2014	490-59912-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421D	11/12/2014	490-66145-1	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<3.45	<0.2
CRS-OW421L	1/13/2014	490-44348-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW421L	1/13/2014	490-44348-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	4/17/2014	490-51196-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW421L	4/17/2014	490-51196-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421L	8/20/2014	490-59831-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW421L	11/12/2014	490-66149-1	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<0.0431	<3.45	<0.2
CRS-OW421U	12/17/2013	490-42941-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	12/17/2013	490-42941-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW421U	4/18/2014	490-51291-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	4/18/2014	490-51291-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2

Table 2.3-D (Sheet 25 of 25)
Detailed Analytes

			PCB (ug/L)												
Well ID	Sample Date	Lab Report ID	delta-BHC	Dieldrin	Endosulfan I	Endosulfan II	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Endrin Ketone	gamma-BHC (Lindane)	Heptachlor	Heptachlor Epoxide	Toxaphene	Mercury, total ug/L)
CRS-OW421U	8/27/2014	490-60305-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW421U	8/27/2014	490-60305-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW421U	11/7/2014	490-65803-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW421U	11/7/2014	490-65803-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422	4/2/2014	490-49943-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW422D	1/16/2014	490-44692-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW428D	12/17/2013	490-42947-1	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<0.024	<1.92	<0.2
CRS-OW428D	12/17/2013	490-42947-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	4/22/2014	490-51441-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428D	4/22/2014	490-51441-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	8/20/2014	490-59832-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428D	8/20/2014	490-59832-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428D	11/6/2014	490-65712-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428L	12/16/2013	490-42801-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW428L	12/16/2013	490-42801-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	4/18/2014	490-51286-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428L	4/18/2014	490-51286-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	8/22/2014	490-60048-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428L	8/22/2014	490-60048-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428L	11/5/2014	490-65575-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428L	11/5/2014	490-65575-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	12/16/2013	490-42809-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	<0.2
CRS-OW428U	4/17/2014	490-51204-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	4/17/2014	490-51204-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW428U	8/21/2014	490-59917-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	8/21/2014	490-59917-1	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<0.0313	<2.5	<0.2
CRS-OW428U	11/6/2014	490-65716-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW428U	11/6/2014	490-65716-1	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<0.0223	<1.79	<0.2
CRS-OW429L	4/24/2014	490-51678-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	<0.2
CRS-OW429U	12/18/2013	490-43067-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/19/2013	490-43227-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	12/20/2013	490-43274-1	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<2	-
CRS-OW429U	12/20/2013	490-43274-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	4/22/2014	490-51453-1	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<0.0216	<1.72	<0.2
CRS-OW429U	4/22/2014	490-51453-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	8/25/2014	490-60164-1	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<0.0208	<1.67	<0.2
CRS-OW429U	8/25/2014	490-60164-1	-	-	-	-	-	-	-	-	-	-	-	-	-
CRS-OW429U	11/11/2014	490-66027-1	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<0.0231	<1.85	<0.2
CRS-OW429U	11/11/2014	490-66027-1	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:
Ref. MCL reference values from January 2016 EPA RSLs.
- blank = Table D entry is blank
< = nondetected analytes
m = meters
mg/L = milligrams per liter
NA = not available
ug/L = micrograms per liter

Source: Reference 2.3-D-1. Fisher, Anna B., "Clinch River Small Modular Reactor Site - Groundwater Quality Monitoring Report - Revision 3," May 9, 2017. Table 1 and App D Table