

REGULATOR INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8306070151 DOC. DATE: 83/06/03 NOTARIZED: NO DOCKET #  
 FACIL: 50-400 Shearon Harris Nuclear Power Plant, Unit 1, Carolina 05000400  
 :50-401 Shearon Harris Nuclear Power Plant, Unit 2, Carolina 05000401  
 AUTH. NAME AUTHOR AFFILIATION  
 ZIMMERMAN, S. R. Carolina Power & Light Co.  
 RECIP. NAME RECIPIENT AFFILIATION  
 DENTON, H. R. Office of Nuclear Reactor Regulation, Director

SUBJECT: Forwards response to draft SER Open Items 32 & 33 re irradiation strengthened zircaloy yield strengths & predicted cladding collapse time, respectively. Response corrects 830518 submittal.

DISTRIBUTION CODE: B001S COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 3  
 TITLE: Licensing Submittal: PSAR/FSAR Amdts & Related Correspondence

NOTES:

|           | RECIPIENT ID CODE/NAME | COPIES LTR ENCL | RECIPIENT ID CODE/NAME | COPIES LTR ENCL |
|-----------|------------------------|-----------------|------------------------|-----------------|
|           | NRR/DL/ADL             | 1 0             | NRR LB3 BC             | 1 0             |
|           | NRR LB3 LA             | 1 0             | KADAMBI, P 01          | 1 1             |
| INTERNAL: | ELD/HDS1               | 1 0             | IE FILE                | 1 1             |
|           | IE/DEPER/EPB 36        | 3 3             | IE/DEPER/IRB 35        | 1 1             |
|           | IE/DEQA/QAB 21         | 1 1             | NRR/DE/AEAB            | 1 0             |
|           | NRR/DE/CEB 11          | 1 1             | NRR/DE/EHEB            | 1 1             |
|           | NRR/DE/eqB 13          | 2 2             | NRR/DE/GB 28           | 2 2             |
|           | NRR/DE/MEB 18          | 1 1             | NRR/DE/MTEB 17         | 1 1             |
|           | NRR/DE/SAB 24          | 1 1             | NRR/DE/SGEB 25         | 2 2             |
|           | NRR/DE/SGEB 30         | 1 1             | NRR/DHFS/HFEB40        | 1 1             |
|           | NRR/DHFS/LQB 32        | 1 1             | NRR/DHFS/PSRB          | 1 1             |
|           | NRR/DL/SSPB            | 1 0             | NRR/DSI/AEB 26         | 1 1             |
|           | NRR/DSI/ASB            | 1 1             | NRR/DSI/CPB 10         | 1 1             |
|           | NRR/DSI/CSB 09         | 1 1             | NRR/DSI/ICSB 16        | 1 1             |
|           | NRR/DSI/METB 12        | 1 1             | NRR/DSI/PSB 19         | 1 1             |
|           | NRR/DSI/RAB 22         | 1 1             | NRR/DSI/RSB 23         | 1 1             |
|           | <u>REG FILE</u> 04     | 1 1             | RGN2                   | 3 3             |
|           | RM/DDAMI/MIB           | 1 0             |                        |                 |
| EXTERNAL: | ACRS 41                | 6 6             | BNL (AMDTs ONLY)       | 1 1             |
|           | DMB/DSS (AMDTs)        | 1 1             | FEMA-REP DIV 39        | 1 1             |
|           | LPDR 03                | 1 1             | NRC PDR 02             | 1 1             |
|           | NSIC 05                | 1 1             | NTIS                   | 1 1             |

THE UNITED STATES OF AMERICA  
 DEPARTMENT OF THE ARMY  
 OFFICE OF THE CHIEF OF STAFF  
 WASHINGTON, D. C. 20315

REPORT OF THE CHIEF OF STAFF  
 ON THE PROGRESS OF THE ARMY  
 DURING THE YEAR 1964

Page 1

| Item                     | 1964           | 1963           | 1962           | 1961           | 1960           | 1959           | 1958           | 1957           | 1956           | 1955           | 1954           | 1953           | 1952           | 1951           | 1950           |
|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 1. Total Army Personnel  | 3,800,000      | 3,750,000      | 3,700,000      | 3,650,000      | 3,600,000      | 3,550,000      | 3,500,000      | 3,450,000      | 3,400,000      | 3,350,000      | 3,300,000      | 3,250,000      | 3,200,000      | 3,150,000      | 3,100,000      |
| 2. Active Duty Personnel | 2,800,000      | 2,750,000      | 2,700,000      | 2,650,000      | 2,600,000      | 2,550,000      | 2,500,000      | 2,450,000      | 2,400,000      | 2,350,000      | 2,300,000      | 2,250,000      | 2,200,000      | 2,150,000      | 2,100,000      |
| 3. Reserve Personnel     | 1,000,000      | 980,000        | 960,000        | 940,000        | 920,000        | 900,000        | 880,000        | 860,000        | 840,000        | 820,000        | 800,000        | 780,000        | 760,000        | 740,000        | 720,000        |
| 4. Total Army Equipment  | 1,200,000      | 1,180,000      | 1,160,000      | 1,140,000      | 1,120,000      | 1,100,000      | 1,080,000      | 1,060,000      | 1,040,000      | 1,020,000      | 1,000,000      | 980,000        | 960,000        | 940,000        | 920,000        |
| 5. Total Army Budget     | \$15.0 billion | \$14.8 billion | \$14.6 billion | \$14.4 billion | \$14.2 billion | \$14.0 billion | \$13.8 billion | \$13.6 billion | \$13.4 billion | \$13.2 billion | \$13.0 billion | \$12.8 billion | \$12.6 billion | \$12.4 billion | \$12.2 billion |



Carolina Power & Light Company

JUN 03 1983

Serial: LAP-83-198

Mr. Harold R. Denton, Director  
Office of Nuclear Reactor Regulation  
United States Nuclear Regulatory Commission  
Washington, DC 20555

SHEARON HARRIS NUCLEAR POWER PLANT  
UNIT NOS. 1 AND 2  
DOCKET NOS. 50-400 AND 50-401  
DRAFT SAFETY EVALUATION REPORT RESPONSES  
CORE PERFORMANCE BRANCH

Dear Mr. Denton:

Carolina Power & Light Company (CP&L) hereby retransmits one original and forty copies of the responses to the Shearon Harris Nuclear Power Plant Draft Safety Evaluation Report (DSER) CP&L Open Items 32 and 33. These responses were previously submitted to the Staff in a letter dated May 18, 1983 (Serial: LAP-83-175) under the incorrect heading, "Materials Engineering Branch."

Yours very truly,

S. R. Zimmerman  
Manager  
Licensing & Permits

PS/ccc (6928PSA)

Attachment

- |                                 |                            |
|---------------------------------|----------------------------|
| cc: Mr. N. Prasad Kadambi (NRC) | Mr. Wells Eddleman         |
| Mr. D. A. Powers (NRC-CPB)      | Dr. Phyllis Lotchin        |
| Mr. G. F. Maxwell (NRC-SHNPP)   | Mr. John D. Runkle         |
| Mr. J. P. O'Reilly (NRC-RII)    | Dr. Richard D. Wilson      |
| Mr. Travis Payne (KUDZU)        | Mr. G. O. Bright (ASLB)    |
| Mr. Daniel F. Read (CHANGE/ELP) | Dr. J. H. Carpenter (ASLB) |
| Chapel Hill Public Library      | Mr. J. L. Kelley (ASLB)    |
| Wake County Public Library      |                            |

8306070151 830603  
PDR-ADOCK 05000400  
E PDR



411 Fayetteville Street • P. O. Box 1551 • Raleigh, N. C. 27602

*Boo!*  
*1/1*

REF ID: A61111

1948

1949

SHEARON HARRIS NUCLEAR POWER PLANT  
DRAFT SAFETY EVALUATION REPORT (DSER)

Open Item 32 (DSER Sections 4.2.1.1, and 4.2.3.1, pages 4-4, 4-16, and 4-28)

Resolve the use of irradiation-strengthened Zircaloy yield strengths.

Response

The fact that credit is taken for irradiation strengthening for the Zircaloy clad yield strength was documented as part of the WCAP-9500, "Reference Core Report 17x17 Optimized Fuel Assembly," and acknowledged in the NRC's Safety Evaluation dated May 1981 (page 7).

In support of this Westinghouse provided supplementary information to the staff<sup>(1)</sup> that demonstrated excellent agreement between experimental data, BMI-NUREG-1948, and the best estimate curves described in the equation in the Westinghouse Materials Design Manual, WCAP-9179, Rev. 1.

(1) Letter from E. P. Rahe to C. O. Thomas, NS-EPR-2687, dated November 30, 1982.

SHEARON HARRIS NUCLEAR POWER PLANT  
DRAFT SAFETY EVALUATION REPORT (DSER)

Open Item 33 (DSER Section 4.2.3.2, pages 4-21, 4-22, and 4-29)

Confirm that the predicted cladding collapse time exceeds the expected lifetime of the fuel.

Response

The Shearon Harris fuel is designed and operated so that clad flattening will not occur as predicted by the Westinghouse model.<sup>(1)</sup> The predicted cladding collapse time for the fuel is >40,000 EFPH. The expected lifetime of the fuel is <40,000 EFPH.

(1) George, R. A., et. al., "Revised Clad Flattening Model", WCAP-8381, July 1974.