



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
2443 WARRENVILLE RD. SUITE 210
LISLE, IL 60532-4352

DEC 27 2017

Christopher J. Blasio, M.S.
Radiation Safety Officer
National Aeronautics and Space Administration
John H. Glenn Research Center
21000 Brookpark Rd.
Mailstop 6-4
Cleveland, OH 44135

Dear Mr. Blasio:

It has come to our attention that errors occurred in Amendment No. 56 of your NRC Materials License No. 34-00507-16, issued January 24, 2017. In that amendment, we inadvertently listed the possession limit in Item 8.A. as a total limit instead of a limit per isotope. In the enclosed Amendment No. 56 (Corrected Copy), we have corrected this error. Also, Items 9.H. and 9.I. have been corrected to appropriately reflect your authorized use of a portable gauging device for research and development purposes only. We apologize for any inconvenience these errors may have caused you.

Please also note that we have changed the record retention period from five to three years in Condition No. 17 of your license. This reflects a change in NRC policy.


Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U. S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

The NRC's Safety Culture Policy Statement became effective in June 2011. While a policy statement and not a regulation, it sets forth the agency's *expectations* for individuals and organizations to establish and maintain a positive safety culture. You can access the policy statement and supporting material that may benefit your organization on NRC's safety culture Web site at <http://www.nrc.gov/about-nrc/regulatory/enforcement/safety-culture.html>. We strongly encourage you to review this material and adapt it to your particular needs in order to develop and maintain a positive safety culture as you engage in NRC-regulated activities.

In accordance with Title 10 of the *Code of Federal Regulations* Section 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,



Bryan A. Parker
Senior Health Physicist
Materials Licensing Branch

License No. 34-00507-16

Docket No. 030-05626

Enclosure: Amendment No. 56 (Corrected Copy)