



Brayton Point Energy, LLC
Brayton Point Power Station
1 Brayton Point Road
Somerset, MA 02725

08 December 2017

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Ladies & Gentlemen,

Dynegy-Brayton Point Energy LLC has removed all the Tritium Exit Signs from the property and sent them to SRB Technologies, Inc. (NC Radioactive Materials License # 034-0534-2) for proper disposal. The attached list contains all 96 Exit Signs including manufacturers, serial numbers, and installation addresses. Serial # C017166 Exit Sign was identified as defective and returned to the vender during 2009 construction.

Sincerely,

A handwritten signature in cursive script that reads 'Thomas R. Moss'.

Thomas R. Moss,
Engineering & Maintenance Manager
O: 508 646 5267
C: 508 889-7806
thomas.r.moss@dynegy.com

| Brayton Point Station: Self-Luminous Exit Signs | | | | | | | | | | | | |
|---|----------------------|---------------------|-------------------------|--|----------------------|-------------------|---------------------|---------------|--------------------------|---|---------------|------------|
| Unit Number | Floor Elevation (ft) | Sign Elevation (ft) | Location Description | Distance from Column or Closest Adjacent Wall | Date of Installation | Date Manufactured | Date of Replacement | Serial Number | Tritium Content (curies) | Manufacturer | License No. | Model |
| 3 | 50 | 59 | REMOVED FROM ACTIVE USE | 39' east of north west column | 7/22/04 | 2/04 | 2/19 | 315018 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 15 | 25 | REMOVED FROM ACTIVE USE | 105' from south wall | 8/2/04 | 2/04 | 2/19 | 315010 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 2 | 29 | 37 | REMOVED FROM ACTIVE USE | 15' from north wall | 4/14/04 | 2/04 | 2/19 | 315011 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 15 | 25 | REMOVED FROM ACTIVE USE | 109' north from south boiler room wall | 8/3/04 | 2/04 | 2/19 | 315012 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 4 | 15 | 25 | REMOVED FROM ACTIVE USE | 10' south from north west corner column | 7/26/04 | 2/04 | 2/19 | 315013 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 4 | 15 | 24 | REMOVED FROM ACTIVE USE | 3' north from south west corner column | 7/30/04 | 2/04 | 2/19 | 315014 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 4 | 15 | 25 | REMOVED FROM ACTIVE USE | 33' north from adjacent south wall | 7/25/04 | 2/04 | 2/19 | 315015 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 3 | 50 | 59 | REMOVED FROM ACTIVE USE | 44' east from adjacent west wall, 2' south of door | 7/22/04 | 2/04 | 2/19 | 315016 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 3 | 59 | 67 | REMOVED FROM ACTIVE USE | 7' east from south west corner column | 7/16/04 | 2/04 | 2/19 | 315017 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 3 | 50 | 59 | REMOVED FROM ACTIVE USE | 15' west of north east corner column | 7/22/04 | 2/04 | 2/19 | 315009 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 21 | 29 | REMOVED FROM ACTIVE USE | 3' south of north west corner column | 7/13/04 | 2/04 | 2/19 | 314852 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 2 | 21 | 29 | REMOVED FROM ACTIVE USE | 4' south of north east corner column | 7/14/04 | 2/04 | 2/19 | 314850 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 2 | 21 | 29 | REMOVED FROM ACTIVE USE | 3' south of north west corner column | 7/14/04 | 2/04 | 2/19 | 314851 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 21 | 29 | REMOVED FROM ACTIVE USE | 3' south of north east column | 7/13/04 | 2/04 | 2/19 | 314849 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 3 | 50 | 59 | REMOVED FROM ACTIVE USE | 25' east of column at north west corner | 7/13/04 | 2/04 | 2/19 | 314853 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 15 | 24 | REMOVED FROM ACTIVE USE | 30' south of column "b3" north east corner of unit 1 boiler room | 8/2/04 | 11/03 | 11/13 | 152,321 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| 1 | 15 | 23 | REMOVED FROM ACTIVE USE | 45' from south boiler room wall | 4/13/04 | 2/04 | 2/19 | 314855 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 29 | 37 | REMOVED FROM ACTIVE USE | 15' from north wall | 4/14/04 | 2/04 | 2/19 | 314856 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 30' 5" | 38 | REMOVED FROM ACTIVE USE | 13' 5" from south wall | 6/28/04 | 2/04 | 2/19 | 314857 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |

| Unit Number | Floor Elevation (ft) | Sign Elevation (ft) | Location Description | Distance from Column or Closest Adjacent Wall | Date of Installation | Date Manufactured | Date of Replacement | Serial Number | Tritium Content (curies) | Manufacturer | License No. | Model |
|-------------|----------------------|---------------------|-------------------------|--|----------------------|-------------------|---------------------|---------------|--------------------------|---|---------------|------------|
| 2 | 32 | 40 | REMOVED FROM ACTIVE USE | 13' north from south/west corner column | 7/12/04 | 2/04 | 2/19 | 314858 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| 1 | 15 | 22.5 | REMOVED FROM ACTIVE USE | 39' from the west wall of room | 9/2/04 | 2/04 | 2/19 | 314854 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | Betalux-E |
| C | 16 | 24 | REMOVED FROM ACTIVE USE | 2' north from the south wall of the tunnel | 1/31/05 | 6/04 | 6/19 | C003988 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 16 | 24 | REMOVED FROM ACTIVE USE | 5' north from south wall of tunnel | 1/28/05 | 6/04 | 6/19 | C003989 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 1 | 16 | 24 | REMOVED FROM ACTIVE USE | 15' north from the south wall of the building | 2/7/05 | 6/04 | 6/19 | C003990 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 1 | 16 | 24 | REMOVED FROM ACTIVE USE | 14' east from the building's west wall | 2/7/05 | 6/04 | 6/19 | C003991 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 3 | 18 | 26 | REMOVED FROM ACTIVE USE | 15' north from the south wall of the building | 2/7/05 | 6/04 | 6/19 | C003992 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 3 | 18 | 26 | REMOVED FROM ACTIVE USE | 8' west from the east wall of the building | 2/7/05 | 6/04 | 6/19 | C003993 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 15 | 26 | REMOVED FROM ACTIVE USE | 8' north from the building's south wall | 2/8/05 | 6/04 | 6/19 | C003994 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVE FROM ACTIVE USE | 10' east from the buildings west wall | 2/8/05 | 6/04 | 6/19 | C003995 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C SDA | 32 | 39 | REMOVE FROM ACTIVE USE | 4'6" From North West Column, Measured Along The North Wall | 7/27/12 | 6/04 | 6/19 | C003996 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C SDA | 50 | 57'2" | REMOVE FROM ACTIVE USE | 7'5" From North West Column, Measured Along North Wall | 7/27/17 | 6/04 | 6/19 | C003997 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 11 | 15 | REMOVED FROM ACTIVE USE | 5' south from north wall of building | 2/11/05 | 6/04 | 6/19 | C003998 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 29 | 40 | REMOVED FROM ACTIVE USE | 9' north from the building's south wall | 2/11/05 | 6/04 | 6/19 | C003999 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 17 | 25 | REMOVED FROM ACTIVE USE | 7' west of column in north east corner of enclosure | 2/14/05 | 6/04 | 6/19 | C004000 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 20 | 28 | REMOVED FROM ACTIVE USE | 5' south from north wall of room | 1/26/05 | 6/04 | 6/19 | C003263 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 20 | 28 | REMOVED FROM ACTIVE USE | 4' south of north wall of room | 1/26/05 | 6/04 | 6/19 | C003264 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 9.5' north from the south wall of the lunch room | 1/20/05 | 11/03 | 11/13 | 152,322 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| 1 | 50 | 58 | REMOVED FROM ACTIVE USE | 90' north from south boiler room wall | 8/31/04 | 11/03 | 11/13 | 152,323 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| 1 | 15 | 23 | REMOVED FROM ACTIVE USE | 120' from south boiler room wall | 9/3/04 | 11/03 | 11/13 | 152,324 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |

| Unit Number | Floor Elevation (ft) | Sign Elevation (ft) | Location Description | Distance from Column or Closest Adjacent Wall | Date of Installation | Date Manufactured | Date of Replacement | Serial Number | Tritium Content (curies) | Manufacturer | License No. | Model |
|-------------|----------------------|---------------------|-------------------------|---|----------------------|-------------------|---------------------|---------------|--------------------------|---|---------------|------------|
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 3' north from south wall of hallway | 1/20/05 | 11/03 | 11/13 | 152,325 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| 1 | 37 | 44 | REMOVED FROM ACTIVE USE | 110' north from south boiler room wall | 9/3/04 | 11/03 | 11/13 | 152,349 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| 1 | 37 | 44 | REMOVED FROM ACTIVE USE | 110' north from south boiler room wall | 9/3/04 | 11/03 | 11/13 | 152,350 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 10' north of the south wall | 1/21/05 | 11/03 | 11/13 | 152,351 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 15' west from east wall of lab | 1/21/05 | 11/03 | 11/13 | 152,352 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 2' south from the north wall of the building | 1/24/05 | 11/03 | 11/13 | 152,353 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| C | 15 | 22 | REMOVED FROM ACTIVE USE | 7' south from the north wall of the building | 1/25/05 | 11/03 | 11/13 | 152,354 | 7.09 | Forever-Lite, Inc. | None Provided | SLXTU1RB10 |
| X | X | X | REMOVED FROM ACTIVE USE | SECURED HOLDING @ GEN SERVICE ELECTRIC SHOP | SECURED 4/20/17 | 2/05 | 2/20 | C01714 1 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| X | X | X | REMOVED FROM ACTIVE USE | SECURED HOLDING @ GEN SERVICE ELECTRIC SHOP | SECURED 4/20/17 | 2/05 | 2/20 | C01714 2 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| X | X | X | REMOVED FROM ACTIVE USE | SECURED HOLDING @ GEN SERVICE ELECTRIC SHOP | SECURED 4/20/17 | 2/05 | 2/20 | C01714 3 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| X | X | X | REMOVED FROM ACTIVE USE | SECURED HOLDING @ GEN SERVICE ELECTRIC SHOP | SECURED 4/20/17 | 2/05 | 2/20 | C01714 4 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| X | X | X | REMOVED FROM ACTIVE USE | SECURED HOLDING @ GEN SERVICE ELECTRIC SHOP | SECURED 4/20/17 | 2/05 | 2/20 | C01714 5 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C SDA2 | 32 | 39'10" | REMOVED FROM ACTIVE USE | 34'4" From The South East Corner, Measured Along South Wall | 3/1/11 | 2/05 | 2/20 | C01714 6 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 1-2 | 25 | 33 | REMOVED FROM ACTIVE USE | 5' north of the south wall of the building | 4/12/05 | 2/05 | 2/20 | C01714 7 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| 1-2 | 25 | 33 | REMOVED FROM ACTIVE USE | 5' north of the south wall | 4/12/05 | 2/05 | 2/20 | C01714 8 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 38 | 46 | REMOVED FORM ACTIVE USE | FLYASH SILO #1 | 12/13/05 | 2/05 | 2/20 | C01714 9 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 38 | 46 | REMOVED FROM ACTIVE USE | FLYASH SILO #2 | 12/13/05 | 2/05 | 2/20 | C01715 0 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 38 | SE | REMOVED FROM ACTIVE USE | FLYASH SILO #3 | 12/13/05 | 2/05 | 2/20 | C01715 1 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27103 | 034-0534-2 | BX |
| C | 38 | 46 | REMOVED FROM SERVICE | FLYASH SILO #4 | 12/13/05 | 2/05 | 2/20 | C01715 2 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-3 | BX |
| | | | | | | | 2/20 | | | | | |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 7.5 ft east of the western wall measured along the north wall | 1/4/06 | 2/05 | 2/20 | c017154 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |

| Unit Number | Floor Elevation (ft) | Sign Elevation (ft) | Location Description | Distance from Column or Closest Adjacent Wall | Date of Installation | Date Manufactured | Date of Replacement | Serial Number | Tritium Content (curies) | Manufacturer | License No. | Model |
|-------------|----------------------|---------------------|--|---|----------------------|-------------------|---------------------|---------------|--------------------------|---|-------------|-------|
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 3 feet south of overhead door located in west wall of structure | 1/4/06 | 2/05 | 2/20 | c017153 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 26.5 | REMOVED FROM ACTIVE USE | 9 feet north along east wall measured from south/east corner of lobby | 1/4/06 | 2/05 | 2/20 | c017155 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 25 | REMOVED FROM ACTIVE USE | 6 feet north of entrance door to medical services room | 1/4/06 | 2/05 | 2/20 | c017156 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 16' east of the west wall of the stock room measured along the south wall | 1/6/06 | 2/05 | 2/20 | c017158 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 6' east of the overhead door in north wall of receiving | 1/6/06 | 2/05 | 2/20 | c017157 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 10' west of the overhead door southern most overhead door on east wall of structure | 1/13/06 | 2/05 | 2/20 | c017159 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 27' west of the overhead door southern most overhead door on east wall of structure | 1/13/06 | 2/05 | 2/20 | c017160 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 44' from north west corner fo building | 1/26/06 | 2/05 | 2/20 | c017161 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 5' from the north west corner of the structure measured along the north wall | 1/26/06 | 2/05 | 2/20 | c017162 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 5' from the south east corner of the structure measured along the south wall | 1/26/06 | 2/05 | 2/20 | c017163 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 23 | REMOVED FROM ACTIVE USE | 44' nmeasured along the south wall from the south west corner of stair tower interior | 8/21/06 | 2/05 | 2/20 | c017164 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 45 | REMOVED FROM ACTIVE USE | 2' 4" from the north east corner, measured along the east wall | 2/19/09 | 2/05 | 2/20 | c017165 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 45 | REMOVED FROM ACTIVE USE | 11' from the east wall | 2/25/09 | 2/05 | 2/20 | C039066 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 45 | Service Building; Chemistry lab section; Office Area; West wall above door to Unit; elevation 32' plant access | 11' from the east wall | 2/25/09 | 2/05 | 2/20 | c017166 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 45 | REMOVED FROM ACTIVE USE | 17' 3" from NW corner of office area measured along the west wall | 2/25/09 | 2/05 | 2/20 | C039067 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 18 | 25 | REMOVED FROM ACTIVE USE | 15' 6" from the north wall of the room measured along east wall | 3/5/09 | 1/06 | 1/21 | c039068 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 20 | 27 | REMOVED FROM ACTIVE USE | 32" from west wall of safety office measured along north wall | 2/23/09 | 1/06 | 1/21 | c039069 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 18 | 25 | REMOVED FROM ACTIVE USE | 5' from the NW corner, measured along the west wall | 3/5/09 | 1/06 | 1/21 | c039070 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 29 | 36 | REMOVED FROM ACTIVE USE | 2' from the NW corner, measured along the north wall | 3/5/09 | 1/06 | 1/21 | c039071 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |

| Unit Number | Floor Elevation (ft) | Sign Elevation (ft) | Location Description | Distance from Column or Closest Adjacent Wall | Date of Installation | Date Manufactured | Date of Replacement | Serial Number | Tritium Content (curies) | Manufacturer | License No. | Model |
|-------------|----------------------|---------------------|-------------------------|---|----------------------|-------------------|---------------------|---------------|--------------------------|---|-------------|-------|
| C | 18 | 25 | REMOVED FROM ACTIVE USE | 3' from south outside wall, measured along the east wall | 3/5/09 | 1/06 | 1/21 | c039072 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 29 | SE | REMOVED FROM ACTIVE USE | 5' from the SE corner, measured along the south wall | 2/18/09 | 1/06 | 1/21 | c039073 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 29 | 37 | REMOVED FROM ACTIVE USE | 4' from the nE corner, measured along the east wall | 2/18/09 | 1/06 | 1/21 | c039074 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 18 | 25 | REMOVED FROM ACTIVE USE | 2' from the NE corner, measured along the east wall | 3/5/09 | 1/06 | 1/21 | c039075 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 50 | 59'2" | REMOVED FROM ACTIVE USE | 2'5" From North / East-Corner, Measured South Along East Wall | 4/16/10 | 1/06 | 1/21 | c039226 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 50 | 58'5" | REMOVED FROM ACTIVE USE | 16' From North / West Corner Measured East Along North Wall | 4/16/10 | 1/06 | 1/21 | c039227 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C SDA 1 | 200 | 207'6" | REMOVED FROM ACTIVE USE | 5'8" From The North West Corner, Measured Along North Wall | 3/26/10 | 1/06 | 1/21 | c039228 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| 1 | 32 | 39'8" | REMOVED FROM ACTIVE USE | 2' From Column In South East Corner, Measured Along South Wall | 3/1/11 | 1/06 | 1/21 | c039229 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C SDA1 | 50 | 58'5" | REMOVED FROM ACTIVE USE | 2'10" From The South East Corner, Measured Towards The North West Corner | 1/7/11 | 1/06 | 1/21 | c039231 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C SDA | 32 | 39'6" | REMOVED FROM ACTIVE USE | 11' From The South East Corner Of Building, Measured Along The South Wall | 3/1/11 | 1/06 | 1/21 | c039232 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C SDA1 | 47 | 54'10" | REMOVED FROM ACTIVE USE | 39' From The South East Corner, Measured Along The South Wall | 3/1/11 | 1/06 | 1/21 | c039233 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 18 | 25'3" | REMOVED FROM ACTIVE USE | 1'9" From West Wall Of Hallway, Measured Along North Wall | 2/22/11 | 1/06 | 1/21 | c039234 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 15 | 21'5" | REMOVED FROM ACTIVE USE | 7'7" From The North East Corner, Measured Along North Wall | 3/12/12 | 1/06 | 1/21 | c039235 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 50 | 56'10" | REMOVED FROM ACTIVE USE | 22" From East Wall, Measured Along North Wall | 7/24/12 | 1/06 | 1/21 | c039236 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 50 | 57 | REMOVED FROM ACTIVE USE | 22" From East Wall, Measured Along South Wall | 7/24/12 | 1/06 | 1/21 | c039237 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 44'7" | REMOVED FROM ACTIVE USE | 2'2" From South Wall, Measured Along West Wall | 7/25/12 | 1/06 | 1/21 | c039238 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 44'5" | REMOVED FROM ACTIVE USE | 5'9" From East Wall, Measured Along North Wall | 7/25/12 | 1/06 | 1/21 | c039239 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |
| C | 37 | 44'5" | REMOVED FROM ACTIVE USE | 4'10" From East Wall, Measured Along South Wall | 7/26/12 | 1/06 | 1/21 | c039240 | 20 | Safety Sign: SRB Technologies, Inc.; 2580 Landmark Dr.; Winston-Salem, NC 27104 | 034-0534-2 | BX |