

SHEARON HARRIS NUCLEAR POWER PLANT
NRC DOCKET NO. 50-400/LICENSE NO. NPF-63
RADIOLOGICAL EFFLUENT TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATION PAGES

9504240096 950330
PDR ADOCK 05000400
P PDR



Small, faint, illegible marks or characters in the top right corner.

Small, faint, illegible marks or characters in the upper right quadrant.

Small, faint, illegible marks or characters at the bottom center.

INDEX

LIMITING CONDITIONS FOR OPERATION AND SURVEILLANCE REQUIREMENTS

<u>SECTION</u>	<u>PAGE</u>
TABLE 3.3-6 RADIATION MONITORING INSTRUMENTATION FOR PLANT OPERATIONS	3/4 3-51
TABLE 4.3-3 RADIATION MONITORING INSTRUMENTATION FOR PLANT OPERATIONS SURVEILLANCE REQUIREMENTS	3/4 3-54
Movable Incore Detectors	3/4 3-56
Seismic Instrumentation	3/4 3-57
TABLE 3.3-7 SEISMIC MONITORING INSTRUMENTATION	3/4 3-58
TABLE 4.3-4 SEISMIC MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-59
Meteorological Instrumentation	3/4 3-60
TABLE 3.3-8 METEOROLOGICAL MONITORING INSTRUMENTATION	3/4 3-61
TABLE 4.3-5 METEOROLOGICAL MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-62
Remote Shutdown System	3/4 3-63
TABLE 3.3-9 REMOTE SHUTDOWN SYSTEM	3/4 3-64
TABLE 4.3-6 REMOTE SHUTDOWN MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-65
Accident Monitoring Instrumentation	3/4 3-66
TABLE 3.3-10 ACCIDENT MONITORING INSTRUMENTATION	3/4 3-68
TABLE 4.3-7 ACCIDENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-70
TABLE 3.3-11 (DELETED)	3/4 3-73
Metal Impact Monitoring System	3/4 3-74
(DELETED)	3/4 3-75
Explosive Gas Monitoring Instrumentation	3/4 3-82
TABLE 3.3-13 EXPLOSIVE GAS MONITORING INSTRUMENTATION	3/4 3-83
TABLE 4.3-9 EXPLOSIVE GAS MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-86
3/4.3.4 DELETED	3/4 3-89

INSTRUMENTATION

BASES

3/4.3.3.11 EXPLOSIVE GAS MONITORING INSTRUMENTATION

This instrumentation provides for monitoring and controlling the concentrations of potentially explosive gas mixtures in the GASEOUS RADWASTE TREATMENT SYSTEM. The OPERABILITY and use of this instrumentation is consistent with the requirements of General Design Criteria 60, 63, and 64 of Appendix A to 10 CFR Part 50.

3/4.3.4 DELETED