

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

SUBJECT: Corrects statement made in 980923 ltr, by clarifying that operation of inner & outer PAL doors can be operated by control panels located inside & outside containment.

NOTES:Application for permit renewal filed. 05000400 E

UNPROCESSED

TOTAL NUMBER OF COPIES REQUIRED: LTTR 11 ENCL 10

MA4



Carolina Power & Light Company
Harris Nuclear Plant
P.O. Box 165
New Hill NC 27562

SERIAL: HNP-99-128

AUG 10 1999

United States Nuclear Regulatory Commission
ATTENTION: Document Control Desk
Washington, DC 20555

SHEARON HARRIS NUCLEAR POWER PLANT
DOCKET NO. 50-400/LICENSE NO. NPF-63
REQUEST FOR LICENSE AMENDMENT
TECHNICAL SPECIFICATIONS 3/4.6.1.3
SUPPLEMENTAL INFORMATION

Dear Sir or Madam:

On September 23, 1998, Harris Nuclear Plant (HNP) submitted a proposed license amendment for the Containment Air Lock, Technical Specification 3/4.6.1.3. HNP is clarifying operation of the Personnel Air Lock (PAL) Doors in that the inner or outer PAL Doors can be operated by control panels located inside and outside containment. The HNP letter dated September 23, 1998 stated, incorrectly, that the control panel located inside containment could only control the inner PAL Door.

This supplemental information does not affect the conclusions of either the 10 CFR 50.92 evaluation or the Environmental Considerations submitted as part of HNP's September 23, 1998 letter. The proposed Technical Specification page from the September 23, 1998 letter is not affected by this change.

Please refer any questions regarding this submittal to Mr. J. H. Eads at (919) 362-2646.

Sincerely,

Donna B. Alexander
Manager-Regulatory Affairs
Harris Nuclear Plant

MSE/mse

c: Mr. J. B. Brady, NRC Sr. Resident Inspector
Mr. Mel Fry, Director, NC DEHNR
Mr. R. J. Laufer, NRC Project Manager
Mr. L. A. Reyes, NRC Regional Administrator

ADD 1/10

9908170075 990810
PDR ADDCK 05000400
PDR

170016



Handwritten notes in the top right corner, including a date "10/10/10" and some illegible scribbles.

A faint horizontal line of text spanning the width of the page, likely a header or separator.

Small handwritten mark or signature in the middle right section of the page.

Small handwritten marks or initials in the bottom right corner of the page.