



South Texas Project Electric Generating Station P.O. Box 289 Wadsworth, Texas 77483

January 17, 2018
NOC-AE-18003543

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555-0001

South Texas Project
Units 1 and 2
Docket Nos. STN 50-498, STN 50-499
Errata Sheet

References: Letter from Michael P. Murray to NRC Document Control Desk, "No Active Safety Function Anchor Darling Double Disc Gate Valves," NOC-AE-18003538, dated January 3, 2017. (ML18003B418)

STP Nuclear Operating Company (STPNOC) correspondence NOC-AE-18003538 dated January 3, 2017 was distributed with an incorrect date of issuance. The attached correspondence contains the letter with the corrected issuance date, i.e. January 3, 2018.

Note that the corrected letter has been resigned and is provided as a replacement for the first submittal in its entirety.

There are no commitments in this letter.

Should you have any questions or require additional information, please contact Rafael Gonzales at 361-972-4779.

A handwritten signature in black ink, appearing to read "MPM", written over a horizontal line.

Michael P. Murray
Manager, Regulatory Affairs

RJG

Attachment: Corrected Letter

STI: 34591414

cc:

(electronic copy)

(paper copy)

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
1600 East Lamar Boulevard
Arlington, TX 76011-4511

Lisa M. Regner
Senior Project Manager
U.S. Nuclear Regulatory Commission
One White Flint North (O8H04)
11555 Rockville Pike
Rockville, MD 20852

NRC Resident Inspector
U. S. Nuclear Regulatory Commission
P. O. Box 289, Mail Code: MN116
Wadsworth, TX 77483

Morgan, Lewis & Bockius LLP
Paul Bessette

U.S. Nuclear Regulatory Commission
Lisa M. Regner

NRG South Texas LP
Mark Walker
Jim von Suskil
Skip Zahn

CPS Energy
Kevin Pollo
Cris Eugster
L. D. Blaylock

City of Austin
Elaina Ball
John Wester

Texas Dept. of State Health Services
Helen Watkins
Robert Free



South Texas Project Electric Generating Station P.O. Box 289 Wadsworth, Texas 77483

January 3, 2018
NOC-AE-18003538

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Washington, DC 20555-0001

South Texas Project
Units 1 and 2
Docket Nos. STN 50-498, STN 50-499
No Active Safety Function Anchor Darling Double Disc Gate Valves

- References:
- 1) Letter from Greg Krueger (NEI) to John Lubinski, U.S. Nuclear Regulatory Commission, Anchor Darling Double Disc Gate Valve Industry Resolution Plan Update (Project 689), dated August 4, 2017
 - 2) Letter from Joe Pollock (NEI) to Brian Holian, U.S. Nuclear Regulatory Commission, NSIAC Concurrence on Anchor Darling Double Disc Gate Valve Industry Response Actions (Project 689), dated October 26, 2017

In Reference 1, the Nuclear Energy Institute (NEI) provided the NRC a resolution plan for the U.S. Nuclear Industry to address the known Anchor Darling Double Disk Gate Valve (ADDDGV) issues. Reference 2 indicated each utility will provide a listing of their Anchor Darling valve population with active safety functions along with relevant valve information, including the results of susceptibility evaluations, repair status, and a repair schedule for each susceptible valve not yet repaired. Reference 2 also stated that utilities or sites without active safety function Anchor Darling DDGVs would also provide a response.

This letter serves to confirm that South Texas Project Units 1 and 2 do not use Anchor Darling DDGVs to support any active safety function.

There are no commitments in this letter.

Should you have any questions or require additional information, please contact Jimmie Richey at 361-972-7622.

Respectfully,

A handwritten signature in black ink, appearing to read "MPM", followed by a long horizontal flourish.

Michael P. Murray
Manager of Regulatory Affairs

STI: 34587213

cc:

(electronic copy)

(paper copy)

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
1600 East Lamar Boulevard
Arlington, TX 76011-4511

Lisa M. Regner
Senior Project Manager
U.S. Nuclear Regulatory Commission
One White Flint North (O8H04)
11555 Rockville Pike
Rockville, MD 20852

NRC Resident Inspector
U. S. Nuclear Regulatory Commission
P. O. Box 289, Mail Code: MN116
Wadsworth, TX 77483

Morgan, Lewis & Bockius LLP
Paul Bessette

U.S. Nuclear Regulatory Commission
Lisa M. Regner

NRG South Texas LP
Mark Walker
Jim von Suskil
Skip Zahn

CPS Energy
Kevin Pollo
Cris Eugster
L. D. Blaylock

City of Austin
Elaina Ball
John Wester

Texas Dept. of State Health Services
Helen Watkins
Robert Free