

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

FILE NUMBER
ENVIRO

TO: Mr Regan

FROM: Pa Pwr & Light Co
Allentown, Pa
N W Curtis

DATE OF DOCUMENT
1-18-77

DATE RECEIVED
1-21-77

LETTER
 ORIGINAL
 COPY

NOTORIZED
 UNCLASSIFIED

PROP

INPUT FORM

NUMBER OF COPIES RECEIVED
one signed

DESCRIPTION

ENCLOSURE

Ltr documenting info transmitted via telephone
on 1-11-77 concerning transmission lines.....

**ACKNOWLEDGED
DO NOT REMOVE**

lp

PLANT NAME: Susquehanna 1 & 2

SAFETY	FOR ACTION/INFORMATION:	ENVIRO	1-25-77	rehf
ASSIGNED AD:		ASSIGNED AD:	V. Moore	
BRANCH CHIEF:		BRANCH CHIEF:	Regan	
PROJECT MANAGER:	Mine	PROJECT MANAGER:	Bajwa	
LIC. ASST. :		LIC. ASST. :	Duncan	

INTERNAL DISTRIBUTION

<input checked="" type="checkbox"/> REG FILE	SYSTEMS SAFETY	PLANT SYSTEMS	SITE SAFETY &
NRC PDR	HEINEMAN	TEDESCO	ENVIRO ANALYSIS
I & E (2)	SCHROEDER	BENAROYA	DENTON & MULLER
OELD		LAINAS	
GOSSICK & STAFF	ENGINEERING	IPPOLITO	ENVIRO TECH.
MIPC	MACARRY	KIRKWOOD	ERNST
CASE	KNIGHT		BALLARD
HANAUER	SIHWEL	OPERATING REACTORS	SPANGLER
HARLESS	PAWLICKI	STELLO	
PROJECT MANAGEMENT	REACTOR SAFETY	OPERATING TECH.	SITE TECH.
BOYD	ROSS	EISENHUT	GAMMILL
P. COLLINS	NOVAK	SHAO	STEPP
HOUSTON	ROSZTOCZY	BAER	HULMAN
PETERSON	CHECK	BUTLER	SITE ANALYSIS
MELTZ		GRIMES	VOLLNER
HELTEMES	AT & I		BUNCH
SKOVHOLT	SALTZMAN		J. COLLINS
	RUTBERG		KREGER

EXTERNAL DISTRIBUTION

CONTROL NUMBER

<input checked="" type="checkbox"/> LPDR: Wilkes Barre, Pa	<input checked="" type="checkbox"/> NAT. LAB: ANL (6)	<input checked="" type="checkbox"/> BROOKHAVEN NAT. LAB.
<input checked="" type="checkbox"/> TIC:	REG V. IE	ULRIKSON (ORNL)
<input checked="" type="checkbox"/> NSIC:	LA PDR	
<input checked="" type="checkbox"/> ASLB:	CONSULTANTS:	
ACRS	CYS HOLDING/SENT	

636


Handwritten mark

PP&L

TWO NORTH NINTH STREET, ALLENTOWN, PA. 18101

PHONE: (215) 821-5151

Regulatory Docket File



JAN 18 1977

Director of Nuclear Reactor Regulation
Environmental Projects Branch No. 3
U. S. Nuclear Regulatory Commission
Washington, DC. 20555

ATTENTION: Wm. H. Regan, Jr., Chief

SUSQUEHANNA STEAM ELECTRIC STATION
ADDITIONAL INFORMATION ON TRANSMISSION LINES
ER 100450 FILE 991-2
PLA-158

Docket No. 50-387
50-388

Dear Mr. Regan:

This letter is to document the following information which was transmitted to you by way of a telephone conversation on January 11, 1977, between your Mr. Singh Bajwa and our Mr. E. D. Testa:

1. A review of the Figures 3.9-H and 3.9-K indicates that the 63 dBA shown on Table 3.9-N and in paragraph 5.5.1.2 should be corrected to read 59 dBA.
2. Pennsylvania Power & Light Company will provide conductor-to-ground clearances which will limit human induced currents to 5 mA to insure public safety. Where conditions indicate that extra precautionary measures will be necessary, such as grounding fences which pick up induced current from energized conductors, Pennsylvania Power & Light Company will perform all necessary work to insure that induced current will be limited to 5 mA.

If there are any additional questions, please contact us.

Very truly yours,

N. W. Curtis

N. W. Curtis
Vice President-Engineering & Construction

CTC:vls

636



NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

TO: Mr Regan

FROM: Pa Pwr & Light Co
Allentown, Pa
N W Curtis

DATE OF DOCUMENT
1-18-77

DATE RECEIVED
1-21-77

LETTER
 ORIGINAL
 COPY

NOTORIZED
 UNCLASSIFIED

PROP

INPUT FORM

NUMBER OF COPIES RECEIVED
one signed

DESCRIPTION

ENCLOSURE

Ltr documenting info transmitted via telephone
on 1-11-77 concerning transmission lines.....

1p

**ACKNOWLEDGED
DO NOT REMOVE**

PLANT NAME: Susquehanna 1 & 2

SAFETY

FOR ACTION/INFORMATION

ENVIRO

1-25-77

ehf

ASSIGNED AD:

ASSIGNED AD: *V. Moore*

BRANCH CHIEF:

BRANCH CHIEF: *Regan*

PROJECT MANAGER:

PROJECT MANAGER: *Bajwa*

LIC. ASST. :

LIC. ASST. : *Duncan*

INTERNAL DISTRIBUTION

<input checked="" type="checkbox"/> REG FILE	SYSTEMS SAFETY	PLANT SYSTEMS	SITE SAFETY &
<input checked="" type="checkbox"/> NRC PDR	HEINEMAN	TEDESCO	ENVIRO ANALYSIS
<input checked="" type="checkbox"/> I & E (2)	SCHROEDER	BENAROYA	DENTON & MULLER
<input checked="" type="checkbox"/> OELD		LAINAS	
GOSSICK & STAFF	ENGINEERING	IPPOLITO	ENVIRO TECH.
MIPC	MACARRY	KIRKWOOD	ERNST
CASE	KNIGHT		BALLARD
<input checked="" type="checkbox"/> HANAUER	SIHWEIL	OPERATING REACTORS	<input checked="" type="checkbox"/> SPANGLER
<input checked="" type="checkbox"/> HARLESS	PAWLICKI	STELLO	
			SITE TECH.
PROJECT MANAGEMENT	REACTOR SAFETY	OPERATING TECH.	GAMMILL
BOYD	ROSS	EISENHUT	STEPP
P. COLLINS	NOVAK	SHAO	HULMAN
HOUSTON	ROSZTOCZY	BAER	
PETERSON	CHECK	BUTLER	SITE ANALYSIS
MELTZ		GRIMES	<input checked="" type="checkbox"/> VOLLMER
HELTEMES	AT & I		<input checked="" type="checkbox"/> BUNCH
SKOVHOLT	SALTZMAN		<input checked="" type="checkbox"/> J. COLLINS
	RUTBERG		<input checked="" type="checkbox"/> KREGER

EXTERNAL DISTRIBUTION

CONTROL NUMBER

<input checked="" type="checkbox"/> LPDR: <i>Wilkes Barre, Pa.</i>	<input checked="" type="checkbox"/> NAT. LAB: <i>ANL (6)</i>	<input checked="" type="checkbox"/> BROOKHAVEN NAT. LAB.	<p>636</p> <p><i>Enviro</i></p>
<input checked="" type="checkbox"/> TIC:	REG V. IE	<input checked="" type="checkbox"/> ULRIKSON (ORNL)	
<input checked="" type="checkbox"/> NSIC:	LA PDR		
<input checked="" type="checkbox"/> ASLB:	CONSULTANTS:		
<input checked="" type="checkbox"/> ACRS CYS HOLDING/SENT			



50-1


100

.....

100

PP&L

Regulatory Docket File



JAN 18 1977

Director of Nuclear Reactor Regulation
Environmental Projects Branch No. 3
U. S. Nuclear Regulatory Commission
Washington, DC 20555

ATTENTION: Wm. H. Regan, Jr., Chief

SUSQUEHANNA STEAM ELECTRIC STATION
ADDITIONAL INFORMATION ON TRANSMISSION LINES
ER 100450 FILE 991-2
PLA-158

Docket No. 50-387
50-388

Dear Mr. Regan:

This letter is to document the following information which was transmitted to you by way of a telephone conversation on January 11, 1977, between your Mr. Singh Bajwa and our Mr. E. D. Testa:

1. A review of the Figures 3.9-H and 3.9-K indicates that the 63 dBA shown on Table 3.9-N and in paragraph 5.5.1.2 should be corrected to read 59 dBA.
2. Pennsylvania Power & Light Company will provide conductor-to-ground clearances which will limit human induced currents to 5 mA to insure public safety. Where conditions indicate that extra precautionary measures will be necessary, such as grounding fences which pick up induced current from energized conductors, Pennsylvania Power & Light Company will perform all necessary work to insure that induced current will be limited to 5 mA.

If there are any additional questions, please contact us.

Very truly yours,

N. W. Curtis

N. W. Curtis
Vice President-Engineering & Construction

CTC:vl

636

aw