



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, ILLINOIS 60532-4352

JAN 26 2018

Jennifer Walton, Ph.D., CIH  
Radiation Safety Officer/Director of the Office of Laboratory and Field Safety  
Central Michigan University  
Office of Research and Graduate Studies  
Foust Hall 251  
Mr. Pleasant, MI 48859

Dear Dr. Walton:

Enclosed is Amendment No. 41 to your NRC Material License No. 21-01432-02 in accordance with your February 10, 2017 (ML17044A495) request to remove the Brooks Hall and CART building locations of use from your license. Please note that numbering in Items 6 – 9 have been updated in accordance with changes to the NRC's electronic Web-based Licensing System (WBL). In addition, we have updated authorized uses in Item 9 and language and formatting in Condition Nos. 11, 13, 15, and 16 in accordance with current standard NRC licensing conditions.

Based on NRC review, no further remediation or actions with respect to NRC regulated material in the Brooks Hall and CART building locations of use referenced in your letter are required and is suitable for unrestricted use. Consequently, both referenced locations of use are being removed from your license and no further use of licensed material shall be used in either location unless authorized by NRC.

Please review the enclosed document carefully and be sure that you understand all conditions.

If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(20)(iii).

NRC's Regulatory Issue Summary (RIS) 2005-31 provides criteria to identify security-related sensitive information and guidance for handling and marking of such documents. This ensures that potentially sensitive information is not made publicly available through ADAMS, the NRC's electronic document system.

Pursuant to NRC's RIS 2005-31 and in accordance with 10 Code of Federal Regulations 2.390, the enclosed license document is exempt from public disclosure because its disclosure to unauthorized individuals could present a security vulnerability.

The enclosed document contains sensitive security-related information.  
When separated from this cover letter this letter are uncontrolled.


J. Walton

The RIS may be located on the NRC Web site at: <http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/ri200531.pdf> and the link for frequently asked questions regarding protection of security related sensitive information may be located at: <http://www.nrc.gov/reading-rm/sensitive-info/faq.html>.

A copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Please be aware that the historical records relating to the above areas and the information used as the basis for unrestricted release must be maintained, pursuant to 10 CFR Part 30, Section 30.35, "*Financial Assurance and Recordkeeping for Decommissioning*" and may be subject to inspection by NRC, until the Central Michigan University's license has been terminated.

Sincerely,



Michael M. LaFranzo  
Materials Control, ISFSI,  
and Decommissioning Branch

License No. 21-01432-02  
Docket No. 030-00811  
Control No. 593032

Enclosure:

Amendment No. 41