

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|---|----------------------------|--|----------------------------|--------------------------|----------------------------------|---|---|---|--|
| 1 | | | | | | | | | | |
| 2 | Office of Administration | | | | | | | | | |
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 4 | Management Directive 12.3, NRC Personnel Security Program | Management Directive | Outlines the Personnel Security Program for the NRC | 8/8/2013 | ADM | No | 9/4/2013 | 11/12/2013 | ML13151A402 | N/A |
| 5 | Management Directive 11.1, NRC Acquisition of Supplies and Services | Management Directive | Outlines the Acquisition Program for the NRC | 5/9/2014 | ADM | No | 5/13/2014 | 6/5/2014 | ML13322B277 | N/A |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | Office of the Chief Financial Officer | | | | | | | | | |
| 9 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and submitted to OMB Under Paperwork Reduction Act | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 10 | License Fees FAQ | FAQ | Provides responses to frequently asked questions including general questions, materials license annual fee, annual small entity certification and payment of invoice. | ongoing | OCFO | No | **** | **** | https://www.nrc.gov/about-nrc/regulatory/licensing/fees.html#faq | N/A |
| 11 | Management Directive 11.6, "Financial Assistance Program" | Management Directive | Outlines procedures for the NRC financial assistance program | 7/28/2017 | OCFO | No | **** | **** | https://www.nrc.gov/docs/ML1625/ML16253A024.pdf | N/A |
| 12 | NUREG/BR-0254, Revision 7, Payment Methods | NUREG | Provides payment methods accepted by the NRC for payment of an annual fee, a proposed or imposed civil penalty, a full cost licensing or inspection invoice, or other fees | 7/29/2015 | OCFO | No | 06/02/2017 (most recent PRA) | **** | ML15209A661 | N/A |
| 13 | | | | | | | | | | |
| 14 | Office of Enforcement | | | | | | | | | |
| 15 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 16 | Nuclear Regulatory Commission Enforcement Manual (Revision 10, Change 1) and all appendices | Guidance | Provides specific guidance to staff on implementation of the NRC enforcement program. | 7/28/2017 | OE | No | N/A* | **** | https://www.nrc.gov/docs/ML1721/ML17212A125.pdf | N/A |
| 17 | Allegation Manual and all appendices | Guidance | This manual describes how allegations are received, evaluated, and closed by the NRC. | 12/22/2016 | OE | No | **** | **** | https://www.nrc.gov/docs/ML1700/ML17003A227.pdf | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|---|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 18 | Pre-Investigation Alternative Dispute Resolution (ADR) Brochure | Guidance | The pre-investigation program provides an individual and his/her employer (or former employer) the opportunity to resolve an allegation of discrimination through mediation rather than fully litigate the discrimination allegation or have the NRC initiate an investigation. | 8/1/2010 | OE | No | 2/6/2013 | **** | https://www.nrc.gov/about-nrc/regulatory/enforcement/adr/pre-invest-brochure.pdf | N/A |
| 19 | Alternative Dispute Resolution (ADR) Brochure-Enforcement ADR | Guidance | Enforcement ADR, formerly known as "post-investigation ADR", refers to the use of mediation either (1) anytime after an investigation by the NRC's Office of Investigations is complete and an enforcement panel concludes that pursuit of an enforcement action appears warranted or (2) for nonwillful, traditional cases with the potential for civil penalties. | 7/1/2011 | OE | No | **** | **** | https://www.nrc.gov/docs/ML1121/ML11210B507.pdf | N/A |
| 20 | Safety Culture Policy Statement | Policy Statement | Statement of Policy that sets forth expectation that individuals and organizations performing or overseeing regulated activities establish and maintain a positive safety culture. | 6/14/2011 | OE | No | 3/31/2011 | **** | ML111650336 | 76 FR 34773 |
| 21 | Enforcement Policy | Policy | The NRC Enforcement Policy supports the NRC's mission to ensure adequate protection of public health and safety, promote common defense and security, and protect the environment. | Nov-16 | OE | No | **** | 8/10/2016 | https://www.nrc.gov/docs/ML1627/ML16271A446.pdf | 81 FR 78022 |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | Office of International Programs | | | | | | | | | |
| 25 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and Submitted to OMB under Paperwork Reduction Act | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|---|-----------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 26 | International Policy Statement | Commission Policy Statement | The International Policy Statement captures a brief history of almost 40 years of involvement in international activities and how this has impacted the NRC. The International Policy Statement also outlines how international activities directly support the NRC's goals and mission, and enumerates specific elements in which the NRC will proactively engage. | 7/10/2014 | OIP | No | **** | **** | https://www.nrc.gov/docs/ML1413/ML14132A317.pdf | 79 FR 39415 |
| 27 | Import/Export Licensing Frequently Asked Questions | FAQ | Document a series of questions and answers related to import/export licensing | ongoing | OIP | No | **** | **** | https://www.nrc.gov/about-nrc/ip/faq.html | N/A |
| 28 | | | | | | | | | | |
| 29 | | | | | | | | | | |
| 30 | Office of New Reactors | | | | | | | | | |
| 31 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 32 | NUREG-2194 Standard Technical Specifications, Westinghouse Advanced Passive 1000 (AP 1000) Plants | NUREG | Standard Technical Specifications (STS) for Westinghouse Advanced Passive 1000 (AP1000) plants | Apr-16 | NRO | no | **** | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2194/ | N/A |
| 33 | DC/COL-ISG-1 Interim Staff Guidance On Seismic Issues of High Frequency Ground Motion | Interim Staff Guidance | Describes how the staff will review seismic issues associated with HF ground motion as addressed in DC applications and COL applications | 5/19/2008 | NRO | no | **** | **** | ML081400293 | 73 FR 30425 |
| 34 | DC/COL-ISG-2 Interim Staff Guidance on Financial Qualifications of Applicants For Combined License Applications | Interim Staff Guidance | Summarizes the requirements under 10 CFR Section 50.33(f)(1) for COL applicants and corrects the information provided in Section C.IV.5.1 of Regulatory Guide 1.206 | 5/2/2008 | NRO | no | **** | **** | ML080710301 | N/A |
| 35 | DC/COL-ISG-3 PRA Information to Support Design Certification and Combined License Applications | Interim Staff Guidance | Supplements the guidance provided to the staff in Section 19.0, of the SRP concerning the review of PRA information and severe accident assessment submitted to support DC and COL applications | 6/11/2008 | NRO | no | **** | **** | ML081430675 | 73 FR 34347 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|--|------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 36 | COL/ESP-ISG-4 Interim Staff Guidance on the Definition of Construction and on Limited Work Authorizations | Interim Staff Guidance | Provides guidance regarding the definition of construction and the delineation of preconstruction activities and those activities requiring prior approval of the NRC | 3/13/2009 | NRO | no | **** | **** | ML082970729 | 74 FR 7488 |
| 37 | DC/COL-ISG-5 GALE86 Code for Calculation of Routine Radioactive Releases in Gaseous and Liquid Effluents to Support Design Certification and Combined License Applications | Interim Staff Guidance | Provides a clarification on the use of a newer version of the boiling-water reactor and pressurized-water reactors GALE codes that is not referenced in the current NRC guidance. | 7/10/2008 | NRO | no | **** | **** | ML081710299 | 73 FR 41129 |
| 38 | DC/COL-ISG-6 Evaluation and Acceptance Criteria for 10 CFR 20.1406 to Support Design Certification and Combined License Applications | Interim Staff Guidance | Clarifies the U.S. Nuclear Regulatory Commission (NRC) position on acceptable levels of detail and content required for an applicant to demonstrate compliance with 10 CFR 20.1406 | 10/9/2009 | NRO | no | **** | **** | ML092470100 | 74 FR 52267 |
| 39 | DC/COL-ISG-7 Assesment of Normal and Extreme Winter Precipitation Loads on the Roofs of Seismic Category I Structures | Interim Staff Guidance | Clarifies the NRC position on identifying winter precipitation events as site characteristics and site parameters for determining normal and extreme winter precipitation loads on the roofs of Seismic Category I structures | 7/1/2009 | NRO | no | **** | **** | ML091490556 | 74 FR 31470 |
| 40 | DC/COL-ISG-8 Necessary Content of Plant-Specific Technical Specifications | Interim Staff Guidance | Replaces the related guidance in Chapter 16.0 of the Standard Review Plan (NUREG-0800) regarding the content of plant-specific Technical Specifications to support issuing a COL | 12/9/2008 | NRO | no | **** | **** | ML083310259 | 73 FR 76685 |
| 41 | DC/COL-ISG-10 Review of Evaluation To Address Adverse Flow Effects in Equipment Other Than Reactor Internals | Interim Staff Guidance | Modifies and provides additional clarity in the guidance for the review of analyses of adverse flow effects in equipment other than reactor internals performed by COL and DC applicants | 11/3/2009 | NRO | no | **** | **** | ML092890285 | 74 FR 58323 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A 1. Title | B 2. Form of Guidance | C 3. Subject Description | D 4. Date of Issuance | E 5. Issuing Office | F 6a. Major rule under CRA? | G 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | H 6c. Date submitted to Congress and GAO Under CRA | I 7. If Applicable, Hyperlink or ADAMS Number | J 7. If applicable, Federal Register Citation |
|----|--|--------------------------|--|--------------------------|------------------------|--------------------------------|---|---|--|--|
| 42 | DC/COL-ISG-11 Finalizing Licensing-basis Information | Interim Staff Guidance | Clarifies the NRC staff position on finalizing licensing basis information at a point during the licensing review, a so-called freeze point, and the control of licensing basis information during and following the initial review of applications for DCs or COLs | 11/2/2009 | NRO | no | 1/4/2012 | ***** | ML092890623 | 74 FR 57715 |
| 43 | DC/COL-ISG-13 Assessing the Radiological Consequences of Accidental Releases of Radioactive Materials from Liquid Waste Tanks for Combined License Applications | Interim Staff Guidance | Addresses the development of the radiological source term contained in the postulated tank failure and mechanism for the radioactivity to reach groundwater or surface water | 1/22/2013 | NRO | no | 10/27/2011 | 1/24/2013 | ML12191A325 | 78 FR 6149 |
| 44 | DC/COL-ISG-14 Assessing the Radiological Consequences of Accidental Releases of Radioactive Materials from Liquid Waste Tanks in Ground and Surface Waters for Combined License Applications | Interim Staff Guidance | Focuses on characterizing the hydro-geologic conditions of the site where radioactivity is assumed to enter groundwater or surface water and modeling the movement of the radioactivity to points beyond the site boundary | 1/22/2013 | NRO | no | 10/27/2011 | ***** | ML12191A330 | 78 FR 6149 |
| 45 | DC/COL-ISG-15 Post-Combined License Commitments | Interim Staff Guidance | Discusses options regarding completion of COL items that cannot be completed until after issuance of the COL | 2/2/2010 | NRO | no | **** | ***** | ML093561416 | 75 FR 5356 |
| 46 | DC/COL-ISG-17 Ensuring Hazard-Consistent Seismic Input for Site Response and Soil Structure Interaction Analyses | Interim Staff Guidance | Provides the staff position on issues related to Seismic Input for Site Response and Soil Structure Interaction Analyses | 3/24/2010 | NRO | no | **** | ***** | ML100570203 | 75 FR 16202 |
| 47 | DC/COL-ISG-19 Gas Accumulation Issues in Safety Related Systems | Interim Staff Guidance | Clarifies the NRC staff guidance to address issues of gas accumulation in safety related systems | 9/9/2011 | NRO | no | **** | ***** | ML111110572 | 76 FR 58846 |
| 48 | DC/COL-ISG-20 Seismic Margin Analysis for New Reactors Based on Probabilistic Risk Assessment | Interim Staff Guidance | Supplements the guidance provided to the staff in Section 19.0 of the SRP to Support Design Certification and Combined License concerning the review of probabilistic risk assessment (PRA) information and severe accident assessments submitted to support DC and COL applications | 3/15/2010 | NRO | no | 7/3/2012 | ***** | ML100491233 | 75 FR 13610 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A 1. Title | B 2. Form of Guidance | C 3. Subject Description | D 4. Date of Issuance | E 5. Issuing Office | F 6a. Major rule under CRA? | G 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | H 6c. Date submitted to Congress and GAO Under CRA | I 7. If Applicable, Hyperlink or ADAMS Number | J 7. If applicable, Federal Register Citation |
|----|---|--------------------------|---|--------------------------|------------------------|--------------------------------|---|---|--|--|
| 3 | DC/COL-ISG-21 Review of Nuclear Power Plant Designs using a Gas Turbine Driven Standby Emergency Alternating Current Power System | Interim Staff Guidance | Clarifies the NRC staff guidance for review of Nuclear Power Plant designs using a Gas Turbine Driven Standby Emergency Alternating Current (AC) Power system and also revises and updates the guidance previously provided in the SRP related to the Standby Emergency AC Power System | 3/22/2011 | NRO | no | 2/11/2011 | ***** | ML102510119 | 76 FR 17160 |
| 49 | DC/COL-ISG-22 Impact of Construction (Under a Combined License) of New Nuclear Power Plant Units on Operating Units at Multi-Unit Sites | Interim Staff Guidance | Assists the NRC staff in the evaluation of COL applicants' compliance with 10 CFR 52.79(a)(31). 10 CFR 52.79(a)(31) requires COL applicants who intend to construct and operate new units on multi-unit sites to provide an evaluation of the potential hazards to structures, systems, and components important to safety for the operating units resulting from construction activities | 5/11/2012 | NRO | no | 5/2/2011 | ***** | ML112630044 | 77 FR 29701 |
| 50 | DC/COL-ISG-24 Interim Staff Guidance Implementation of Regulatory Guide 1.221 on Design-Basis Hurricane and Hurricane Missiles DC/COL-ISG-024 | Interim Staff Guidance | Provides the staff guidance regarding the application of Regulatory Guide 1.221, "Design-Basis Hurricane and Hurricane Missiles for Nuclear Power Plants," in support of NRC reviews of ESP, DC, and COL applications being performed under the March 2007 version of the SRP | 5/14/2013 | NRO | no | 1/15/2013 | 6/30/2013 | ML13015A693 | 78 FR 31614 |
| 51 | DC/COL-ISG-25 Changes during Construction Under Title 10 of the Code of Federal Regulations Part 52 | Interim Staff Guidance | Provides guidance to the NRC staff on the Preliminary Amendment Request (PAR) review process available to the COL holders | 7/31/2015 | NRO | no | 5/2/2011 | ***** | ML15058A377 | 80 FR 48351 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|--|-----------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 53 | COL/ESP-ISG-26 Environmental Issues Associated with New Reactors | Interim Staff Guidance | Clarifies the NRC guidance and application of the Environmental Standard Review Plan, regarding the assessment of construction impacts, greenhouse gas and climate change, socioeconomics, environmental justice, need for power, alternatives, cumulative impacts, and cultural/historical resources as part of the preparation of environmental impact statements for ESP and COL applications | 9/3/2014 | NRO | no | 2/26/2013 | 9/9/2014 | ML14092A402 | 79 FR 52373 |
| 54 | COL/ESP-ISG-27 Specific Environmental Guidance for Light Water Small Modular Reactor | Interim Staff Guidance | Clarifies the NRC guidance and application of NUREG-1555, "Standard Review Plans for Environmental Reviews for Nuclear Power Plants," regarding the assessment of environmental reviews for applications for licenses to construct and operate light water small modular reactors | 8/25/2014 | NRO | no | 2/26/2013 | 9/9/2014 | ML14100A648 | 79 FR 53083 |
| 55 | DC/COL-ISG-28 Assessing the Technical Adequacy of the Advanced Light-Water Reactor Probabilistic Risk Assessment for the Design Certification Application and Combined License Application | Interim Staff Guidance | Addresses how applicants for advanced light water reactors can use ASME /ANS RA-S-2008 Standard for Level 1/Large Early Release Frequency Probabilistic Risk Assessment for Nuclear Power Plant Applications," (the PRA Standard), as endorsed by RG 1.200, Revision 2 | Nov-16 | NRO | no | 8/3/2015 | 12/8/2016 | ML16130A468 | 81 FR 87083 |
| 56 | Commission Policy Statement on the Regulation of Advanced Reactors | Commission Policy Statement | Reinforces the Commission's current policy regarding advanced reactors and includes new items to be considered during the design of these reactors, including security, emergency preparedness, threat of theft, and international safeguards | 10/14/2008 | NRO | no | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/commission/policy/73fr60612.pdf | 73 FR 60612 |
| 57 | | | | | | | | | | |
| 58 | | | | | | | | | | |
| 59 | | | | | | | | | | |
| 60 | | | | | | | | | | |
| 61 | | | | | | | | | | |
| 62 | | | | | | | | | | |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|---|---------------------|---|---|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 63 | Office of Nuclear Reactor Regulation | | | | | | | | | |
| 64 | NUREG-0654 | NUREG | Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants (FEMA-REP-1, Revision 1, Supplement 3) | Nov-11 | NRR | No | 7/21/2011 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr0654/r1/s3/ | 76 FR 75771 |
| 65 | NUREG-0711 | NUREG | Human Factors Engineering Program Review Model, Revision 3 | Nov-12 | NRR | No | **** | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr0711/ | N/A |
| 66 | NUREG-0800 | NUREG | Standard Review Plan for the Review of Safety Analysis Reports for Nuclear Power Plants: LWR Edition | Various Chapters: Dates before and after 2008 | NRR/NRO | No | Various | Various | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr0800/ | Various |
| 67 | NUREG-1021 | NUREG | Operator Licensing Examination Standards for Power Reactors | Feb-17 | NRR | No | 1/4/2017 | 2/28/2017 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1021/ | 82 FR 10809 |
| 68 | NUREG-1022 | NUREG | Event Reporting Guidelines: 10 CFR 50.72 and 50.73 | Sep-14 | NRR | No | 1/15/2013 | 3/22/2013 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1022/ | 79 FR 58811 |
| 69 | NUREG-1122 | NUREG | Knowledge and Abilities Catalog for Nuclear Power Plant Operators: Pressurized Water Reactors | Apr-17 | NRR | No | 8/31/2017 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1122/ | 82 FR 18018**** |
| 70 | NUREG-1123 | NUREG | Knowledge and Abilities Catalog for Nuclear Power Plant Operators: Boiling Water Reactors | Apr-17 | NRR | No | 8/31/2017 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1123/ | 82 FR 18018**** |
| 71 | NUREG-1307 | NUREG | Report on Waste Burial Charges: Changes in Decommissioning Waste Disposal Costs at Low-Level Waste Burial Facilities | Mar-17 | NRR | No | 12/18/2012 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1307/ | 82 FR 13677 |
| 72 | NUREG-1430 | NUREG | Standard Technical Specifications — Babcock and Wilcox Plants | Apr-12 | NRR | No | 5/27/2011 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1430/ | 77 FR 27490 |
| 73 | NUREG-1431 | NUREG | Standard Technical Specifications — Westinghouse Plants | Apr-12 | NRR | No | 5/27/2011 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1431/ | 77 FR 27490 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|------------|---------------------|--|--|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 74 | NUREG-1432 | NUREG | Standard Technical Specifications — Combustion Engineering Plants | Apr-12 | NRR | No | 5/27/2011 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1432/ | 77 FR 27490 |
| 75 | NUREG-1433 | NUREG | Standard Technical Specifications — General Electric Plants (BWR/4) | Apr-12 | NRR | No | 5/27/2011 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1433/ | 77 FR 27490 |
| 76 | NUREG-1434 | NUREG | Standard Technical Specifications — General Electric Plants (BWR/6) | Apr-12 | NRR | No | 5/27/2011 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1434/ | 77 FR 27490 |
| 77 | NUREG-1437 | NUREG | Generic Environmental Impact Statement for License Renewal of Nuclear Plants | Various Supplements: Dates before and after 2008 | NRR | No | 3/30/2012 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1437/ | 61 FR 28467; 78 FR 37325 |
| 78 | NUREG-1475 | NUREG | Applying Statistics | Mar-11 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1475/ | N/A |
| 79 | NUREG-1482 | NUREG | Guidelines for Inservice Testing at Nuclear Power Plants: Inservice Testing of Pumps and Valves and Inservice Examination and Testing of Dynamic Restraints (Snubbers) at Nuclear Power Plants | Oct-13 | NRR | No | 4/4/2013 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1482/ | 78 FR 71676 |
| 80 | NUREG-1530 | NUREG | Reassessment of NRC's Dollar Per Person-Rem Conversion Factor Policy | Aug-15 | NRR | No | 10/13/2017 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1530/ | 80 FR 53585*** |
| 81 | NUREG-1555 | NUREG | Standard Review Plans for Environmental Reviews for Nuclear Power Plants: Environmental Standard Review Plan (with Supplement 1, Revision 1, for Operating Reactor License Renewal) | Jun-13 | NRR | No | 3/30/2012 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1555/ | 78 FR 37325 |
| 82 | NUREG-1800 | NUREG | Standard Review Plan for Review of License Renewal Applications for Nuclear Power Plants, Revision 2 | Dec-10 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1800/ | 75 FR 80857 |
| 83 | NUREG-1801 | NUREG | Generic Aging Lessons Learned (GALL) Report | Dec-10 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1801/ | 75 FR 80857 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|--|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 84 | NUREG-2103 | NUREG | Knowledge and Abilities Catalog for Nuclear Power Plant Operators: Westinghouse AP1000 Pressurized-Water Reactors | Oct-11 | NRR/NRO | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2103/ | 76 FR 73720*** |
| 85 | NUREG-2104 | NUREG | Knowledge and Abilities Catalog for Nuclear Power Plant Operators: Advanced Boiling-Water Reactors | Dec-11 | NRR/NRO | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2104/ | 77 FR 3009*** |
| 86 | NUREG-2165 | NUREG | Safety Culture Common Language | Mar-14 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2165/ | N/A |
| 87 | NUREG-2188 | NUREG | U.S. Operating Experience with Thermally Treated Alloy 600 Steam Generator Tubes Through December 2013 | Feb-16 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2188/ | N/A |
| 88 | NUREG-2191 | NUREG | Generic Aging Lessons Learned for Subsequent License Renewal (GALL-SLR) Report | Jul-17 | NRR | No | 12/28/2016 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2191/ | 82 FR 32588 |
| 89 | NUREG-2192 | NUREG | Standard Review Plan for Review of Subsequent License Renewal Applications for Nuclear Power Plants | Jul-17 | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2192/ | 82 FR 32588 |
| 90 | GL-08-01, Managing Gas Accumulation in Emergency Core Cooling, Decay Heat Removal, and Containment Spray Systems | Generic Letter | Addresses the issue of gas accumulation in the emergency core cooling, decay heat removal, and containment spray systems | 1/11/2008 | NRR | No | 2/4/2013 | ***** | ML072910759 | 73 FR 4644 |
| 91 | GL-16-01 Monitoring of Neutron-Absorbing Materials in Spent Fuels Pools | Generic Letter | To address degradation of neutron-absorbing materials in wet storage systems for reactor fuel at power and non-power reactors | 4/7/2016 | NRR | No | 12/31/15 (PRA) | ***** | ML16097A169 | 81 FR 22129 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|----|--------------------------------|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 92 | BL-11-01 Mitigating Strategies | Bulletin | <p>1. To require that addressees provide a comprehensive verification of their compliance with the regulatory requirements of Title 10 of the Code of Federal Regulations (10 CFR) Section 50.54(hh)(2),</p> <p>2. To notify addressees about the NRC staff's need for information associated with licensee mitigating strategies under 10 CFR 50.54(hh)(2) in light of the recent events at Japan's Fukushima Daiichi facility in order to determine if 1) additional assessment of program implementation is needed, 2) the current inspection program should be enhanced, or 3) further regulatory action is warranted, and</p> <p>3. To require that addressees provide a written response to the NRC in accordance with 10 CFR 50.54(f).</p> | 5/11/2011 | NRR | No | **** | ***** | ML111250360 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|----|--|----------------------|---|---|-------------------|---------------------------|--|--|---|---|
| 93 | BL-12-01 Design Vulnerability In Electric Power System | Bulletin | <p>1. To notify the addressees that the NRC staff is requesting information about the facilities' electric power system designs, in light of the recent operating experience that involved the loss of one of the three phases of the offsite power circuit (single-phase open circuit condition) at Byron Station, Unit 2, to determine if further regulatory action is warranted.</p> <p>2. To require that the addressees comprehensively verify their compliance with the regulatory requirements of General Design Criterion (GDC) 17, "Electric Power Systems," in Appendix A, "General Design Criteria for Nuclear Power Plants," to 10 CFR Part 50 or the applicable principal design criteria in the updated final safety analysis report; and the design criteria for protection systems under 10 CFR 50.55a(h)(2) and 10 CFR 50.55a(h)(3).</p> <p>3. To require that addressees respond to the NRC in writing, in accordance with 10 CFR 50.54(f).</p> | 07/27/2012 | NRO, NRR | No | **** | ***** | ML12074A115 | N/A |
| 94 | NRC Inspection Manual | Inspection Manual | NRC Inspection Manual documents issued by the various NRC offices that manage and oversee inspection programs | Various | NRR | No | N/A* | ***** | https://www.nrc.gov/reading-rm/doc-collections/insp-manual/manual-chapter/ | N/A |
| 95 | NRC Inspection Procedure | Inspection Procedure | NRC Inspection Procedure documents issued by the various NRC Offices that perform inspections | Various | NRR | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/insp-manual/inspection-procedure/ | N/A |
| 96 | Risk Assessment of Operational Events Handbook, Volume 1-4 | Guidance Document | Risk Assessment of Operational Events Handbook: Internal Event (Vol. 1), External Events (Vol. 2), SPAR Model Reviews (Vol. 3), Shutdown Events (Vol. 4) | 12/01/2017 11/01/2017 9/01/2011 4/1/2011 | NRR | No | **** | ***** | ML17348A149 ML17349A301 ML102850267 ML111370163 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A 1. Title | B 2. Form of Guidance | C 3. Subject Description | D 4. Date of Issuance | E 5. Issuing Office | F 6a. Major rule under CRA? | G 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | H 6c. Date submitted to Congress and GAO Under CRA | I 7. If Applicable, Hyperlink or ADAMS Number | J 7. If applicable, Federal Register Citation |
|---------|--|--------------------------|--|--------------------------|------------------------|--------------------------------|---|---|---|--|
| 3 97 | LR-ISG-2011-1, Revision 1 - "Aging Management of Stainless Steel Structures and Components in Treated Borated Water" | Interim Staff Guidance | Provides guidance as to one acceptable approach for managing the effects of aging at nuclear power plants during the period of extended operation for stainless steel structures and components exposed to treated borated water within the scope of 10 CFR Part 54. This LR-ISG revises the NRC staff's aging management recommendations in NUREG-1800, Revision 2, and NUREG-1801, Revision 2. | 12/18/2012 | NRR | No | *** | **** | https://www.nrc.gov/docs/ML1228/ML12286A275.pdf | 77 FR 74883 |
| 98 | LR-ISG-2011-02 - "Aging Management Program for Steam Generators" | Interim Staff Guidance | Evaluates the suitability of using Revision 3 of Nuclear Energy Institute (NEI) 97-06, "Steam Generator Program Guidelines," to manage the effects of aging of steam generators and corrects an incorrect revision in NUREG-1801, Revision 2, to the Steam Generator Integrity Assessment Guidelines. | 11/21/2011 | NRR | No | *** | **** | https://www.nrc.gov/docs/ML1129/ML11297A085.pdf | 76 FR 74834 |
| 99 | LR-ISG-2011-03 - "Changes to the Generic Aging Lessons Learned (GALL) Report Revision 2 Aging Management Program XI.M41, "Buried and Underground Piping and Tanks" | Interim Staff Guidance | Changes GALL Report AMP XI.M41 to provide one acceptable approach for managing the effects of aging of buried and underground piping and tanks within the scope of 10 CFR Part 54. This LR-ISG also changes Table 3.0-1, "FSAR Supplement for Aging Management of Applicable Systems," in NUREG-1800, Revision 2. A licensee may reference this ISG in its nuclear power plant license renewal application to demonstrate that its buried and underground piping and tanks program is acceptable to the staff until the guidance in this LR-ISG is implemented into the next update of the license renewal guidance documents. | 7/26/2012 | NRR | No | 3/30/2012 | 8/6/2012 | https://www.nrc.gov/docs/ML1213/ML12138A296.pdf | 77 FR 46127 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|-----|---|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 100 | LR-ISG-2011-04 - "Updated Aging Management Criteria for Reactor Vessel Internal Components of Pressurized Water Reactors" | Interim Staff Guidance | Revises the recommendations in NUREG-1801, Revision 2, and the NRC staff's acceptance criteria and review procedures in NUREG-1800, Revision 2 to ensure consistency with Revision 1 to the Final Safety Evaluation of MRP-227-A, "Pressurized Water Reactor (PWR) Internals Inspection and Evaluation Guidelines." This LR-ISG also provides a framework to ensure that PWR license renewal applicants will adequately address age-related degradation and aging management of reactor vessel internal components during the term of the renewed license(s). | 5/28/2013 | NRR | No | 6/1/2012 | 6/3/2013 | https://www.nrc.gov/docs/ML1227/ML12270A436.pdf | 78 FR 33120 |
| 101 | LR-ISG-2011-05 - "Ongoing Review of Operating Experience" | Interim Staff Guidance | Clarifies the NRC guidance in NUREG-1800, Revision 2, that acceptable nuclear power plant license renewal AMPs should be informed, and enhanced when necessary, based on the ongoing review of both plant-specific and industry operating experience. Specifically, this LR-ISG revises the NRC staff's acceptance criteria and review procedures to better address the ongoing review of operating experience within the SRP-LR. This LR-ISG also better aligns NUREG-1801, Revision 2, with the SRP-LR by incorporating the recommendation for ongoing review of operating experience into each of the program descriptions. This LR-ISG also provides a framework to ensure that license renewal applicants' operating experience review activities will adequately address operating experience concerning age-related degradation and aging management during the term of the renewed license(s). | 3/9/2012 | NRR | No | 3/2/2012 | 3/19/2012 | https://www.nrc.gov/docs/ML1204/ML12044A215.pdf | 77 FR 15818 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|-----|---|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 102 | LR-ISG-2012-01 - "Wall Thinning Due to Erosion Mechanisms" | Interim Staff Guidance | Provides interim guidance for an approach acceptable to the NRC staff to manage the effects of aging during the period of extended operation for wall thinning due to various erosion mechanisms for piping and components within the scope of 10 CFR Part 54. This LR-ISG revises NUREG-1801, Revision 2 aging management program XI.M17, "Flow-Accelerated Corrosion." It also supplements, or revises, related aging management recommendations in the NUREG-1801, Revision 2 and NUREG-1800, Revision 2. | 4/25/2013 | NRR | No | 10/1/2012 | 4/26/2013 | https://www.nrc.gov/docs/ML1235/ML12352A057.pdf | 78 FR 25487 |
| 103 | LR-ISG-2012-02 - "Aging Management of Internal Surfaces, Fire Water Systems, Atmospheric Storage Tanks, and Corrosion Under Insulation" | Interim Staff Guidance | Changes NUREG-1801, Revision 2 and NUREG-1800, Revision 2, to provide one acceptable approach for managing the associated aging effects for internal surfaces, fire water systems, atmospheric storage tanks, and corrosion under insulation within the scope of 10 CFR Part 54. | 11/14/2013 | NRR | No | 7/2/2013 | **** | https://www.nrc.gov/docs/ML1322/ML13227A361.pdf | 78 FR 70076 |
| 104 | LR-ISG-2013-01, LR-ISG-2014-004 - "Aging Management of Loss of Coating or Lining Integrity for Internal Coatings/Linings on In-Scope Piping, Piping Components, Heat Exchangers, and Tanks" | Interim Staff Guidance | Changes NUREG-1801, Revision 2 and NUREG-1800, Revision 2, to provide one acceptable approach for managing the associated aging effects of loss of coating or lining integrity for internal components/linings on piping, piping components, heat exchangers, and tanks within the scope of 10 CFR Part 54. | 11/6/2014 | NRR | No | 3/4/2014 | 12/1/2014 | https://www.nrc.gov/docs/ML1422/ML14225A059.pdf | 79 FR 68308 |
| 105 | LR-ISG-2015-01 - "Changes to Buried and Underground Piping and Tank Recommendations" | Interim Staff Guidance | Changes NUREG-1801, Revision 2 and NUREG-1800, Revision 2, to provide one acceptable approach for managing the associated aging effects for buried and underground piping and tanks within the scope of the 10 CFR Part 54. | 1/28/2016 | NRR | No | 11/30/2015 | 2/8/2016 | https://www.nrc.gov/docs/ML1530/ML15308A018.pdf | 81 FR 6055 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|------------------------|--|-------------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 106 | LR-ISG-2016-01 - "Changes to Aging Management Guidance for Various Steam Generator Components" | Interim Staff Guidance | Changes NUREG-1801, Revision 2 and NUREG-1800, Revision 2, to provide one acceptable approach for managing the associated aging effects for steam generator components within the scope of the 10 CFR Part 54. | 11/30/2016 | NRR | No | 8/31/2016 | 12/14/2016 | https://www.nrc.gov/docs/ML1623/ML16237A383.pdf | 81 FR 88276 |
| 107 | Revised Guidance for Review of Final Licensee Responses to Generic Letter 2004-02, "Potential Impact of Debris Blockage on Emergency Recirculation During Design Basis Accidents at Pressurized Water Reactors" | Guidance | Guidance for responding to GL 2004-02 in the areas of head loss, chemical effects, and coatings | 3/28/2008 | NRR | No | **** | **** | ML080230234 | 69 FR 57101 |
| 108 | Management Directive 8.7, "Reactor Operating Experience Program" | Management Directive | Provides means for assessing the significance of OpE Information, providing timely and effective communication to stakeholders, and applying the lessons learned to regulatory decisions and programs affecting nuclear reactors. | 9/27/2012 | NRR | No | 11/2/2012 | **** | ML122750292 | N/A |
| 109 | DSS-ISG-2016-01 and Rev. 1 | Interim Staff Guidance | Clarification of Licensee Actions in Receipt of Enforcement Discretion Per Enforcement Guidance Memorandum EGM 15-002, "Enforcement Discretion for Tornado-generated Missile Protection Noncompliance | 11/22/2017 2/25/2016 | NRR | No | 07/28/2017 1/28/2016 | **** 02/24/2016 | ML17128A344, ML15348A202 | 82 FR 55657, 81 FR 9518 |
| 110 | DSS-ISG-2010-01 | Interim Staff Guidance | Staff Guidance regarding the Nuclear Criticality Safety Analysis for Spent Fuel Pools | 10/13/2011 | NRR | No | **** | 10/3/2011 | ML110620086 | 76 FR 63676 |
| 111 | DI&C-ISG-03 - Review of New Reactor Digital Instrumentation and Control Probabilistic Risk Assessments | Interim Staff Guidance | Provides acceptable methods for evaluating digital instrumentation and control system risk assessments. The primary purpose of this document is to provide clear guidance on how NRC reviewers should evaluate digital instrumentation and control (I&C) system probabilistic risk assessments (PRAs), including common cause failures in PRAs and uncertainty analysis associated with new reactor digital systems. | 8/11/2008 | NRR | No | **** | **** | ML080570048 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|---|-----------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 112 | DI&C-ISG-04, Rev 1 - Highly-Integrated Control Rooms—Communications Issues (HICRc) | Interim Staff Guidance | Provides acceptable methods for addressing HICRc in digital I&C system designs, and clarifies the criteria the staff will use to evaluate whether an applicant/licensee digital system design is consistent with HICRc guidelines. | 3/6/2009 | NRR | No | **** | **** | ML083310185 | N/A |
| 113 | DI&C-ISG-05, Rev 1 - Highly Integrated Control Rooms - Human Factors | Interim Staff Guidance | Provides acceptable methods for addressing HICR—HF in digital I&C system designs, and clarifies the criteria the staff would use to evaluate whether an applicant/licensee digital system design is consistent with HICR—HF guidelines. | 11/3/2008 | NRR | No | **** | **** | ML082740440 | N/A |
| 114 | DI&C-ISG-06 - Licensing Processes | Interim Staff Guidance | Describes the licensing process that may be used in the review (against licensing criteria – the Standard Review Plan, NUREG-0800) of license amendment requests associated with digital I&C system modifications in operating plants originally licensed under Part 50, and covers activities prior to submittal of a license amendment request. | 1/19/2011 | NRR | No | **** | **** | ML110140103 | N/A |
| 115 | DI&C-ISG-07 - Fuel Cycle Facilities - DI&C Systems in Safety Applications at Fuel Cycle Facilities | Interim Staff Guidance | Provides licensing review criteria that address acceptable means of implementing digital instrumentation and controls (I&C) applications used to accomplish safety functions in fuel cycle facilities. | 12/1/2010 6/1/2009 | NRR | No | **** | **** | ML101900316 ML091550599 | 74 FR 38673 |
| 116 | RTR-ISG-2009-001 | Interim Staff Guidance | Interim Staff Guidance on Streamlined Review Process for License Renewal for Research Reactors | 10/16/2009 | NRR | No | **** | **** | ML092240244 | 74 FR 57206 |
| 117 | OL/FR-ISG-2014-01, "Reviewing and Assessing the Financial Condition of Operating Power Reactor Licensees, Including Requests for Additional Information" | Interim Staff Guidance | Clarifies the process by which the NRC staff will review financial conditions of, and financial concerns about, currently operating power reactor licensees. | 3/4/2015 | NRR | No | 2/2/2015 | 3/12/2015 | ML14218A625 | 80 FR 11691 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 118 | Final Interim Staff Guidance Augmenting NUREG-1537, Parts 1 and 2 | Interim Staff Guidance | Provides guidance for preparing and reviewing applications for radioisotope production facilities and aqueous homogeneous reactors | 10/30/2012 | NRR | No | **** | 11/5/2012 | ML12156A069 ML12156A075 | 77 FR 65728 |
| 119 | Draft Interim Staff Guidance Augmenting NUREG-1537, Chapter 7, "Instrumentation and Control Systems," Parts 1 and 2 | Interim Staff Guidance | Provides updated and consolidated guidance for preparing and reviewing applications for initial licensing or to amend a facility operating license for instrumentation and control (I&C) upgrades at non-power production or utilization facilities, as appropriate. | 11/16/2015 | NRR | No | 8/1/2014 | ***** | ML17248A545 ML17248A546 | 80 FR 70850*** |
| 120 | NSIR/DPR-ISG-01, "Interim Staff Guidance - Emergency Planning for Nuclear Power Plants" | Interim Staff Guidance | Provides updated guidance information for addressing emergency planning (EP) requirements for nuclear power plants (NPPs), and provides additional guidance on one topic not specifically addressed in the EP final rule (i.e., integrating offsite response organization (ORO) event response concepts with onsite EP programs). | 12/5/2011 | NRR | No | 7/21/2011 | ***** | ML113010523 | 76 FR 75771 |
| 121 | JLD-ISG-2012-01 - "Interim Staff Guidance for Compliance with Order EA-12-049 Concerning Mitigation Strategies for Beyond-Design-Basis Events" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactor licensees with the identification of measures needed to comply with requirements contained in Order EA-12-049, "Order Modifying Licenses with Regard to Requirements for Mitigation Strategies for Beyond-Design-Basis External Events," to mitigate challenges to key safety functions. | 08/29/12 | NRR | No | 9/10/2012 | 9/10/2012 | ML12229A174 | 77 FR 55230 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|-----|--|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 122 | JLD-ISG-2012-01 - "Interim Staff Guidance for Compliance with Order EA-12-049 Concerning Mitigation Strategies for Beyond-Design-Basis Events" (Rev 1) | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactor licensees with the identification of measures needed to comply with requirements contained in Order EA-12-049, "Order Modifying Licenses with Regard to Requirements for Mitigation Strategies for Beyond-Design-Basis External Events," to mitigate challenges to key safety functions. | 01/22/16 | NRR | No | | 2/17/2016 | https://www.nrc.gov/docs/ML1535/ML15357A163.pdf | 81 FR 10283 |
| 123 | JLD-ISG-12-02 - "Interim Staff Guidance for Compliance with Order EA-12-050, Reliable Hardened Vents" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactor applicants and licensees with the identification of measures needed to comply with requirements contained in Order EA-12-050, "Order Modifying Licenses with Regard to Reliable Hardened Containment Vents," to mitigate challenges to key safety functions. | 08/09/12 | NRR | No | 6/15/2012 | 9/10/2012 | https://www.nrc.gov/docs/ML1222/ML12229A475.pdf | 77 FR 55231 |
| 124 | JLD-ISG-12-03 - "Interim Staff Guidance for Compliance with Order EA-12-051, Spent Fuel Pool Instrumentation" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactors applicants and licensees with the identification of measures needed to comply with requirements contained in Order EA-12-051, "Order Modifying Licenses with Regard to Reliable Spent Fuel Pool Instrumentation," to install enhanced spent fuel pool monitoring capability. | 08/29/12 | NRR | No | **** | **** | https://www.nrc.gov/docs/ML1222/ML12221A339.pdf | 77 FR 55232 |
| 125 | JLD-ISG-12-04 - "Interim Staff Guidance on Performing a Seismic Margin Assessment in Response to the March 2012 Request for Information Letter" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactor licensees when responding to the NRC staff's request for information dated March 12, 2012, Enclosure 1, "Recommendation 2.1: Seismic." | 11/16/12 | NRR | No | **** | 11/26/2012 | https://www.nrc.gov/docs/ML1228/ML12286A029.pdf | 77 FR 71019 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 126 | JLD-ISG-12-05 - "Interim Staff Guidance for Performing the Integrated Assessment for External Flooding" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactors applicants and licensees with performing an integrated assessment for external flooding in response to Enclosure 2 of a March 12, 2012, information request. | 11/30/12 | NRR | No | 10/1/2012 | 12/10/2012 | https://www.nrc.gov/docs/ML1231/ML12311A214.pdf | 77 FR 73057 |
| 127 | JLD-ISG-12-06 - "Interim Staff Guidance for Performing a Tsunami, Surge, or Seiche Hazard Assessment" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactors applicants and licensees with the flooding hazard reassessment in response to Enclosure 2 of the NRC staff's request for information, "Request for Information Pursuant to section 50.54(f) of Title 10 of the Code of Federal Regulations (10 CFR), Regarding Recommendations 2.1, 2.3, and 9.3 of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident," dated March 12, 2012. | 01/04/13 | NRR | No | 11/2/2012 | 1/23/2013 | https://www.nrc.gov/docs/ML1231/ML12314A412.pdf | 78 FR 3039 |
| 128 | JLD-ISG-13-01 - "Interim Staff Guidance for Assessment of Flooding Hazards due to Dam Failure" | Interim Staff Guidance | Provides guidance and clarification to assist nuclear power reactors applicants and licensees with the flooding hazard reassessment in response to Enclosure 2 of the NRC staff's request for information, "Request for Information Pursuant to section 50.54(f) of Title 10 of the Code of Federal Regulations (10 CFR), Regarding Recommendations 2.1, 2.3, and 9.3 of the Near-Term Task Force Review of Insights from the Fukushima Dai-ichi Accident," dated March 12, 2012. | 07/29/13 | NRR | No | 4/24/2013 | ***** | https://www.nrc.gov/docs/ML1315/ML13151A153.pdf | 78 FR 48201 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 129 | JLD-ISG-13-02 - "Interim Staff Guidance for Compliance with Order EA-13-109 Regarding Reliable Hardened Containment Vents" | Interim Staff Guidance | Provides guidance and clarifies the requirements in the order to assist the licensees that have Boiling Water Reactors with Mark I and Mark II Containments in the design and implementation of a containment venting system that is capable of a operation under severe accident conditions, and endorses, with clarifications, the industry guidance contained in Nuclear Energy Institute 13-02, "Industry Guidance for Compliance with Order EA-13-109," Revision 0. | 11/25/13 | NRR | No | **** | ***** | ML13304B836 | 78 FR 70356 |
| 130 | JLD-ISG-15-01 - "Interim Staff Guidance for Compliance with Phase 2 of Order EA-13-109, Order Modifying Licenses with Regard to Reliable Hardened Containment Vents Capable of Operation under Severe Accident Conditions" | Interim Staff Guidance | Provides guidance and clarifies the Phase 2 requirements in the order to assist the licensees that have Boiling Water Reactors with Mark I and Mark II Containments in the design and implementation of either a vent path from the containment drywell or a strategy that makes it unlikely that venting would be needed from the drywell before alternate reliable containment heat removal and pressure control is reestablished, and endorses, with clarifications, the industry guidance contained in Nuclear Energy Institute 13-02, "Industry Guidance for Compliance with Order EA-13-109," Revision 1. | 05/07/15 | NRR | No | **** | ***** | https://www.nrc.gov/docs/ML1510/ML15104A118.pdf | 80 FR 26303 |
| 131 | JLD-ISG-16-01 - "Interim Staff Guidance for Activities Related to Near-Term Task Force Recommendation 2.1, Flooding Hazard Reevaluation; Focused Evaluation and Integrated Assessment" | Interim Staff Guidance | Provides guidance and clarification to assist operating power reactor licensees and holders of construction permits under the NRC's regulations with the performance of the focused evaluations and revised integrated assessments for external flooding. | 07/19/16 | NRR | No | 6/28/2016 | 8/17/2016 | https://www.nrc.gov/docs/ML1616/ML16162A301.pdf | 81 FR 46970 |
| 132 | | | | | | | | | | |
| 133 | | | | | | | | | | |
| 134 | | | | | | | | | | |
| 135 | | | | | | | | | | |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 136 | Office of Nuclear Security and Incident Response | | | | | | | | | |
| 137 | Letter to Security Managers of nuclear power reactor licensees, "The U.S. Nuclear Regulatory Commission Inspection Approach Related to Industry Implementation of Early Warning systems" | Guidance | Outlines the approach to be used by NRC inspectors when evaluating Early Warning Systems | 5/26/2016 | NSIR | No | **** | **** | Non-public **** | N/A |
| 138 | NSIR/DSP Interim Staff Guidance (ISG)-03, Review of Security Exemptions / License Amendment Request for Decommissioning Nuclear Power Plants | Interim Staff Guidance | Describes the methods and that the staff of the NRC uses in conducting technical reviews and safety evaluations of a licensee's requests for license amendments, alternative measures, and requests for exemption from security regulations for nuclear power plants that are undergoing the process of decommissioning | 9/28/2015 | NSIR | No | 3/27/2015 | **** | ML15106A737 | 80 FR 62116 |
| 139 | NSIR/DPR Interim Staff Guidance (ISG)-01, Interim Staff Guidance on Emergency Planning for Nuclear Power Plants | Interim Staff Guidance | Describes the methods and procedures that the staff of the NRC uses and considers acceptable for use by licensees and applicants as guidance for implementing changes to their onsite emergency preparedness programs based on the revised requirements (i.e. the 2011 Emergency Preparedness Final Rule). | 11/20/2011 | NSIR | No | 7/21/2011 | 12/5/2011 | ML113010523 | 76 FR 75771 |
| 140 | NSIR/DPR Interim Staff Guidance (ISG)-02, Emergency Planning Exemption Requests for Decommissioning Nuclear Power Plants | Interim Staff Guidance | Describes the methods and procedures that the staff of the NRC uses for conducting the technical review of requests for exemptions from the emergency preparedness requirements for nuclear power reactor licensees that have been permanently shutdown and defueled or are planning to transition to a decommissioning state. | 5/11/2015 | NSIR | No | 11/3/2014 | 5/20/2015 | ML14106A057 | 80 FR 29348 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 141 | NSIR/DPR Interim Staff Guidance (ISG)-03, Review of Security Exemptions/License Amendment Requests for Decommissioning Nuclear Power Plants | Interim Staff Guidance | Describes the methods and procedures that the staff of the NRC uses for conducting the technical review of requests for exemptions from the emergency preparedness requirements for nuclear power reactor licensees that have been permanently shutdown and defueled or are planning to transition to a decommissioning state. | 9/28/2015 | NSIR | No | 3/27/2015 | ***** | ML15106A737 | 80 FR 62116 |
| 142 | Policy Statement of the U.S. Nuclear Regulatory Commission on the Protection of Cesium-137 Chloride Sources | Policy Statement | Set forth Commission policy on the secure uses of sealed sources containing CsCl and to describe potential Commission actions if changes in the security threat environment necessitate regulatory action. The Policy Statement also delineates the Commission's expectations for the secure and safe use of CsCl sources with activity levels of Category 1 and 2 as characterized by the IAEA Code of Conduct. | 7/19/2011 | NSIR/NMS S | No | 3/21/2011 | 8/1/2011 | ML111870035 | 76 FR 44378 |
| 143 | Management Directive 5.12, International Nuclear and Radiological Event Scale (INES) Participation" | Management Directive | Ensure that the rating of events involving reactors, fuel cycle facilities, transportation, and licensed materials is performed in accordance with the guidance provided in "The International Nuclear and Radiological Event Scale (INES) User's Manual, 2008 Edition" (the INES User's Manual) ADAMS Accession No. ML092230008. | 7/17/2017 | NSIR | No | 1/11/2012 | ***** | ML17157B346 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 144 | NUREG-0654/FEMA-REP-1, Rev. 1, Supplement 3, Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants: Guidance for Protective Action Strategies | NUREG | Provides an acceptable method to comply with 10 CFR Appendix E, Section IV, paragraph 3 in the use of evacuation time estimates in the formulation of protective action recommendations (PAR) for the plume exposure emergency planning zone, and provides guidance for the provisions of 10 CFR 50.47(b)(10) in the development of a range of PARs. Provides guidance to support the information in NUREG-0654/FEMA-REP-1 that the NRC finds to be an acceptable method of meeting the requirements in 10 CFR 50.47(b)(7) for the development of a public information program. | 12/5/2011 | NSIR | No | 7/21/2011 | 12/5/2011 | ML113010596 | 76 FR 75771 |
| 145 | NUREG-1940, RASCAL 4: Description of Models and Methods | NUREG | Describes the models and calculational methods used in the Radiological Assessment System for Consequence AnaLysis (RASCAL) 4 computer code and the consequence assessment implications of changes in models and methods from RASCAL 3.0. RASCAL 4 is used by NRC staff to conduct an independent assessment of potential radiological releases from NRC-regulated nuclear power reactors, spent fuel storage pools and casks, fuel cycle facilities, and radioactive material handling facilities. RASCAL 4 includes improvements in the models and methods related to source term calculations, atmospheric dispersion and deposition, and dose calculations. | 12/1/2012 | NSIR | No | **** | **** | ML13031A448 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|-----|--|--------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 146 | NUREG-1940, Supplement 1, RASCAL 4.3: Description of Models and Methods | NUREG | RASCAL 4.3 computer code contains a number of new features and revision of several old features in response to the lessons learned by the staff of the NRC during its response to the events at the 2011 Fukushima Daiichi nuclear power plants. This guidance document is a supplement to NUREG-1940, "RASCAL 4: Description of Models and Methods," which is the technical basis for the models and methods used in the RASCAL computer code versions 4.0, 4.1 and 4.2. | 5/31/2015 | NSIR | No | **** | ***** | ML15132A119 | N/A |
| 147 | NUREG-1959 Rev. 1, Intrusion Detection Systems and Subsystems | NUREG | Provides information about the design, installation, testing, maintenance, and monitoring of intrusion detection systems and subsystems used for the protection of facilities licensed by the NRC | 9/30/2017 | NSIR | No | **** | ***** | ML17250A867 | N/A |
| 148 | NUREG-2203, Glossary of Security Terms for Nuclear Power Reactors | NUREG | Consists of glossary of security terms specifically for nuclear power reactors that are commonly used in the nuclear industry and regulatory community | 2/28/2017 | NSIR | No | **** | ***** | ML17047A669 | N/A |
| 149 | NUREG/CR-6953, Volume 2, Review of NUREG-0654, Supplement 3, "Criteria for Protective Action Recommendations for Severe Accidents" - Focus Groups and Telephone Survey | NUREG/ Contractor Report | Provides conclusions from focus group research on the views of the public and emergency response personnel, and a telephone survey of residents living within NPP Emergency Planning Zones to understand public tendencies towards emergency preparedness. Understanding the public's knowledge and confidence in protective actions informs the decision process on development of protective actions. | 10/1/2008 | NSIR | No | **** | ***** | ML083110406 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|--------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 150 | NUREG/CR-6953, Volume 3, Review of NUREG-0654, Supplement 3, "Criteria for Protective Action Recommendations for Severe Accidents" - Technical Basis for Protective Action Strategies | NUREG/ Contractor Report | As the final volume of the Protective Action Recommendation Study, this analysis provides a technical basis for decision criteria that can be used by nuclear power plant (NPP) licensees and offsite response organizations to tailor protective action strategies using site specific evacuation time information for NPP accidents that progress rapidly. | 8/31/2010 | NSIR | No | **** | **** | ML102380087 | N/A |
| 151 | NUREG/CR-7002, Criteria for Development of Evacuation Time Estimate Studies | NUREG/ Contractor Report | Provides guidance to NRC licensees, under 10 CFR Part 50 and 10 CFR Part 52, for the development of evacuation time estimates, including those associated with staged evacuation protective actions. The document also identifies the importance of using approved emergency response plans and existing traffic control information to reflect the expected response actions during an emergency. | 12/5/2011 | NSIR | No | 7/21/2011 | 12/5/2011 | ML113010515 | 76 FR 75771 |
| 152 | NUREG/CR-7032, Developing an Emergency Risk Communication (ERC)/Joint Information Center (JIC) Plan for a Radiological Emergency | NUREG/ Contractor Report | Provides best practices for nuclear power reactor licensees and emergency response organizations on developing an Emergency Risk Communication and Joint Information Center plan for a radiological emergency. | 2/28/2011 | NSIR | No | **** | **** | ML110490119 | N/A |
| 153 | NUREG/CR-7033, Guidance on Developing Effective Radiological Risk Communication Messages: Effective Message Mapping and Risk Communication with the Public in Nuclear Plant Emergency Planning Zones | NUREG/ Contractor Report | Provides guidance for nuclear power reactor licensees and local response organizations on message development for radiological emergencies. | 2/28/2011 | NSIR | No | **** | **** | ML110490120 | N/A |
| 154 | NUREG/CR-7154, Volume 1, Risk Informing Emergency Preparedness Oversight: Evaluation of Emergency Action Levels — A Pilot Study of Peach Bottom, Surry and Sequoyah | NUREG/ Contractor Report | Provides generic and plant specific insights to be considered when developing future risk informed emergency planning regulatory activities. | 1/1/2013 | NSIR | No | **** | **** | ML13031A500 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|--------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 155 | NUREG/CR-7154, Volume 2, Risk Informing Emergency Preparedness Oversight: Evaluation of Emergency Action Levels — A Pilot Study of Peach Bottom, Surry and Sequoyah | NUREG/ Contractor Report | Explores the feasibility of using probabilistic risk assessment to provide risk insights about Emergency Action Level schemes. | 1/1/2013 | NSIR | No | **** | ***** | ML13031A501 | N/A |
| 156 | NUREG/CR-7160, Emergency Preparedness Significance Quantification Process: Proof of Concept | NUREG/ Contractor Report | To improve prioritization of regulatory activities, a decision process has been developed to aid in the determination of risk significance of Emergency Preparedness (EP) program elements. The DedUctive Quantification Index method was developed and used in a proof of concept application for two representative nuclear power plant sites, and applied to determine risk significance of specific EP elements. | 6/1/2013 | NSIR | No | **** | ***** | ML13164A285 | N/A |
| 157 | NUREG/CR-7195, Risk-Informed and Performance-Based Oversight of Radiological Emergency Response Programs | NUREG/ Contractor Report | Provides a concept for performance-based oversight of offsite radiological emergency response preparedness in jurisdictions surrounding commercial nuclear power plants. The report proposes an initial set of objective performance indicators for demonstration in drills and exercises. | 5/1/2015 | NSIR | No | **** | ***** | ML15134A035 | N/A |
| 158 | NUREG/CR 7201, Characterizing Explosive Effects on Underground Structures | NUREG | Reviews the effects explosions close to the ground surface and in contact with the ground surface have on underground structures, with emphasis on the Vehicle Borne Improvised Explosive Devices | 9/1/2015 | NSIR | No | **** | ***** | ML15245A640 | N/A |
| 159 | NUREG/CR-7183, Best Practices for Behavioral Observation Programs at Operating Power Reactors and Power Reactor Construction Sites | NUREG | Identifies best practices associated with behavioral observation programs (BOP) used by a cross-section of Federal agencies and private entities, discusses the need for effective BOPs at power reactors, and power reactor construction sites, and presents insights and recommendations to improve BOP performance | 6/30/2014 | NSIR | No | **** | ***** | ML14189A355 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 160 | NUREG/CR-7145, Nuclear Power Plant Security Assessment Guide | NUREG | Provides detailed guidance for the format and content of a security assessment of a commercial nuclear power plant | 4/1/2013 | NSIR | No | **** | **** | ML13122A181 | N/A |
| 161 | NUREG-0561 Rev. 2, Physical Protection of Shipments of Irradiated Reactor Fuel | NUREG | Sets forth means, methods and procedures that the NRC considers acceptable for satisfying the requirements for the physical protection of spent nuclear fuel (SNF) during transportation by road, rail and water, and for satisfying the requirements for background investigations of individuals granted unescorted access to SNF during transportation | 4/1/2013 | NSIR | No | 6/1/2012 | **** | ML13120A230 | 78 FR 31821 |
| 162 | NUREG-1964, Access Control Systems: Technical Information for NRC Licensees | NUREG | Provides technical details applicable to access control methods and technologies commonly used to protect facilities licensed by the NRC | 4/1/2011 | NSIR | No | **** | **** | ML11115A078 | N/A |
| 163 | NUREG-0725 Rev. 15, Public Information Circular For Shipments of Irradiated Reactor Fuel | NUREG | Provides information on the shipment of irradiated reactor fuel subject to regulation by the NRC | 5/1/2010 | NSIR | No | **** | **** | ML101390089 | N/A |
| 164 | | | | | | | | | | |
| 165 | | | | | | | | | | |
| 166 | Office of Nuclear Regulatory Research | | | | | | | | | |
| 167 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 168 | New RGs | | | | | | | | | |
| 169 | Regulatory Guide 1.210, "Qualification of Safety-Related Battery Chargers and Inverters" | Guidance | As described in document title | 6/6/2008 | RES | No | N/A* | **** | ML080640184 | 73 FR 32362 |
| 170 | Regulatory Guide 4.21, "Minimization of Contamination and Radioactive Waste Generation: Life-Cycle Planning" | Guidance | As described in document title | 6/19/2008 | RES | No | N/A* | **** | ML080500187 | 73 FR 33465 |
| 171 | Regulatory Guide 1.212, "Sizing Of Large Lead-Acid Storage Batteries" | Guidance | As described in document title | 11/25/2008 | RES | No | N/A* | **** | ML082740047 | 73 FR 71705 |
| 172 | Regulatory Guide 5.77, "Insider Mitigation Program" | Guidance | As described in document title | 3/1/2009 | RES | No | N/A* | **** | non-public***** | N/A |
| 173 | Regulatory Guide 5.73, "Fatigue Management for Nuclear Power Plant Personnel" | Guidance | As described in document title | 3/31/2009 | RES | No | N/A* | **** | ML083450028 | 74 FR 11979 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 174 | Regulatory Guide 1.211, "Qualification of Safety-Related Cables and Field Splices for Nuclear Power Plants" | Guidance | As described in document title | 4/1/2009 | RES | No | N/A* | **** | ML082530205 | 74 FR 18000 |
| 175 | Regulatory Guide 1.214, "Response Procedures for Potential or Actual Aircraft Attacks" | Guidance | As described in document title | 4/21/2009 | RES | No | N/A* | **** | non-public***** | 74 FR 13926 |
| 176 | Regulatory Guide 1.213, "Qualification of Safety-Related Motor Control Centers for Nuclear Power Plants" | Guidance | As described in document title | 5/31/2009 | RES | No | N/A* | **** | ML083010447 | 74 FR 22985 |
| 177 | Regulatory Guide 5.74, "Managing the Safety / Security Interface" | Guidance | As described in document title | 6/1/2009 | RES | No | N/A* | **** | ML091690036 | 74 FR 32197 |
| 178 | Regulatory Guide 5.76, "Nuclear Power Reactor Physical Security Programs" | Guidance | As described in document title | 7/1/2009 | RES | No | N/A* | **** | non-public***** | N/A |
| 179 | Regulatory Guide 5.75, "Training and Qualification of Security Personnel at Nuclear Power Reactor Facilities" | Guidance | As described in document title | 7/9/2009 | RES | No | N/A* | **** | ML091690037 | 74 FR 34052 |
| 180 | Regulatory Guide 1.215, "Guidance for ITAAC Closure Under 10 CFR Part 52" | Guidance | As described in document title | 10/20/2009 | RES | No | N/A* | **** | ML091480076 | 74 FR 53785 |
| 181 | Regulatory Guide 5.71, "Cyber Security Programs for Nuclear Facilities" | Guidance | As described in document title | 1/7/2010 | RES | No | N/A* | **** | ML090340159 | 75 FR 1830 |
| 182 | Regulatory Guide 5.78, "Physical Protection of Mixed-Oxide Fuels in Nuclear Power Plants" (SGI) | Guidance | As described in document title | 7/8/2010 | RES | No | N/A* | **** | non-public***** | N/A |
| 183 | Regulatory Guide 8.40, "Methods for Measuring Effective Dose Equivalent from External Exposure" | Guidance | As described in document title | 7/20/2010 | RES | No | N/A* | 7/30/2010 | ML100610534 | 75 FR 42170 |
| 184 | Regulatory Guide 1.216, "Containment Structural Integrity Evaluation for Internal Pressure Loadings Above Design-Basis Pressure" | Guidance | As described in document title | 8/1/2010 | RES | No | N/A* | 8/10/2010 | ML093200703 | 75 FR 48381 |
| 185 | Regulatory Guide 5.81, "Target Set Identification and Development for Nuclear Power Reactors" (OUO-SRI) | Guidance | As described in document title | 11/30/2010 | RES | No | N/A* | **** | non-public***** | N/A |
| 186 | Regulatory Guide 5.80, "Pressure-Sensitive and Tamper-Indicating Device Seals for Material Control and Accounting of Special Nuclear Material" | Guidance | As described in document title | 12/17/2010 | RES | No | N/A* | 12/20/2010 | ML101800504 | 75 FR 79049 |
| 187 | Regulatory Guide 5.79, "Protection of Safeguards Information" | Guidance | As described in document title | 4/8/2011 | RES | No | N/A* | 4/18/2011 | ML103270219 | 76 FR 19817 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 188 | Regulatory Guide 1.217, "Guidance for the Assessment of Beyond-Design Basis Aircraft Impacts" | Guidance | As described in document title | 8/12/2011 | RES | No | N/A* | 8/12/2011 | ML092900004 | 76 FR 50275 |
| 189 | Regulatory Guide 1.221, "Design-Basis Hurricane and Hurricane Missiles for Nuclear Power Plants" | Guidance | As described in document title | 10/14/2011 | RES | No | N/A* | 10/12/2011 | ML110940300 | 76 FR 63541 |
| 190 | Regulatory Guide 1.219, "Guidance on Making Changes to Emergency Plans for Nuclear Power Reactors" | Guidance | As described in document title | 11/30/2011 | RES | No | N/A* | 1/9/2012 | ML102510626 | 76 FR 74630 |
| 191 | Regulatory Guide 3.74, "Guidance for Fuel Cycle Facility Change Processes" | Guidance | As described in document title | 1/6/2012 | RES | No | N/A* | 1/9/2012 | ML100890016 | 77 FR 823 |
| 192 | Regulatory Guide 4.22, "Decommissioning Planning During Operations" | Guidance | As described in document title | 12/31/2012 | RES | No | N/A* | ***** | ML12158A361 | 78 FR 663 |
| 193 | Regulatory Guide 1.79.1, "Initial Test Program of Emergency Core Cooling Systems for New Boiling-Water Reactors" | Guidance | As described in document title | 10/24/2013 | RES | No | N/A* | 10/17/2013 | ML12300A329 | 78 FR 63516 |
| 194 | Regulatory Guide 3.75, "Corrective Action Programs for Fuel Cycle Facilities" | Guidance | As described in document title | 7/9/2014 | RES | No | N/A* | ***** | ML14139A321 | 79 FR 41315 |
| 195 | Regulatory Guide 7.13, "Transportation Security Plans for Classified Matter Shipments" (OUO-SRI) | Guidance | As described in document title | 6/9/2015 | RES | No | N/A* | ***** | non-public***** | 80 FR 32622 |
| 196 | Regulatory Guide 5.84, "Fitness-for-Duty Programs at New Reactor Construction Sites" | Guidance | As described in document title | 8/11/2015 | RES | No | N/A* | ***** | ML15083A412 | 80 FR 48348 |
| 197 | Regulatory Guide 5.83, "Cyber Security Event Notifications" | Guidance | As described in document title | 11/2/2015 | RES | No | N/A* | 12/2/2015 | ML14269A388 | 80 FR 67275 |
| 198 | Regulatory Guide 4.24, "Aquatic Environmental Studies for Nuclear Power Stations" | Guidance | As described in document title | 12/28/2016 | RES | No | N/A* | ***** | ML15309A219 | 81 FR 95655 |
| 199 | Regulatory Guide 4.25, "Assessment of Abnormal Radionuclide Discharges in Ground Water to the Unrestricted Area at Nuclear Power Plant Sites" | Guidance | As described in document title | 3/10/2017 | RES | No | N/A* | ***** | ML16253A333 | 82 FR 13875 |
| 200 | Regulatory Guide 5.41, "Shipping, Receiving, and Internal Transfer of Special Nuclear Material At Fuel Cycle Facilities" | Guidance | As described in document title | 5/31/2017 | RES | No | N/A* | ***** | ML16348A213 | 82 FR 24997 |
| 201 | Regulatory Guide 1.164, "Dedication of Commercial-Grade Items for Use in Nuclear Power Plants" | Guidance | As described in document title | 6/27/2017 | RES | No | N/A* | ***** | ML17041A206 | 82 FR 29120 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 202 | Regulatory Guide 5.88, "Physical Inventories and Material Balances at Fuel Cycle Facilities" | Guidance | As described in document title | 9/27/2017 | RES | No | N/A* | ***** | ML17167A292 | 82 FR 45074 |
| 203 | RG Revised | | | | | | | | | |
| 204 | Regulatory Guide 1.45, "Guidance on Monitoring and Responding to Reactor Coolant System Leakage" | Guidance | As described in document title | 5/28/2008 | RES | No | N/A* | ***** | ML073200271 | 73 FR 30648 |
| 205 | Regulatory Guide 3.65, "Standard Format and Content of Decommissioning Plans for Materials Licensees" | Guidance | As described in document title | 5/30/2008 | RES | No | N/A* | ***** | ML081130703 | 73 FR 31154 |
| 206 | Regulatory Guide 3.66, "Standard Format and Content of Financial Assurance Mechanisms" | Guidance | As described in document title | 5/30/2008 | RES | No | N/A* | ***** | ML081130718 | 73 FR 31155 |
| 207 | Regulatory Guide 6.4, "Verification of Containment Properties of Sealed Radioactive Sources" | Guidance | As described in document title | 6/30/2008 | RES | No | N/A* | ***** | ML081140487 | 73 FR 36135 |
| 208 | Regulatory Guide 10.2, "Guidance to Academic Institutions Applying for Specific Byproduct Material Licenses of Limited Scope" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140578 | 73 FR 39994 |
| 209 | Regulatory Guide 10.3, "Guide for the Preparation of Applications for Special Nuclear Material Licenses for Less than Critical Mass Quantities" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140586 | 73 FR 39340 |
| 210 | Regulatory Guide 10.5, "Applications for a Type A License of Broad Scope" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140591 | 73 FR 39993 |
| 211 | Regulatory Guide 10.6, "Guide for the Preparation of Applications for an Industrial Radiography License" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140599 | 73 FR 39735 |
| 212 | Regulatory Guide 6.1, "Leak Testing Radioactive Brachytherapy Sources" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140467 | 73 FR 39994 |
| 213 | Regulatory Guide 6.2, "Integrity and Test Specifications for Selected Brachytherapy Sources" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140471 | 73 FR 42377 |
| 214 | Regulatory Guide 6.5, "General Safety Standards for Installations Using Nonmedical Sealed Gamma-Ray Sources" | Guidance | As described in document title | 7/31/2008 | RES | No | N/A* | ***** | ML081140498 | 73 FR 39993 |
| 215 | Regulatory Guide 10.7, "Guide for the Preparation of Applications for Licenses for Laboratory and Industrial Use of Small Quantities of Byproduct Material" | Guidance | As described in document title | 9/30/2008 | RES | No | N/A* | ***** | ML081960533 | 73 FR 55544 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 216 | Regulatory Guide 10.8, "Guide for the Preparation of Applications for Medical Use Programs" | Guidance | As described in document title | 9/30/2008 | RES | No | N/A* | ***** | ML081960579 | 73 FR 53451 |
| 217 | Regulatory Guide 10.9, "Guide for the Preparation of Applications for the Use of Self-Contained Dry Source-Storage Gamma Irradiators" | Guidance | As described in document title | 9/30/2008 | RES | No | N/A* | ***** | ML081960560 | 73 FR 55544 |
| 218 | Regulatory Guide 1.114, "Guidance to Operators at the Controls and to Senior Operators in the Control Room of a Nuclear Power Unit" | Guidance | As described in document title | 10/31/2008 | RES | No | N/A* | ***** | ML082380236 | 73 FR 64000 |
| 219 | Regulatory Guide 3.11, "Design, Construction, and Inspection of Embankment Retention Systems at Uranium Recovery Facilities" | Guidance | As described in document title | 11/30/2008 | RES | No | N/A* | ***** | ML082380144 | 73 FR 66686 |
| 220 | Regulatory Guide 3.25, "Standard Format and Content of Safety Analysis Reports for Uranium Enrichment Facilities" | Guidance | As described in document title | 1/7/2009 | RES | No | N/A* | ***** | ML082690559 | 74 FR 728 |
| 221 | Regulatory Guide 1.125, "Physical Models for Design and Operation of Hydraulic Structures and Systems for Nuclear Power Plants" | Guidance | As described in document title | 3/24/2009 | RES | No | N/A* | ***** | ML082810208 | 74 FR 12401 |
| 222 | Regulatory Guide 1.200, "An Approach for Determining the Technical Adequacy of Probabilistic Risk Assessment Results for Risk-Informed Activities" | Guidance | As described in document title | 3/31/2009 | RES | No | N/A* | ***** | ML090410014 | 74 FR 11381 |
| 223 | Regulatory Guide 10.4, "Guide for the Preparation of Applications for Licenses to Process Source Material" | Guidance | As described in document title | 3/31/2009 | RES | No | N/A* | ***** | ML083650402 | 74 FR 11382 |
| 224 | Regulatory Guide 3.16, "General Fire Protection Guide for Plutonium Processing and Fuel Fabrication Plants" | Guidance | As described in document title | 4/17/2009 | RES | No | N/A* | ***** | ML083650087 | 74 FR 17885 |
| 225 | Regulatory Guide 1.69, "Concrete Radiation Shields and Generic Shield Testing for Nuclear Power Plants" | Guidance | As described in document title | 5/31/2009 | RES | No | N/A* | ***** | ML090820425 | 74 FR 26893 |
| 226 | Regulatory Guide 3.52, "Standard Format and Content for the Health and Safety Sections of License Renewal Applications for Uranium Processing and Fuel Fabrication" | Guidance | As described in document title | 6/3/2009 | RES | No | N/A* | ***** | ML091050098 | 74 FR 26737 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 227 | Regulatory Guide 1.21, "Measuring, Evaluating, and Reporting Radioactive Material in Liquid and Gaseous Effluents and Solid Waste" | Guidance | As described in document title | 6/15/2009 | RES | No | N/A* | ***** | ML091170109 | 74 FR 29243 |
| 228 | Regulatory Guide 4.1, "Radiological Environmental Monitoring for Nuclear Power Plants" | Guidance | As described in document title | 6/30/2009 | RES | No | N/A* | ***** | ML091310141 | 74 FR 29244 |
| 229 | Regulatory Guide 5.54, "Standard Format and Content of Safeguards Contingency Plans for Nuclear Power Plants" (SGI) | Guidance | As described in document title | 6/30/2009 | RES | No | N/A* | ***** | non-public***** | N/A |
| 230 | Regulatory Guide 1.100, "Seismic Qualification of Electric and Mechanical Equipment for Nuclear Power Plants" | Guidance | As described in document title | 9/21/2009 | RES | No | N/A* | ***** | ML091320468 | 74 FR 47977 |
| 231 | Regulatory Guide 1.189, "Fire Protection for Nuclear Power Plants" | Guidance | As described in document title | 10/31/2009 | RES | No | N/A* | ***** | ML092580550 | 74 FR 56673 |
| 232 | Regulatory Guide 1.205, "Risk-Informed, Performance-Based Fire Protection for Existing Light-Water Nuclear Power Plants" | Guidance | As described in document title | 12/18/2009 | RES | No | N/A* | ***** | ML092730314 | 74 FR 67253 |
| 233 | Regulatory Guide 1.40, "Qualification of Continuous Duty Safety-Related Motors for Nuclear Power Plants" | Guidance | As described in document title | 2/28/2010 | RES | No | N/A* | ***** | ML093080087 | 75 FR 9627 |
| 234 | Regulatory Guide 1.47, "Bypassed and Inoperable Status Indication for Nuclear Power Plant Safety Systems" | Guidance | As described in document title | 2/28/2010 | RES | No | N/A* | ***** | ML092330064 | 75 FR 9626 |
| 235 | Regulatory Guide 1.11, "Instrument Lines Penetrating the Primary Reactor Containment" | Guidance | As described in document title | 3/31/2010 | RES | No | N/A* | ***** | ML100250396 | 75 FR 16525 |
| 236 | Regulatory Guide 1.126, "An Acceptable Model and Related Statistical Methods for the Analysis of Fuel Densification" | Guidance | As described in document title | 3/31/2010 | RES | No | N/A* | ***** | ML093360318 | 75 FR 16202 |
| 237 | Regulatory Guide 1.68.2, "Initial Startup Test Program to Demonstrate Remote Shutdown Capability for Water-Cooled Nuclear Power Plants" | Guidance | As described in document title | 4/21/2010 | RES | No | N/A* | ***** | ML100610034 | 75 FR 20868 |
| 238 | Regulatory Guide 1.65, "Materials and Inspections for Reactor Vessel Closure Studs" | Guidance | As described in document title | 4/30/2010 | RES | No | N/A* | ***** | ML092050716 | 75 FR 19665 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 239 | Regulatory Guide 6.9, "Establishing Quality Assurance Programs for the Manufacture and Distribution of Sealed Sources and Devices Containing Byproduct Material" | Guidance | As described in document title | 4/30/2010 | RES | No | N/A* | **** | ML100490731 | 75 FR 20399 |
| 240 | Regulatory Guide 6.7, "Preparation of an Environmental Report To Support a Rulemaking Petition Seeking an Exemption for a Radionuclide-Containing Product" | Guidance | As described in document title | 5/17/2010 | RES | No | N/A* | **** | ML100331338 | 75 FR 27599 |
| 241 | Regulatory Guide 2.5, "Quality Assurance Program Requirements for Research and Test Reactors" | Guidance | As described in document title | 6/30/2010 | RES | No | N/A* | 7/6/2010 | ML093520099 | 75 FR 37842 |
| 242 | Regulatory Guide 1.28, Rev. 4, "Quality Assurance Program Criteria (Design and Construction)" | Guidance | As described in document title | 6/11/2010 | RES | No | N/A* | **** | ML100160003 | 75 FR 33361 |
| 243 | Regulatory Guide 1.62, "Manual Initiation of Protective Actions" | Guidance | As described in document title | 6/30/2010 | RES | No | N/A* | **** | ML092530559 | 75 FR 36715 |
| 244 | Regulatory Guide 1.141, "Containment Isolation Provisions for Fluid Systems" | Guidance | As described in document title | 7/22/2010 | RES | No | N/A* | 7/30/2010 | ML092850042 | 75 FR 43207 |
| 245 | Regulatory Guide 1.151, "Instrument Sensing Lines" | Guidance | As described in document title | 8/2/2010 | RES | No | N/A* | 8/9/2010 | ML092330219 | 75 FR 45173 |
| 246 | Regulatory Guide 3.13, "Design, Construction, and Inspection of Embankment Retention Systems at Fuel Cycle Facilities" | Guidance | As described in document title | 8/2/2010 | RES | No | N/A* | 8/9/2010 | ML101470167 | 75 FR 45171 |
| 247 | Regulatory Guide 8.35, "Planned Special Exposure" | Guidance | As described in document title | 8/31/2010 | RES | No | N/A* | 8/30/2010 | ML101370008 | 75 FR 52999 |
| 248 | Regulatory Guide 1.147, "Inservice Inspection Code Case Acceptability, ASME Section XI, Division 1" | Guidance | As described in document title | 10/5/2010 | RES | No | N/A* | 10/5/2010 | ML101800536 | 75 FR 61321 |
| 249 | Regulatory Guide 1.193, "ASME Code Cases Not Approved for Use" | Guidance | As described in document title | 10/5/2010 | RES | No | N/A* | 10/5/2010 | ML101800540 | 75 FR 61531 |
| 250 | Regulatory Guide 1.84, "Design, Fabrication, and Materials Code Case Acceptability, ASME Section III" | Guidance | As described in document title | 10/5/2010 | RES | No | N/A* | 10/5/2010 | ML101800532 | 75 FR 61321 |
| 251 | Regulatory Guide 1.54, "Service Level I, II, and III Protective Coatings Applied to Nuclear Power Plants" | Guidance | As described in document title | 10/31/2010 | RES | No | N/A* | 10/13/2010 | ML102230344 | 75 FR 62436 |
| 252 | Regulatory Guide 3.12, "General Design Guide for Ventilation Systems of Plutonium Processing and Fuel Fabrication Plants" | Guidance | As described in document title | 12/17/2010 | RES | No | N/A* | 12/20/2010 | ML102730431 | 75 FR 79049 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 253 | Regulatory Guide 4.16, "Monitoring and Reporting Radioactive Materials in Liquid and Gaseous Effluents from Nuclear Fuel Cycle Facilities" | Guidance | As described in document title | 12/28/2010 | RES | No | N/A* | ***** | ML101720291 | 75 FR 81675 |
| 254 | Regulatory Guide 3.71, "Nuclear Criticality Safety Standards for Fuels and Material Facilities" | Guidance | As described in document title | 1/3/2011 | RES | No | N/A* | 1/13/2011 | ML103210345 | 76 FR 189 |
| 255 | Regulatory Guide 1.34, "Control of Electroslag Weld Properties" | Guidance | As described in document title | 3/31/2011 | RES | No | N/A* | ***** | ML101670357 | 76 FR 14108 |
| 256 | Regulatory Guide 1.43, "Control of Stainless Steel Weld Cladding of Low-Alloy Steel Components" | Guidance | As described in document title | 3/31/2011 | RES | No | N/A* | ***** | ML101670458 | 76 FR 14107 |
| 257 | Regulatory Guide 1.44, "Control of the Processing and Use of Stainless Steel" | Guidance | As described in document title | 3/31/2011 | RES | No | N/A* | 4/5/2011 | ML101680225 | 76 FR 18262 |
| 258 | Regulatory Guide 1.50, "Control of Preheat Temperature for Welding of Low-Alloy Steel" | Guidance | As described in document title | 3/31/2011 | RES | No | N/A* | ***** | ML101870612 | 76 FR 14108 |
| 259 | Regulatory Guide 1.149, "Nuclear Power Plant Simulation Facilities for Use in Operator Training, License Examinations, and Applicant Experience Requirements." | Guidance | As described in document title | 4/15/2011 | RES | No | N/A* | 4/18/2011 | ML110420119 | 76 FR 20052 |
| 260 | Regulatory Guide 3.67, "Standard Format and Content for Emergency Plans for Fuel Cycle and Materials Facilities" | Guidance | As described in document title | 5/2/2011 | RES | No | N/A* | 5/2/2011 | ML103360487 | 76 FR 24539 |
| 261 | Regulatory Guide 8.18, "Information Relevant to Ensuring that Radiation Exposures at Medical Institutions Will Be as Low as Is Reasonably Achievable" | Guidance | As described in document title | 5/5/2011 | RES | No | N/A* | 5/2/2011 | ML102350460 | 76 FR 25725 |
| 262 | Regulatory Guide 1.177, "An Approach for Plant-Specific, Risk-Informed Decisionmaking: Technical Specifications" | Guidance | As described in document title | 5/6/2011 | RES | No | N/A* | 5/16/2011 | ML100910008 | 76 FR 28102 |
| 263 | Regulatory Guide 1.174, "An Approach for Using Probabilistic Risk Assessment in Risk-Informed Decisions on Plant-Specific Changes to the Licensing Basis" | Guidance | As described in document title | 5/31/2011 | RES | No | N/A* | 5/16/2011 | ML100910006 | 76 FR 28102 |
| 264 | Regulatory Guide 8.2, "Administrative Practices in Radiation Surveys and Monitoring" | Guidance | As described in document title | 5/31/2011 | RES | No | N/A* | 5/31/2011 | ML110460093 | 76 FR 31382 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If Applicable, Federal Register Citation |
| 265 | Regulatory Guide 1.107, "Qualifications for Cement Grouting for Prestressing Tendons in Containment Structures" | Guidance | As described in document title | 6/29/2011 | RES | No | N/A* | 7/5/2011 | ML110550732 | 76 FR 38213 |
| 266 | Regulatory Guide 1.179, "Standard Format and Content of License Termination Plans for Nuclear Power Reactors" | Guidance | As described in document title | 6/30/2011 | RES | No | N/A* | 8/1/2011 | ML110490419 | 76 FR 38212 |
| 267 | Regulatory Guide 8.4, "Personnel Monitoring Device - Direct-Reading Pocket Dosimeters" | Guidance | As described in document title | 6/30/2011 | RES | No | N/A* | 7/5/2011 | ML101900087 | 76 FR 35922 |
| 268 | Regulatory Guide 1.152, "Criteria for Use of Computers in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 7/12/2011 | RES | No | N/A* | 7/11/2011 | ML102870022 | 76 FR 40943 |
| 269 | Regulatory Guide 1.156, "Qualification of Connection Assemblies for Nuclear Power Plants" | Guidance | As described in document title | 8/3/2011 | RES | No | N/A* | 8/2/2011 | ML111730464 | 76 FR 46856 |
| 270 | Regulatory Guide 3.39, "Standard Format and Content of License Applications for Mixed Oxide Fuel Fabrication Facilities" | Guidance | As described in document title | 10/21/2011 | RES | No | N/A* | 11/1/2011 | ML100280809 | 76 FR 65544 |
| 271 | Regulatory Guide 1.159, "Assuring the Availability of Funds for Decommissioning Nuclear Reactors" | Guidance | As described in document title | 10/31/2011 | RES | No | N/A* | 11/1/2011 | ML112160012 | 76 FR 65541 |
| 272 | Regulatory Guide 5.66, "Access Authorization Program for Nuclear Power Plants" | Guidance | As described in document title | 10/31/2011 | RES | No | N/A* | 11/1/2011 | ML112060028 | 76 FR 66089 |
| 273 | Regulatory Guide 1.115, "Protection Against Turbine Missiles" | Guidance | As described in document title | 1/24/2012 | RES | No | N/A* | 1/24/2012 | ML101650675 | 77 FR 3514 |
| 274 | Regulatory Guide 1.106, "Thermal Overload Protection for Electric Motors on Motor-Operated Valves" | Guidance | As described in document title | 2/28/2012 | RES | No | N/A* | 2/27/2012 | ML112580358 | 77 FR 11598 |
| 275 | Regulatory Guide 7.4, "Leakage Tests on Packages for Shipment of Radioactive Material" | Guidance | As described in document title | 3/9/2012 | RES | No | N/A* | 3/16/2012 | ML112520023 | 77 FR 14445 |
| 276 | Regulatory Guide 4.11, "Terrestrial Environmental Studies for Nuclear Power Stations" | Guidance | As described in document title | 3/27/2012 | RES | No | N/A* | 3/26/2012 | ML113350385 | 77 FR 18271 |
| 277 | Regulatory Guide 1.93, "Availability of Electric Power Sources" | Guidance | As described in document title | 3/28/2012 | RES | No | N/A* | 4/5/2012 | ML090550661 | 77 FR 18872 |
| 278 | Regulatory Guide 7.7, "Administrative Guide for Verifying Compliance with Packaging Requirements for Shipping and Receiving of Radioactive Material" | Guidance | As described in document title | 3/28/2012 | RES | No | N/A* | 4/5/2012 | ML112160407 | 77 FR 18871 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 279 | Regulatory Guide 1.82, "Water Sources for Long-Term Recirculation Cooling Following a Loss-of-Coolant Accident" | Guidance | As described in document title | 4/2/2012 | RES | No | N/A* | 4/5/2012 | ML111330278 | 77 FR 19740 |
| 280 | Regulatory Guide 1.218, "Condition-Monitoring Techniques for Electric Cables Used in Nuclear Power Plants" | Guidance | As described in document title | 4/23/2012 | RES | No | N/A* | 4/23/2012 | ML103510447 | 77 FR 24228 |
| 281 | Regulatory Guide 4.20, "Constraint on Releases of Airborne Radioactive Materials to the Environment for Licensees Other Than Power Reactors" | Guidance | As described in document title | 4/25/2012 | RES | No | N/A* | 4/27/2012 | ML110120299 | 77 FR 24746 |
| 282 | Regulatory Guide 1.160, "Monitoring the Effectiveness of Maintenance at Nuclear Power Plants" | Guidance | As described in document title | 5/22/2012 | RES | No | N/A* | 5/23/2012 | ML113610098 | 77 FR 30030 |
| 283 | Regulatory Guide 1.215, Rev. 1, "Guidance for ITAAC Closure Under 10 CFR Part 52" | Guidance | As described in document title | 5/31/2012 | RES | No | N/A* | 5/29/2012 | ML112580018 | 77 FR 51880 |
| 284 | Regulatory Guide 8.24, "Health Physics Surveys During Enriched Uranium-235 Processing and Fuel Fabrication" | Guidance | As described in document title | 6/5/2012 | RES | No | N/A* | 6/4/2012 | ML110400305 | 77 FR 33253 |
| 285 | Regulatory Guide 1.68.1, "Initial Test Program of Condensate and Feedwater Systems for Light-Water Reactors" | Guidance | As described in document title | 9/11/2012 | RES | No | N/A* | 9/17/2012 | ML12160A169 | 77 FR 55877 |
| 286 | Regulatory Guide, 1.68.3, "Preoperational Testing of Instrument and Control Air Systems" | Guidance | As described in document title | 9/25/2012 | RES | No | N/A* | 9/24/2012 | ML12160A047 | 77 FR 59023 |
| 287 | Regulatory Guide 1.52, "Design, Inspection, and Testing Criteria for Air Filtration and Adsorption Units of Post Accident Engineered-Safety-Feature Atmosphere Cleanup Systems in Light-Water-Cooled Nuclear Power Plants" | Guidance | As described in document title | 10/3/2012 | RES | No | N/A* | 10/9/2012 | ML12159A013 | 77 FR 60481 |
| 288 | Regulatory Guide 1.92, "Combining Modal Responses and Spatial Components in Seismic Response Analysis" | Guidance | As described in document title | 10/31/2012 | RES | No | N/A* | 10/1/2012 | ML12220A043 | 77 FR 69509 |
| 289 | Regulatory Guide 1.90, "Inservice Inspection of Prestressed Concrete Containment Structures with Grouted Tendons" | Guidance | As described in document title | 11/30/2012 | RES | No | N/A* | 11/16/2012 | ML11249A008 | 77 FR 69508 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 290 | Regulatory Guide 1.91, "Evaluations of Explosions Postulated to Occur at Nearby Facilities and on Transportation Routes Near Nuclear Power Plants" | Guidance | As described in document title | 4/25/2013 | RES | No | N/A* | 4/23/2012 | ML12170A980 | 78 FR 24438 |
| 291 | Regulatory Guide 1.57, "Design Limits and Loading Combinations for Metal Primary Reactor Containment System Components" | Guidance | As described in document title | 5/16/2013 | RES | No | N/A* | 5/20/2013 | ML12325A043 | 78 FR 28896 |
| 292 | Regulatory Guide 2.3, "Quality Verification for Plate-Type Uranium-Aluminum Fuel Elements for Use in Research and Test Reactors" | Guidance | As described in document title | 6/6/2013 | RES | No | N/A* | 6/6/2013 | ML12160A492 | 78 FR 33132 |
| 293 | Regulatory Guide 1.68, "Initial Test Programs for Water-Cooled Nuclear Power Plants" | Guidance | As described in document title | 6/12/2013 | RES | No | N/A* | 6/6/2013 | ML13051A027 | 78 FR 35330 |
| 294 | Regulatory Guide 1.137, "Fuel Oil Systems for Emergency Power Supplies" | Guidance | As described in document title | 6/17/2013 | RES | No | N/A* | 6/18/2013 | ML12300A122 | 78 FR 36278 |
| 295 | Regulatory Guide 4.2S1, Preparation of Environmental Reports for Nuclear Power Plant License Renewal Applications" | Guidance | As described in document title | 6/24/2013 | RES | No | N/A* | ***** | ML13067A354 | 78 FR 37324 |
| 296 | Regulatory Guide 1.185, "Standard Format and Content for Post-Shutdown Decommissioning Activities Report" | Guidance | As described in document title | 6/27/2013 | RES | No | N/A* | 6/26/2013 | ML13140A038 | 78 FR 38739 |
| 297 | Regulatory Guide 5.29, "Special Nuclear Material Control and Accounting Systems for Nuclear Power Plants" | Guidance | As described in document title | 6/27/2013 | RES | No | N/A* | 6/26/2013 | ML13051A421 | 78 FR 38739 |
| 298 | Regulatory Guide 1.33, "Quality Assurance Program Requirements (Operation)" | Guidance | As described in document title | 6/30/2013 | RES | No | N/A* | 6/26/2013 | ML13109A458 | 78 FR 37850 |
| 299 | Regulatory Guide 1.124, "Service Limits and Loading Combinations for Class 1 Linear-Type Supports" | Guidance | As described in document title | 7/8/2013 | RES | No | N/A* | 7/15/2013 | ML13141A666 | 78 FR 40776 |
| 300 | Regulatory Guide 1.130, "Service Limits and Loading Combinations for Class 1 Plate-and-Shell-Type Supports" | Guidance | As described in document title | 7/8/2013 | RES | No | N/A* | 7/15/2013 | ML13141A667 | 78 FR 40776 |
| 301 | Regulatory Guide 1.169, "Configuration Management Plans for Digital Computer Software Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/2/2013 | RES | No | N/A* | 7/31/2013 | ML12355A642 | 78 FR 47014 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 302 | Regulatory Guide 1.171, "Software Unit Testing for Digital Computer Software Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/2/2013 | RES | No | N/A* | 7/31/2013 | ML13004A375 | 78 FR 47011 |
| 303 | Regulatory Guide 1.172, "Software Requirement Specifications for Digital Computer Software and Complex Electronics Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/2/2013 | RES | No | N/A* | 7/31/2013 | ML13007A173 | 78 FR 47015 |
| 304 | Regulatory Guide 1.173, "Developing Software Life-Cycle Processes for Digital Computer Software Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/2/2013 | RES | No | N/A* | 7/31/2013 | ML13009A190 | 78 FR 47012 |
| 305 | Regulatory Guide 1.168, "Verification, Validation, Reviews, and Audits for Digital Computer Software Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/6/2013 | RES | No | N/A* | 7/31/2013 | ML13073A210 | 78 FR 47804 |
| 306 | Regulatory Guide 1.170, "Test Documentation for Digital Computer Software Used in Safety Systems of Nuclear Power Plants" | Guidance | As described in document title | 8/6/2013 | RES | No | N/A* | 7/31/2013 | ML13003A216 | 78 FR 47805 |
| 307 | Regulatory Guide 1.129, "Maintenance, Testing, and Replacement of Vented Lead-Acid Storage Batteries for Nuclear Power Plants" | Guidance | As described in document title | 9/24/2013 | RES | No | N/A* | 9/30/2013 | ML13170A112 | 78 FR 58574 |
| 308 | Regulatory Guide 1.31, "Control of Ferrite Content in Stainless Steel Weld Metal" | Guidance | As described in document title | 10/4/2013 | RES | No | N/A* | 10/17/2013 | ML13211A485 | 78 FR 63517 |
| 309 | Regulatory Guide 1.110, "Cost-Benefit Analysis for Radwaste Systems for Light-Water-Cooled Nuclear Power Reactors" | Guidance | As described in document title | 10/7/2013 | RES | No | N/A* | 10/29/2013 | ML13241A052 | 78 FR 64029 |
| 310 | Regulatory Guide 1.184, "Decommissioning of Nuclear Power Reactors" | Guidance | As described in document title | 10/25/2013 | RES | No | N/A* | 10/17/2013 | ML13144A840 | 78 FR 64028 |
| 311 | Regulatory Guide 1.79, "Preoperational Testing of Emergency Core Cooling Systems for Pressurized-Water Reactors" | Guidance | As described in document title | 10/25/2013 | RES | No | N/A* | 10/17/2013 | ML113540207 | 78 FR 64027 |
| 312 | Regulatory Guide 1.73, "Qualification Tests for Safety-Related Actuators in Nuclear Power Plants" | Guidance | As described in document title | 11/8/2013 | RES | No | N/A* | 11/5/2013 | ML13210A463 | 78 FR 67206 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 313 | Regulatory Guide 1.214, "Response Strategies for Potential Aircraft Threats" (OUO-SRI) | Guidance | As described in document title | 3/26/2014 | RES | No | N/A* | 4/4/2014 | non-public***** | 79 FR 16834 |
| 314 | Regulatory Guide 4.7, Rev 3, "General Site Suitability Criteria for Nuclear Power Stations" | Guidance | As described in document title | 3/28/2014 | RES | No | N/A* | 4/14/2014 | ML12188A053 | 79 FR 17582 |
| 315 | Regulatory Guide 8.22, Rev 2, "Bioassay at Uranium Mills" | Guidance | As described in document title | 5/30/2014 | RES | No | N/A* | 4/13/2016 | ML13350A638 | 79 FR 35387 |
| 316 | Regulatory Guide 1.60, "Design Response Spectra for Seismic Design of Nuclear Power Plants" | Guidance | As described in document title | 7/8/2014 | RES | No | N/A* | 4/26/2016 | ML13210A432 | 79 FR 40795 |
| 317 | Regulatory Guide 1.147, "Inservice Inspection Code Case Acceptability, ASME Section XI, Division 1" | Guidance | As described in document title | 8/31/2014 | RES | No | N/A* | 10/29/2014 | ML13339A689 | 79 FR 65775 |
| 318 | Regulatory Guide 1.192, "Operation and Maintenance Code Case Acceptability, ASME OM Code" | Guidance | As described in document title | 8/31/2014 | RES | No | N/A* | 10/29/2014 | ML13340A034 | 79 FR 65775 |
| 319 | Regulatory Guide 1.193, "ASME Code Cases Not Approved for Use" | Guidance | As described in document title | 8/31/2014 | RES | No | N/A* | 10/29/2014 | ML13350A001 | 79 FR 65775 |
| 320 | Regulatory Guide 1.84, "Design, Fabrication, and Materials Code Case Acceptability, ASME Section III" | Guidance | As described in document title | 8/31/2014 | RES | No | N/A* | 10/29/2014 | ML13339A515 | 79 FR 65775 |
| 321 | Regulatory Guide 8.20, "Applications of Bioassay for Radioiodine" | Guidance | As described in document title | 9/20/2014 | RES | No | N/A* | 3/25/2015 | ML14064A060 | 79 FR 54752 |
| 322 | Regulatory Guide 1.134, "Medical Assessment of Licensed Operators or Applicants for Operator Licenses at Nuclear Power Plants" | Guidance | As described in document title | 9/30/2014 | RES | No | N/A* | 10/14/2014 | ML14189A385 | 79 FR 60197 |
| 323 | Regulatory Guide 3.50, "Standard Format and Content for a Specific License Application for an Independent Spent Fuel Storage Installation or Monitored Retrievable Storage Facility" | Guidance | As described in document title | 9/30/2014 | RES | No | N/A* | 10/14/2014 | ML14043A080 | 79 FR 60191 |
| 324 | Regulatory Guide 1.138, "Laboratory Investigations of Soils and Rocks for Engineering Analysis and Design of Nuclear Power Plants" | Guidance | As described in document title | 12/18/2014 | RES | No | N/A* | 3/25/2015 | ML14289A600 | 80 FR 3264 |
| 325 | Regulatory Guide 5.74, "Managing the Safety/Security Interface" | Guidance | As described in document title | 4/20/2015 | RES | No | N/A* | 4/29/2015 | ML14323A549 | 80 FR 21770 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 326 | Regulatory Guide 1.36, "Nonmetallic Thermal Insulation for Austenitic Stainless Steel" | Guidance | As described in document title | 5/21/2015 | RES | No | N/A* | ***** | ML15026A664 | 80 FR 29350 |
| 327 | Regulatory Guide 7.10, "Establishing Quality Assurance Programs for Packaging Used in Transport of Radioactive Material" | Guidance | As described in document title | 6/12/2015 | RES | No | N/A* | ***** | ML14064A505 | 80 FR 34010 |
| 328 | Regulatory Guide 8.11, Rev 1, "Applications of Bioassay for Uranium" | Guidance | As described in document title | 7/13/2015 | RES | No | N/A* | 4/19/2016 | ML15054A618 | 80 FR 40088 |
| 329 | Regulatory Guide 1.215, Rev. 2, "Guidelines for ITAAC Closure Under 10 CFR Part 52" | Guidance | As described in document title | 7/24/2015 | RES | No | N/A* | ***** | ML15105A447 | 80 FR 44157 |
| 330 | Regulatory Guide 5.27, "Special Nuclear Material Doorway Monitors" | Guidance | As described in document title | 8/30/2015 | RES | No | N/A* | ***** | ML14290A268 | 80 FR 47534 |
| 331 | Regulatory Guide 1.212, "Sizing Of Large Lead-Acid Storage Batteries" | Guidance | As described in document title | 10/26/2015 | RES | No | N/A* | ***** | ML15170A003 | 80 FR 65255 |
| 332 | Regulatory Guide 1.27, Rev 3, "Ultimate Heat Sink for Nuclear Power Plants" | Guidance | As described in document title | 11/23/2015 | RES | No | N/A* | 12/16/2015 | ML14107A411 | 80 FR 72996 |
| 333 | Regulatory Guide 1.127, "Criteria and Design Features for Inspection of Water Control Structures Associated with Nuclear Power Plants" | Guidance | As described in document title | 2/18/2016 | RES | No | N/A* | 3/22/2016 | ML15107A412 | 81 FR 8254 |
| 334 | Regulatory Guide 1.117, "Protection Against Extreme Wind Events and Missiles for Nuclear Power Plants" | Guidance | As described in document title | 7/1/2016 | RES | No | N/A* | ***** | ML15356A213 | 81 FR 45311 |
| 335 | Regulatory Guide 1.29, "Seismic Design Classification for Nuclear Power Plants" | Guidance | As described in document title | 7/15/2016 | RES | No | N/A* | ***** | ML16118A148 | 81 FR 46117 |
| 336 | Regulatory Guide 1.219, "Guidance on Making Changes to Emergency Plans for Nuclear Power Reactors" | Guidance | As described in document title | 7/27/2016 | RES | No | N/A* | 8/10/2016 | ML16061A104 | 81 FR 49279 |
| 337 | Regulatory Guide 8.10, "Operating Philosophy for Maintaining Occupational and Public Radiation Exposures as Low as Is Reasonably Achievable" | Guidance | As described in document title | 8/11/2016 | RES | No | N/A* | ***** | ML16105A136 | 81 FR 52974 |
| 338 | Regulatory Guide 1.140, "Design, Inspection, and Testing Criteria for Air Filtration and Adsorption Units of Normal Atmosphere Cleanup Systems in Light-Water-Cooled Nuclear Power Plants" | Guidance | As described in document title | 8/17/2016 | RES | No | N/A* | ***** | ML16070A277 | 81 FR 54855 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--------------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 339 | Regulatory Guide 5.12, "General Use of Locks in the Protection and Control of: Facilities, Radioactive Materials, Classified Information, Classified Matter, and Safeguards Information" | Guidance | As described in document title | 10/5/2016 | RES | No | N/A* | **** | ML15357A411 | 81 FR 69088 |
| 340 | Regulatory Guide 5.51, "Independent Assessment of Nuclear Material Control and Accounting Systems" | Guidance | As described in document title | 10/26/2016 | RES | No | N/A* | **** | ML16223A915 | 81 FR 74484 |
| 341 | Regulatory Guide 8.7, "Instructions for Recording and Reporting Occupational Radiation Exposure Data" | Guidance | As described in document title | 12/8/2016 | RES | No | N/A* | **** | ML16054A170 | 81 FR 88710 |
| 342 | Regulatory Guide 5.70, Rev 1, "Guidance for the Application of the Theft and Diversion Design-Basis Treat in the Design Development, and Implementaiton of a Physical Security Program that Meets CFR 73.45 and 73.46" (CONFIDENTIAL) | Guidance | As described in document title | 2/17/2017 | RES | No | N/A* | 7/21/2017 | non-public***** | 82 FR 11069 |
| 343 | Regulatory Guide 1.20, "Comprehensive Vibration Assessment Program for Reactor Internals During Preoperational and Initial Startup Testing" | Guidance | As described in document title | 2/28/2017 | RES | No | N/A* | 7/21/2017 | ML16056A338 | 82 FR 10505 |
| 344 | Regulatory Guide 1.26, "Quality Group Classifications and Standards for Water-, Steam-, and Radioactive-Waste-Containing Components of Nuclear Power Plants" | Guidance | As described in document title | 2/28/2017 | RES | No | N/A* | 7/21/2017 | ML16082A501 | 82 FR 12129 |
| 345 | Regulatory Guide 1.54, "Service Level I, II, and III, and In-Scope License Renewal Protective Coatings Applied to Nuclear Power Plants" | Guidance | As described in document title | 4/24/2017 | RES | No | N/A* | 7/21/2017 | ML17031A288 | 82 FR 19113 |
| 346 | Regulatory Guide 2.6, "Emergency Planning for Research and Test Reactors and Other Non-Power Production and Utilization Facilities" | Guidance | As described in document title | 9/27/2017 | RES | No | N/A* | **** | ML17263A472 | 82 FR 45073 |
| 347 | Regulatory Guide 1.28, Rev. 5, "Quality Assurance Program Criteria (Design and Construction)" | Guidance | As described in document title | 10/19/2017 | RES | No | N/A* | **** | ML17207A293 | 82 FR 48728 |
| 348 | Regulatory Guide 1.12, "Nuclear Power Plant Instrumentation for Earthquakes" | Guidance | As described in document title | 11/1/2017 | RES | No | N/A* | **** | ML17094A831 | 82 FR 51879 |
| 349 | NUREGs | | | | | | | | | |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|---------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 350 | NUREG-2117, Revision 1, Practical Implementation Guidelines for SSHAC Level 3 and 4 Hazard Studies | Guidance | Provides guidance for performing probabilistic seismic hazard analysis. | 4/1/2012 | RES | No | **** | **** | ML12118A445 | N/A |
| 351 | NUREG/CR-7004, Technical Basis for Regulatory Guidance on Design-Basis Hurricane-Borne Missile Speeds for Nuclear Power Plants | Guidance | Provides calculation method for hurricane-borne missile speeds that may be considered in the design of nuclear power plants. | 11/1/2011 | RES | No | **** | **** | ML11341A102 | N/A |
| 352 | NUREG/CR-7114, A Framework for Low Power/Shutdown Fire PRA | Guidance | Presents a probabilistic risk assessment (PRA) framework for quantitatively analyzing fire risk in commercial nuclear power plants during low power and shutdown (LPSD) conditions, including the determination of core damage frequency (CDF) and large early release frequency (LERF). | 9/1/2013 | RES | No | **** | **** | ML13260A155 | N/A |
| 353 | NUREG/CR-7005, Technical Basis for Regulatory Guidance on Design-Basis Hurricane Wind Speeds for Nuclear Power Plants | Guidance | Provides calculation method for analysis of peak-gust hurricane wind speeds for the simulation of 10 million years of hurricane wind speeds in the contiguous United States. | 11/1/2011 | RES | No | **** | **** | ML11335A031 | N/A |
| 354 | NUREG/CR-7006, Review Guidelines for Field-Programmable Gate Arrays in Nuclear Power Plant Safety Systems | Guidance | Provides a compilation of safe field-programmable gate array (FPGA) design practices that can be used by NRC staff as guidance for reviewing FPGA-based safety systems in nuclear power plants. | 2/1/2010 | RES | No | **** | **** | ML100880142 | N/A |
| 355 | NUREG-1934, EPRI 1023259, Nuclear Power Plant Fire Modeling Analysis Guidelines (NPP FIRE MAG) — Final Report | Guidance | Provides guidance on the validation and verification for fire models and discusses use of fire models in support of various commercial nuclear power plant fire hazard analysis applications. | 11/1/2012 | RES | No | **** | **** | ML12314A165 | 76 FR 46330*** |
| 356 | NUREG-1921, EPRI/NRC-RES Fire Human Reliability Analysis Guidelines – Final Report | Guidance | Provides a method and associated guidance for conducting a fire human reliability analysis. | 7/1/2012 | RES | No | **** | **** | ML12216A104 | 74 FR 65810***, 75 FR 5633*** |
| 357 | NUREG-1921 Supplement 1, EPRI/NRC-RES Fire Human Reliability Analysis Guidelines: Qualitative Guidance for Main Control Room Abandonment Scenarios | Guidance | Provides human reliability analysis and probabilistic risk assessment guidance on treatment of scenarios that require main control room abandonment in response to a fire event. | 4/1/2016 | RES | No | **** | **** | ML16110A413 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|----------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 358 | NUREG-2152, Computational Fluid Dynamics Best Practice Guidelines for Dry Cask Applications | Guidance | Provides guidance on how to verify the input model, validate results, and document the process for computational fluid dynamics. | 3/1/2013 | RES & NMSS | No | **** | ***** | ML13086A202 | 77 FR 64834*** |
| 359 | NUREG-1855, Revision 1, Guidance on the Treatment of Uncertainties Associated with PRAs in Risk-Informed Decisionmaking, Final Report | Guidance | Provides guidance on how to treat uncertainties associated with probabilistic risk assessment in risk-informed decisionmaking. | 3/1/2017 | RES | No | **** | 3/1/2017 | ML17062A466 | 78 FR 22349*** |
| 360 | Management Directive 6.4, "Generic Issues Program" | Management Directive | Provides staff guidance for assessing, evaluating, and resolving potential generic concerns regarding nuclear safety issues. | 1/2/2015 | RES | No | 1/6/2015 | 2/23/2015 | ML14245A048 | N/A |
| 361 | Management Directive 6.5, "NRC Participation in the Development and Use of Consensus Standards" | Management Directive | Provides staff guidance on participation on code committees and development of consensus standards. | 10/28/2016 | RES | No | 9/8/2011 | 1/18/2012 | ML16193A497 | N/A |
| 362 | Management Directive 8.1, "Abnormal Occurrence Reporting Procedure" | Management Directive | Provides guidance to staff supporting the development of an annual congressional report on abnormal occurrences. | 9/9/2011 | RES | No | 7/18/2011 | 9/26/2011 | ML111360014 | N/A |
| 363 | | | | | | | | | | |
| 364 | Office of Nuclear Material Safety and Safeguards | | | | | | | | | |
| 365 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 366 | Generic Letter 2015-01, Treatment of Natural Phenomena Hazards in Fuel Cycle Facilities | Generic Letter | Discusses the treatment of natural phenomena hazards in fuel cycle facilities | 6/22/2015 | NMSS | No | **** | ***** (CRA); 04/01/2015 (PRA) | ML14328A029 | 80 FR 37028 |
| 367 | Consolidated Guidance about Materials Licenses: Program-Specific Guidance About Industrial Radiography Licenses (NUREG-1556, Volume 2, Rev. 1) | NUREG | This report provides guidance to an applicant applying for an industrial radiography license and provides the U.S. Nuclear Regulatory Commission (NRC) with criteria for evaluating such applications. | 2/1/2016 | NMSS | No | 4/1/2015 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nureqs/staff/sr1556/v2/ | 81 FR 64207 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A 1. Title | B 2. Form of Guidance | C 3. Subject Description | D 4. Date of Issuance | E 5. Issuing Office | F 6a. Major rule under CRA? | G 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | H 6c. Date submitted to Congress and GAO Under CRA | I 7. If Applicable, Hyperlink or ADAMS Number | J 7. If applicable, Federal Register Citation |
|-----|--|--------------------------|--|--------------------------|------------------------|--------------------------------|---|---|---|--|
| 368 | Consolidated Guidance about Materials Licenses: Applications for Sealed Source and Device Evaluation and Registration (NUREG-1556, Volume 3, Rev. 2) | NUREG | This report provides guidance to applicants on submitting requests to the U.S. Nuclear Regulatory Commission (NRC) for radiation safety evaluation and registration of sealed sources and devices (SSDs) containing byproduct material, and provides the NRC with criteria for evaluating such applications. | 9/1/2015 | NMSS | No | 5/6/2015 | 9/25/2015 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v3/ | 81 FR 64207 |
| 369 | Consolidated Guidance about Materials License Program-Specific Guidance About Fixed Gauge Licenses (NUREG-1556, Volume 4, Rev. 1) | NUREG | This report addresses a variety of radiation safety issues associated with fixed gauges of many designs. Typically, gauges are used for process control (e.g., to measure the thickness of paper, the density of coal, the level of material in vessels and tanks, and volumetric flow rate). | 7/1/2016 | NMSS | No | 5/6/2016 | 7/19/2016 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v4/ | 81 FR 64207 |
| 370 | Consolidated Guidance about Materials Licenses: Program-Specific Guidance About Medical Use Licenses (NUREG-1556, Volume 9, Rev. 2) | NUREG | This report is intended to provide guidance to individuals who are preparing an application for a license for the medical use of byproduct material as well as to NRC staff who review applications. | 1/1/2008 | NMSS | No | **** | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v9/r2/ | 73 FR 8909 |
| 371 | Consolidated Guidance about Materials Licenses: Program-Specific Guidance About Master Materials Licenses (NUREG-1556, Volume 10, Rev. 1) | NUREG | This report provides guidance to Federal organizations preparing a new Master Materials License (MML) application and those Federal organizations with existing MMLs when applying for a license amendment. In addition, it provides the criteria the U.S. Nuclear Regulatory Commission (NRC) license reviewers and other NRC personnel use in reviewing MML applications and current MMLs. | 6/1/2016 | NMSS | No | 10/1/2015 | 7/19/2016 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v10/ | 81 FR 64207 |
| 372 | Consolidated Guidance about Materials Licenses: Program-Specific Guidance about Licenses of Broad Scope (NUREG-1556, Volume 11, Rev. 1) | NUREG | This NUREG provides guidance to an applicant applying for a broad scope license and also provides the U.S. Nuclear Regulatory Commission (NRC) staff with the criteria for evaluating such applications. | 2/1/2017 | NMSS | No | **** | 3/21/2017 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v11/ | 82 FR 16635 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 373 | Consolidated Guidance about Materials Licenses: Guidance About Changes of Control and About Bankruptcy Involving Byproduct, Source, or Special Nuclear Materials Licenses (NUREG-1556, Volume 15, Rev. 1) | NUREG | The report contains guidance for licensees and, in some cases, license applicants to use in preparing a notification to NRC of a change of control or bankruptcy. It also contains NRC's criteria for evaluating such a notification and determining whether a new or amended license is needed. | 6/1/2016 | NMSS | No | 10/1/2015 | 7/19/2016 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v15/ | 81 FR 64207 |
| 374 | Consolidated Guidance about Materials Licenses: Program-Specific Guidance About Service Provider Licenses(NUREG-1556, Volume 18, Rev. 1) | NUREG | This report provides guidance to an applicant in preparing a service provider license application based on the risk significance of the proposed activity, as well as providing the U.S. Nuclear Regulatory Commission (NRC) staff with the appropriate criteria for evaluating such applications. | 8/1/2017 | NMSS | No | 11/30/2016 | **** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v18/ | 82 FR 4612 |
| 375 | Consolidated Guidance about Materials Licenses: Guidance for Agreement State Licensees About NRC Form 241 "Report of Proposed Activities in Non-Agreement States, Areas of Exclusive Federal Jurisdiction, or Offshore Waters" and Guidance for NRC Licensees Proposing to Work in Agreement State Jurisdiction (Reciprocity) (NUREG-1556, Volume 19, Rev. 1) | NUREG | This report provides information important to Agreement State licensees on submitting the U.S. Nuclear Regulatory Commission (NRC) Form 241, "Report of Proposed Activities in Non-Agreement States, Areas of Exclusive Federal Jurisdiction, or Offshore Waters". | 6/1/2016 | NMSS | No | **** | 7/19/2016 | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v19/ | 81 FR 64207 |
| 376 | Products Intended for Use by General Public (Consumer Products) - Policy Statement | Policy Statement | Update to policy statement on consumer products to reflect NRC's current approach to radiation protection, legislation that has been enacted since the policy was published in 1965, and subsequent approaches taken in the NRC's regulatory framework for exemptions | 1/16/2014 | NMSS | No | 7/2/2013 | 2/7/2014 | https://www.gpo.gov/fdsys/pkg/FR-2014-01-16/pdf/2014-00730.pdf | 79 FR 2907 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 377 | Tribal Policy Statement | Policy Statement | Sets forth principles to be followed by the NRC staff to promote effective government-to-government interactions with American Indian and Alaska Native Tribes, and to encourage and facilitate Tribal involvement in the areas over which the Commission has jurisdiction. | 1/9/2017 | NMSS | No | **** | ***** | https://www.gpo.gov/fdsys/pkg/FR-2017-01-09/pdf/2017-00091.pdf | 82 FR 2402 |
| 378 | Implementation Guidance for 10 CFR Part 37, "Physical Protection of Category 1 and Category 2 Quantities of Radioactive Material" rev. 1 (NUREG-2155) | NUREG | The intent of this technical report is to provide guidance on, and to assist applicants and licensees in, the implementation of Title 10 of the Code of Federal Regulations (10 CFR) Part 37, "Physical Protection of Category 1 and Category 2 Quantities of Radioactive Material." This document describes methods that the U.S. Nuclear Regulatory Commission (NRC) finds acceptable for implementing the regulations. | 1/1/2015 | NMSS | No | **** | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr215/5/ | N/A |
| 379 | ViewRay System for Radiation Therapy | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | 7/24/2013 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1317/ML13179A287/24/20137.pdf | N/A |
| 380 | TheraSphere® and SIR-Spheres® Yttrium-90 Microspheres, Draft Rev 10 | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | 10/30/2017 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1710/ML17107A375.pdf | N/A |
| 381 | Leksell Gamma Knife® Perfexion™ and Leksell Gamma Knife® Icon™ | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | 5/25/2016 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1610/ML16109A208.pdf | N/A |
| 382 | Low Activity Radioactive Seeds Used for Localization of Non-Palpable Lesions and Lymph Nodes | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | 10/7/2016 | NMSS | No | 8/31/2016 | ***** | https://www.nrc.gov/docs/ML1619/ML16197A568.pdf | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|----------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 383 | Eckert and Ziegler GalliaPharm™ Germanium-68/Gallium-68 Pharmacy Grade Generator | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | 7/13/2017 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1707/ML17075A488.pdf | N/A |
| 384 | Radium-223 Dichloride | Memorandum | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material. | 1/10/2013 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1707/ML17075A488.pdf | N/A |
| 385 | Licensing Guidance for the Intraocular Use of NeoVista, Inc's Epi-Rad ₉₀ ™ (Sr-90) Ophthalmic System | Licensing Guidance | The guidance provides applicants with an acceptable means of satisfying the requirements for a license to use the subject material, source, or device. | Apr-09 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML0911/ML091140370.pdf | N/A |
| 386 | Managemnt Directive 5.8: Proposed Section 274B Agreements with States | Management Directive | Establish a system for an orderly transition in the discontinuance of certain regulatory authority by NRC with assumption thereof by the State through a standard agreement or amendment. | 6/25/2013 | NMSS | No | 10/1/2012 | 7/22/2013 | https://www.nrc.gov/docs/ML1306/ML13067A396.pdf | N/A |
| 387 | Management Directive 6.3: The Rulemaking Process | Management Directive | Describes the rulemaking process at the NRC | 7/22/2013 | NMSS | No | 7/3/2012 | 8/16/2013 | ML13205A400 | N/A |
| 388 | Management Directive 8.10: NRC Assessment Program for a Medical Event or an Incident Occurring at a Medical Facility | Management Directive | Specify the scope, objectives, authorities, responsibilities, and basic requirements for the NRC's Assessment Program. | 3/28/2014 | NMSS | No | 7/3/2012 | 4/15/2014 | https://www.nrc.gov/docs/ML1330/ML13301A732.pdf | N/A |
| 389 | Management Directive 8.12: Decommissioning Financial Assurance | Management Directive | Procedures to ensure that financial instruments submitted as financial assurance for decommissioning by materials licensees and fuel cycle licensees provide reasonable assurance that financial resources for decommissioning will be available when needed. | 11/22/2013 | NMSS | No | 9/12/2012 | 1/22/2014 | ML120030527 | N/A |
| 390 | Agreement State Program Policy Statement | Policy Statement | Policy Statement for Implementation of the NRC's Agreement State Program | 10/6/2017 | NMSS | No | 10/4/2017 | ***** | https://www.federalregister.gov/documents/2017/10/06/2017-21542/agreement-state-program-policy-statement | 82 FR 46840 |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
|-----|--|------------------------|--|---------------------|-------------------|---------------------------|--|--|---|---|
| 391 | Physical Security Best Practices for the Protection of Risk-Significant Radioactive Material (NUREG-2166) | NUREG | This document provides guidance to U.S. Nuclear Regulatory Commission (NRC) licensees or applicants on developing and implementing a physical protection program for the protection of risk-significant radioactive materials (e.g., category 1 and category 2 quantities of radioactive material). The intent of this information is to provide NRC licensees or applicants guidance with specific emphasis on physical security best practices. The approaches and methods in this document are not requirements; however, the NRC considers them to be acceptable for complying with the requirements in Title 10 of the Code of Federal Regulations (10 CFR) Part 37, "Physical Protection of Category 1 and Category 2 Quantities of Radioactive Material." | 5/1/2014 | NMSS | No | 4/24/2014 | ***** | https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr2166/ | N/A |
| 392 | Interim Staff Guidance – 2, Revision 2 Fuel Retrievability in Spent Fuel Storage Applications | Interim Staff Guidance | Provides guidance to the staff for determining whether an application submitted under 10 CFR Part 72 sufficiently demonstrates that the system is designed to allow ready retrieval of spent fuel. | 4/26/2016 | NMSS | No | 4/11/2016 | ***** | https://www.nrc.gov/docs/ML1611/ML16117A080.pdf | N/A |
| 393 | Interim Staff Guidance - 8 Revision 3 Burnup Credit in the Criticality Safety Analyses of PWR Spent Fuel in Transportation and Storage Casks | Interim Staff Guidance | Provides recommendations to the staff for accepting, on a design-specific basis, a burnup credit approach in the criticality safety analysis of pressurized water reactor (PWR) SNF storage and transportation systems. | 9/26/2012 | NMSS | No | 9/12/2012 | ***** | https://www.nrc.gov/reading-rm/doc-collections/isq/isq-8R3.pdf | N/A |
| 394 | Interim Staff Guidance - ISG-18, Rev. 1 The Design and Testing of Lid Welds on Austenitic Stainless Steel Canisters as the Confinement Boundary for Spent Fuel Storage | Interim Staff Guidance | Guidance to address the design and testing of the various closure welds ("lid welds") associated with the redundant closure of all-welded austenitic stainless steel canisters | 10/3/2008 | NMSS | No | 2/22/2008 | ***** | https://www.nrc.gov/reading-rm/doc-collections/isq/isq-18r1.pdf | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 395 | Interim Staff Guidance-24, Revision 0 The Use of a Demonstration Program as a Surveillance Tool for Confirmation of Integrity for Continued Storage of High Burnup Fuel Beyond 20 Years | Interim Staff Guidance | Provides guidance to the staff for reviewing if a demonstration of high burnup fuel (HBF)1 has the necessary properties to qualify as one method that an applicant might use in license and certificate of compliance (CoC) applications to demonstrate the integrity of HBF for continued storage. | 7/11/2014 | NMSS | No | 6/3/2013 | **** | https://www.nrc.gov/docs/ML1405/ML14058B166.pdf | N/A |
| 396 | Interim Staff Guidance – 25 Pressure and Helium Leakage Testing of the Confinement Boundary of Spent Fuel Dry Storage Systems | Interim Staff Guidance | Additional guidance to supplement standard review plan guidance for evaluating the helium leakage testing and ASME Code1 required pressure (hydrostatic/pneumatic) testing that is specified for the dry storage system (DSS) confinement boundary. | 8/18/2010 | NMSS | No | 2/25/2010 | **** | https://www.nrc.gov/docs/ML1019/ML101970493.pdf | N/A |
| 397 | NUREG-1536, Rev. 1, Standard Review Plan for Spent Fuel Dry Storage Systems at a General License Facility - Final Report | NUREG | Provides guidance to NRC staff for reviewing applications for a Certificate of Compliance of a dry storage system for use at a general license facility | 7/1/2010 | NMSS | No | 5/26/2010 | **** | http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1536/r1/sr1536r1.pdf | 74 FR 17546*** |
| 398 | NUREG-1886, Joint Canada - United States Guide for Approval of Type B(U) and Fissile Material Transportation Packages | NUREG | This guide was developed by the United States Department of Transportation and Nuclear Regulatory Commission, and the Canadian Nuclear Safety Commission to provide direction on the standard format and content for applications for approval of packages used to transport Type B(U) and fissile materials. | 3/1/2009 | NMSS | No | **** | **** | https://www.nrc.gov/docs/ML0909/ML090930197.pdf | 73 FR 31946*** |
| 399 | NUREG-1927, Rev. 1, Standard Review Plan for Renewal of Specific Licenses and Certificates of Compliance for Dry Storage of Spent Nuclear Fuel – Final Report | NUREG | Provides guidance for the safety review of renewal applications for specific licenses of independent spent fuel storage installations and certificates of compliance (CoCs) of dry storage systems | 6/1/2016 | NMSS | No | 4/11/2016 | 7/7/2016 | https://www.nrc.gov/docs/ML1617/ML16179A148.pdf | 81 FR 44054 |
| 400 | Interim Staff Guidance-23 Application of ASTM Standard Practice C1671-07 when performing technical reviews of spent fuel storage and transportation packaging licensing actions. | Interim Staff Guidance | Guidance on applying ASTM SP C1671-07 for NRC staff use in technical reviews of spent fuel storage and transportation packaging licensing actions | 1/18/2011 | NMSS | No | **** | 2/28/2011 | https://www.nrc.gov/reading-rm/doc-collections/isg/isg-23.pdf | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 401 | NUREG/BR-0006, Rev. 8, Instructions for Completing Nuclear Material Transaction Reports | NUREG | Provide guidance to licensees reporting nuclear material transactions to the Nuclear Material Management and Safeguards System | 4/1/2017 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1702/ML17026A069.pdf | N/A |
| 402 | NUREG/BR-0007, Rev. 7, Instructions for the Preparation and Distribution of Material Status Reports | NUREG | Provides instructions and guidance for preparing and distributing material status reports | 4/1/2017 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1702/ML17026A076.pdf | N/A |
| 403 | NUREG-1520, Rev. 2, Standard Review Plan for Fuel Cycle Facilities License Applications | NUREG | Provides guidance for reviewing and evaluating the health, safety, and environmental aspects of applications to use special nuclear material to produce reactor fuel | 6/1/2015 | NMSS | No | **** | ***** | https://www.nrc.gov/docs/ML1517/ML15176A258.pdf | 80 FR 38238 |
| 404 | NUREG-1757, Volume 3, Rev. 1, Consolidated Decommissioning Guidance - Financial Assurance, Recordkeeping, and Timeliness | NUREG | Provides guidance on the technical aspects of compliance with requirements for timeliness in decommissioning of materials facilities, the requirements for financial assurance for decommissioning, and the recordkeeping requirements related to eventual decommissioning. | 2/1/2012 | NMSS | No | 3/31/2011 | ***** | https://www.nrc.gov/docs/ML1204/ML12048A683.pdf | N/A |
| 405 | FCSS-ISG-12, rev. 1 Reportable Safety Events per 10 CFR Part 70 Appendix A | Interim Staff Guidance | Clarifies some of the reporting requirements in 10 CFR Part 70, Appendix A, which contains criteria for submitting one hour reports, twenty-four hour reports, and concurrent reports. | 9/18/2014 | NMSS | No | **** | ***** | ML14157A067 | N/A |
| 406 | FCSS-ISG-13, Estimating Decommissioning Costs For Uranium Enrichment Facilities | Interim Staff Guidance | Provides guidance on estimating decommissioning costs for uranium enrichment facilities | 8/13/2010 | NMSS | No | **** | ***** | ML102240529 | N/A |
| 407 | FCSE-ISG-14, Acute Uranium Exposure Standards for Workers | Interim Staff Guidance | Provides acute uranium intake quantities that the staff finds acceptable as proposed quantitative standards used to classify the chemical consequences of worker acute uranium exposure accidents analyzed in licensee's ISA | 6/8/2015 | NMSS | No | 7/31/2015 | 9/25/2015 | ML15147A682 | N/A |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|---|---------------------------|---|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 408 | Concentration Averaging and Encapsulation Branch Technical Position, Revision 1; Volume 1 | Branch Technical Position | This document provides guidance for one aspect related to the 10 CFR 61.42 performance objective regarding protection of an inadvertent intruder (i.e., the averaging of radionuclide concentrations for determining the classification of the waste). Specifically, this Concentration Averaging (CA) Branch Technical Position (BTP) provides guidance on complying with 10 CFR 61.55(a)(8), "Determination of concentrations in wastes," as it applies to the classification of waste for disposal under 10 CFR Part 61. | 2/25/2015 | NMSS | No | 11/3/2014 | 4/15/2015 | https://www.nrc.gov/docs/ML1225/ML12254B065.pdf | 80 FR 10165 |
| 409 | Concentration Averaging and Encapsulation Branch Technical Position, Revision 1; Volume 2 | Branch Technical Position | This document provides guidance for one aspect related to the 10 CFR 61.42 performance objective regarding protection of an inadvertent intruder (i.e., the averaging of radionuclide concentrations for determining the classification of the waste). Specifically, this Concentration Averaging (CA) Branch Technical Position (BTP) provides guidance on complying with 10 CFR 61.55(a)(8), "Determination of concentrations in wastes," as it applies to the classification of waste for disposal under 10 CFR Part 61. | 2/25/2015 | NMSS | No | 11/3/2014 | 4/15/2015 | https://www.nrc.gov/docs/ML1232/ML12326A611.pdf | 80 FR 10165 |
| 410 | Low-Level Radioactive Waste Management and Volume Reduction | Policy Statement | Revises the NRC's 1981 Policy Statement on Low-Level Radioactive Waste (LLRW) Volume Reduction. This revised statement is to recognize that progress in reducing waste volume has been achieved since the 1981 Policy Statement was published, and to acknowledge that factors other than volume reduction may be considered by licensees to determine how best to manage their LLRW. | 5/1/2012 | NMSS | No | **** | 5/15/2012 | ML15023A098 | 77 FR 25760 |
| 411 | | | | | | | | | | |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|-----|--|----------------------|---|---------------------|---|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 412 | | | | | | | | | | |
| 413 | Miscellaneous | | | | | | | | | |
| 414 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. Federal Register Citation |
| 415 | Management Directive 3.17, "NRC Information Quality Program" | Management Directive | Establishes program to ensure quality of all information the NRC relies on for making decisions or disseminates to the public | 6/28/2016 | Office of the Chief Information Officer | No | 9/30/2014 | **** | https://www.nrc.gov/docs/ML1610/ML16105A321.pdf | N/A |
| 416 | Management Directive 3.5, "Attendance at NRC Staff-Sponsored Meetings" | Management Directive | Establishes policies for participation by the public in certain meetings between the staff of the NRC and external stakeholders | 12/23/2011 | Office of the Executive Director for Operations | No | 5/27/2011 | 1/10/2012 | https://www.nrc.gov/docs/ML1129/ML112971635.pdf | N/A |
| 417 | Management Directive 11.4, "NRC Small Business Program" | Management Directive | Describes the NRC Small Business Program's role in acquisition and explains the acquisition review process | 6/18/2014 | Office of Small Business and Civil Rights | No | 6/3/2013 | **** | https://www.nrc.gov/docs/ML1332/ML13329A758.pdf | N/A |
| 418 | | | | | | | | | | |
| 419 | | | | | | | | | | |
| 420 | NOTES | | | | | | | | | |
| 421 | *OMB Memorandum M-99-13, "Guidance for Implementing the Congressional Review Act," states: "If the rule is not subject to E.O. 12866 review, you should contact your Desk Officer in OMB's Office of Information and Regulatory Affairs (OIRA) in accordance with your established practice." In accordance with this guidance, the established practice is for the NRC to request a major/non-major determination for rules under the CRA, except for a limited set of final NRC actions. | | | | | | | | | |
| 422 | **Unless indicated otherwise, all dates are for submission of a CRA request to OMB | | | | | | | | | |
| 423 | ***Citation for draft document. Final document not announced or not yet announced in the Federal Register | | | | | | | | | |

CONSOLIDATED SPREADSHEET - ALL OFFICES

| | A | B | C | D | E | F | G | H | I | J |
|------------|--|---------------------|------------------------|---------------------|-------------------|---------------------------|--|--|---|---|
| 3 | 1. Title | 2. Form of Guidance | 3. Subject Description | 4. Date of Issuance | 5. Issuing Office | 6a. Major rule under CRA? | 6b. Date Requested OMB Major/Non-Major CRA Determination and/or Submitted to OMB under Paperwork Reduction Act (PRA)** | 6c. Date submitted to Congress and GAO Under CRA | 7. If Applicable, Hyperlink or ADAMS Number | 7. If applicable, Federal Register Citation |
| 424 | ****Document was not considered a rule under the CRA and/or the NRC could not find documentation regarding transmission of a CRA request to OMB | | | | | | | | | |
| 425 | ****Document was not considered a rule under the CRA and/or the NRC could not find documentation regarding transmission of this document to Congress and GAO | | | | | | | | | |
| 426 | *****Sensitive, Safeguards, and Classified documents are not publicly available, but are retrievable upon request | | | | | | | | | |
| 427 428 | | | | | | | | | | |