


This drawing and the design it covers are the property of BECHTEL. They are hereby loaned and on the borrower's express agreement that they will not be reproduced, copied, loaned, exhibited, nor used except in the limited way and for the purposes intended by the lender to the borrower.



- NOTES:**
- FOR NOTES & REFERENCE DRAWINGS SEE DWG E-153 SH 48.
 - FOR BLOCK DIAGRAM OF SWITCH DEVELOPMENT SEE DWG 5-139 SH 48.
 - 2KΩ RESISTOR TO BE PURCHASED & INSTALLED IN SWGR 2A20202 BY FIELD. (REF. E-40 SH 76).
 - PURCHASED & INSTALLED BY FIELD (E-40 SH 34, 37, 51, 52 & 74).
 - THIS SWITCH IS MODIFIED WITH A COMPLETE OCTAGONAL RING HARDWARE KIT, CAT. NO. G.E. CR2940Y200B. (REF. E-40 SH 33).
 - FIELD TO ADD RAYCHEM TYPE HEAT SHRINK TUBINGS, WCSF-050-N & WCSF-070-N, OVER THE PIGTAILS OF THE MDR RELAY. FOR DETAIL SEE DWG E-37 SH 44, 45 & 48.

NO.	DATE	REVISIONS	BY	CHKD	APP'D
1		REVISED PER DCP 565 REV D (FBI, INDL-RO) DCP 451.6 REV O & FOR E-539			
2		ADDED WIRES 1, 11 IN PARALLEL LUGS 3 & 4			
3		ADDED RATING OF RLY 30/51/100			
4		REV. PER DCP 705 & INCORP DCP 711			
5		ISSUED FOR 4.16KV SWGR. FABRICATION ONLY			

PENNSYLVANIA POWER & LIGHT COMPANY
ALLENTOWN, PENNSYLVANIA
SUSQUEHANNA STEAM ELECTRIC STATION - UNIT 1, UNIT 2

BECHTEL - SAN FRANCISCO

SCHEMATIC DIAGRAM
RHR PUMP 2B
UNIT 2

JOB No.	DRAWING No.	REV.
8856	E-153 SH 49	5

D-107302 SH 49

74X

DANNY 7-12-81 MRG 1

Docket # 387
Control # 2803090234
Date 3/1/83
REGULATORY DOCKET FILE
-223
D