

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8603070317 DOC. DATE: 86/03/03 NOTARIZED: YES DOCKET #
 FACIL: 50-410 Nine Mile Point Nuclear Station, Unit 2, Niagara Moha 05000410
 AUTH. NAME AUTHOR AFFILIATION
 MANGAN, C. V. Niagara Mohawk Power Corp.
 RECIP. NAME RECIPIENT AFFILIATION
 ADENSAM, E. G. BWR Project Directorate 3

SUBJECT: Forwards addl info re compliance to Reg Guide 1.97, per
 860213 & 21 telcons. Info shold close confirmatory Item 10.
 Devel opments in nuclear industry re neutron flux monitoring
 instrumentation will continue.

DISTRIBUTION CODE: B001D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 3
 TITLE: Licensing Submittal: PSAR/FSAR Amdts & Related Correspondence

NOTES:

	RECIPIENT		COPIES			RECIPIENT		COPIES	
	ID CODE/NAME		LTTR	ENCL		ID CODE/NAME		LTTR	ENCL
	BWR ADTS		1	1	BWR PD3 PD		1	1	
	BWR EB		1	1	BWR EICSB		1	1	
	BWR FOB		1	1	BWR PD3 LA		1	1	
	HAUGHEY, M	01	2	2	BWR PSB		1	1	
	BWR RSB		1	1					
INTERNAL:	ACRS	41	6	6	ADM/LFMB		1	0	
	ELD/HDS3		1	0	IE FILE		1	1	
	IE/DEPER/EPB	36	1	1	IE/DGAVT/QAB	21	1	1	
	NRR BWR ADTS		1	0	NRR PWR-A ADTS		1	0	
	NRR PWR-B ADTS		1	0	NRR ROE, M. L		1	1	
	NRR/DHET/HFIB		1	1	NRR/DHFT/MTB		1	1	
	<u>REG FILE</u>	04	1	1	RGN1		3	3	
	RM/DDAMI/MIB		1	0					
EXTERNAL:	24X		1	1	BNL (AMDTS ONLY)		1	1	
	DMB/DSS (AMDTS)		1	1	LPDR	03	1	1	
	NRC PDR	02	1	1	NSIC	05	1	1	
	PNL GRUEL, R		1	1					

TOTAL NUMBER OF COPIES REQUIRED: LTTR 39 ENCL 33

1. The first part of the document discusses the importance of maintaining accurate records. It states that records are essential for the proper management of an organization and for ensuring accountability.

2. The second part of the document outlines the various methods used to collect and analyze data. It emphasizes the need for a systematic approach to data collection and the importance of using appropriate statistical techniques.

3. The third part of the document discusses the challenges associated with data collection and analysis. It identifies common pitfalls and provides strategies to avoid them, such as ensuring data quality and using appropriate sample sizes.

4. The fourth part of the document describes the different types of data that can be collected and analyzed. It distinguishes between qualitative and quantitative data and discusses the strengths and weaknesses of each type.

5. The fifth part of the document discusses the various statistical methods used to analyze data. It covers both descriptive statistics, which summarize the data, and inferential statistics, which allow for generalizations about a population based on a sample.

6. The sixth part of the document discusses the importance of interpreting the results of statistical analysis. It emphasizes the need to consider the context of the data and to avoid over-interpreting the results.

March 3, 1986
(NMP2L 0644)

Ms. Elinor G. Adensam, Director
BWR Project Directorate No. 3
U.S. Nuclear Regulatory Commission
7920 Norfolk Avenue
Washington, DC 20555

Dear Ms. Adensam:

Re: Nine Mile Point Unit 2
..Docket No. 50-410..

Attached is additional information concerning the Nine Mile Point Unit 2 compliance to Regulatory Guide 1.97. This response is in addition to the response provided on January 20, 1986.

This material was discussed in telephone conversations with your staff on February 13, 1986 and February 21, 1986. Niagara Mohawk expects that this material provides the necessary information to close Confirmatory Item 10.


Very truly yours,

C. V. Mangan

C. V. Mangan
Senior Vice President

TL:ja
1361G
Attachment

xc: R. A. Gramm, NRC Resident Inspector
Project File (2)



Boo!



The following information was obtained from the records of the
 Department of the Interior, Bureau of Land Management, on
 the subject of the above-captioned tract of land.
 The tract of land described in the above-captioned
 instrument is situated in the County of [County Name],
 State of [State Name], and is more particularly
 described in the instrument referred to above.
 The tract of land is situated in the [Section] of
 the [Township] of the [Range] of the [Meridian],
 and is more particularly described in the
 instrument referred to above.
 The tract of land is situated in the [Section] of
 the [Township] of the [Range] of the [Meridian],
 and is more particularly described in the
 instrument referred to above.
 The tract of land is situated in the [Section] of
 the [Township] of the [Range] of the [Meridian],
 and is more particularly described in the
 instrument referred to above.

[Illegible text, possibly a signature or date]

[Illegible text, possibly a signature or date]

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

In the Matter of)
Niagara Mohawk Power Corporation)
(Nine Mile Point Unit 2))

Docket No. 50-410

AFFIDAVIT

C. V. Mangan, being duly sworn, states that he is Senior Vice President of Niagara Mohawk Power Corporation; that he is authorized on the part of said Corporation to sign and file with the Nuclear Regulatory Commission the documents attached hereto; and that all such documents are true and correct to the best of his knowledge, information and belief.

C. V. Mangan

Subscribed and sworn to before me, a Notary Public in and for the State of New York and County of Onondaga, this 3rd day of March, 1986.

Janis M. Macro
Notary Public in and for
Onondaga County, New York

My Commission expires:
JANIS M. MACRO

Notary Public in the State of New York
Qualified in Onondaga County No. 4784555
My Commission Expires March 30, 1987.



Attachment

2. Neutron flux - The applicant should provide Class 1E power sources for this instrumentation; the applicant should show that the source and intermediate ranges have sufficient overlap.

Response

In addition to the information provided in our January 20, 1986 letter, Niagara Mohawk will continue to follow and evaluate developments in the nuclear industry concerning neutron flux monitoring instrumentation. Prior to the conclusion of the first refueling outage, Niagara Mohawk will update and identify to the Nuclear Regulatory Commission the status of the neutron flux monitoring instrumentation issue for Nine Mile Point Unit 2.

4. Coolant level in reactor - The applicant should identify the remainder of this instrumentation in accordance with Section 6.2 of NUREG-0737, Supplement No. 1, identify any deviations, and justify those deviations identified.

Response

As stated in our January 20, 1986 letter, conformance to Regulatory Guide 1.97, Revision 3 is accomplished by the use of two transmitters per division, one fuel zone and one wide range. As noted in Section 3.3.3 of your November 15, 1985 letter, the wide range transmitters were omitted from Table 421.36-1 and will be added in the next Final Safety Analysis Report amendment.

The wide range transmitters (2ISC*LT9C and D) are calibrated to monitor the 375.70 in. level, which is inside the fuel zone transmitter range, to the 585.70 in. level which is 62.3 in. below the centerline of the main steam lines at 648 in. It should be noted that all safety trips from reactor level occur within these level ranges.

This range meets the intent of the regulatory guide which is to restore and maintain reactor pressure vessel water level to ensure adequate core cooling.

Water level indication is available in the control room to the operator from one transmitter (2ISC*LT105) covering the 525.70 to 925.70 in. level which is well above the main steam lines. A second transmitter (2ISC*PDT110) covering the 525.70 to 705.70 in. level is also available to the control room operator on a strip chart recorder. However, neither of these transmitters (2ISC*PDT110 and LT105) fully meet the qualification requirements of Regulatory Guide 1.97.

... ..

...

... ..

... ..

...

... ..

... ..

... ..

... ..