

Facility: <u>Byron</u>		Date of Exam: <u>12/14/17</u> Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>		
	Item Description	Initials		
		a	b	c
1.	Clean answer sheets copied before grading	<u>MOX</u>	<u>M</u>	<u>J</u>
2.	Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted) <small>none</small>	<u>MOX</u>	<u>M</u>	<u>J</u>
3.	Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	<u>MOX</u>	<u>M</u>	<u>J</u>
4.	Grading for all borderline cases (80% ±2% overall and 70% or 80%, as applicable, ±4% on the SRO-only exam) reviewed in detail	<u>MOX</u>	<u>M</u>	<u>J</u>
5.	All other failing examinations checked to ensure that grades are justified <small>none</small>	<u>MOX</u>	<u>M</u>	<u>J</u>
6.	Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants	<u>MOX</u>	<u>M</u>	<u>J</u>
Printed Name/Signature		Date		
a. Grader	<u>MARK KULTGEN / Mark D. Kultgen</u>	<u>12/19/17</u>		
b. Facility Reviewer(*)	<u>MACE DAVIS / [Signature]</u>	<u>12/20/17</u>		
c. NRC Chief Examiner (*)	<u>Jesse Seymour / [Signature] For M. Bielby</u>	<u>12/21/17</u>		
d. NRC Supervisor (*)	<u>Robert J. Orlikowski / [Signature]</u>	<u>Dec 22, 2017</u>		
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.				